




**GAMMA 9900 Els Machine Comparison**

<ul style="list-style-type: none"> <li>1 Alpha Ghost2</li> <li>2 Babolat Star 5</li> <li>3 Babolat Sensor</li> <li>4 Babolat Sensor Expert</li> <li>5 Babolat Racket Station Perf</li> <li>6 Babolat Racket Station Perf Link</li> <li>7 Babolat Racket Station Ultimate</li> <li>5 Pacific Digital DX8</li> <li>6 Pacific Digital 700</li> <li>7 Pacific Tronic DX6</li> <li>8 Prince 7000</li> <li>9 Technifibre Ergo 1</li> <li>10 Technifibre Ergo Pro ATP</li> <li>12 Tourna 800-ES</li> <li>13 Tourna Cube</li> <li>14 Wilson Baiardo</li> <li>15 Yonex Pro Tech 8 Deluxe</li> </ul>	<b>GAMMA 9900 Els - 6pt</b>	<b>GAMMA 9900 Els - 2pt</b>	<b>Alpha Ghost2</b>
			
<b>List Price</b>	<b>\$4,799</b>	<b>\$4,799</b>	<b>\$2,795</b>
<b>Warranty</b>	<b>5 year</b>	<b>5 year</b>	<b>2 year</b>
<b>Tensioning</b>			
<b>Type</b>	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
<b>Tension Control</b>	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
<b>Tension Range</b>	10-90 lbs	10-90 lbs	11-88 lbs
<b>Gripper</b>	Hardened Steel Jaws	Hardened Steel Jaws	Steel Plates
<b>Calibration</b>	Internal and External	Internal and External	Information Unavailable
<b>Gripper Return Spring</b>	Spring Assisted Return	Spring Assisted Return	Not Available
<b>String Guide</b>	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Fixed Diabolo
<b>Electronic Controls</b>			
<b>Type</b>	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
<b>Functions</b>	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Tension Adjustment (+/-), Pre-stretch, Knot
<b>Mounting System</b>			
<b>Type</b>	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
<b>Head / Throat Support</b>	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (adaptors) / Micro Adjustment (support)
<b>Shoulder Support</b>	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Independent Arms
<b>Turntable</b>	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Aluminum
<b>Special Adapters</b>	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Badminton
<b>360 degree Rotation</b>	Yes	Yes	Yes
<b>String Clamps</b>			
<b>Style</b>	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
<b>Clamp Base</b>	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Positive Lock-Down
<b>String Clamps</b>	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Tungsten Carbide Coated w/ Cam lever action knob screw adjustment
<b>Floor Stand</b>			
<b>Height Adjustment</b>	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
<b>Tool Trays</b>	1 in front	1 in front	1 in front
<b>Special Features</b>			
<b>Electronic String Length Meter</b>	Measures length of string electronically	Measures length of string electronically	Not Available
<b>Modular Components</b>	Standard Equipment	Standard Equipment	Standard Equipment
<b>Foot Pedal Switch</b>	Standard Equipment	Standard Equipment	Complete info not available
<b>Stringing Tools</b>	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	2 Awl, Setting Awl, Scissors, Starting Clamp, Curved & Repair Pliers, Clippers - Badminton clamps and adaptors are available at additional cost

**GAMMA 9900 Els Machine Comparison**

- 1 Alpha Ghost2
- 2 Babolat Star 5
- 3 Babolat Sensor
- 4 Babolat Sensor Expert
- 5 Babolat Racket Station Perf
- 6 Babolat Racket Station Perf Link
- 7 Babolat Racket Station Ultimate
- 5 Pacific Digital DX8
- 6 Pacific Digital 700
- 7 Pacific Tronic DX6
- 8 Prince 7000
- 9 Technifibre Ergo 1
- 10 Technifibre Ergo Pro ATP
- 12 Tourna 800-ES
- 13 Tourna Cube
- 14 Wilson Baiardo
- 15 Yonex Pro Tech 8 Deluxe

	GAMMA 9900 Els - 6pt	GAMMA 9900 Els - 2pt	Babolat Star 5
			
<b>List Price</b>	<b>\$4,799</b>	<b>\$4,799</b>	<b>\$3,695</b>

<b>Warranty</b>	<b>5 year</b>	<b>5 year</b>	<b>3 or 5 year</b>
-----------------	---------------	---------------	--------------------

<b>Tensioning</b>			
<b>Type</b>	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
<b>Tension Control</b>	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
<b>Tension Range</b>	10-90 lbs	10-90 lbs	11-88 lbs
<b>Gripper</b>	Hardened Steel Jaws	Hardened Steel Jaws	Steel Plates
<b>Calibration</b>	Internal and External	Internal and External	Information Unavailable
<b>Gripper Return Spring</b>	Spring Assisted Return	Spring Assisted Return	Not Available
<b>String Guide</b>	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Fixed Diabolo

<b>Electronic Controls</b>			
<b>Type</b>	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
<b>Functions</b>	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Tension Adjustment (+/-), Pre-stretch, Knot




<b>Mounting System</b>			
<b>Type</b>	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
<b>Head / Throat Support</b>	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (adaptors) / Micro Adjustment (support)
<b>Shoulder Support</b>	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Independent Arms
<b>Turntable</b>	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Steel Plate
<b>Special Adapters</b>	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Badminton
<b>360 degree Rotation</b>	Yes	Yes	Yes

<b>String Clamps</b>			
<b>Style</b>	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
<b>Clamp Base</b>	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Positive Lock-Down
<b>String Clamps</b>	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Tungsten Carbide Coated w/ Cam lever action knob screw adjustment




<b>Floor Stand</b>			
<b>Height Adjustment</b>	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
<b>Tool Trays</b>	1 in front	1 in front	1 in front

<b>Special Features</b>			
<b>Electronic String Length Meter</b>	Measures length of string electronically	Measures length of string electronically	Not Available
<b>Modular Components</b>	Standard Equipment	Standard Equipment	Standard Equipment
<b>Foot Pedal Switch</b>	Standard Equipment	Standard Equipment	Complete info not available
<b>Stringing Tools</b>	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	2 Awl, Setting Awl, Scissors, Starting Clamp, Curved & Repair Pliers, Clippers - Badminton clamps and adaptors are available at additional cost




**GAMMA 9900 Els Machine Comparison**

<ul style="list-style-type: none"> <li>1 Alpha Ghost2</li> <li>2 Babolat Star 5</li> <li>3 Babolat Sensor</li> <li>4 Babolat Sensor Expert</li> <li>5 Babolat Racket Station Perf</li> <li>6 Babolat Racket Station Perf Link</li> <li>7 Babolat Racket Station Ultimate</li> <li>5 Pacific Digital DX8</li> <li>6 Pacific Digital 700</li> <li>7 Pacific Tronic DX6</li> <li>8 Prince 7000</li> <li>9 Technifibre Ergo 1</li> <li>10 Technifibre Ergo Pro ATP</li> <li>12 Tourna 800-ES</li> <li>13 Tourna Cube</li> <li>14 Wilson Baiardo</li> <li>15 Yonex Pro Tech 8 Deluxe</li> </ul>	<b>GAMMA 9900 Els - 6pt</b>	<b>GAMMA 9900 Els - 2pt</b>	<b>Babolat Sensor</b>
			
<b>List Price</b>	<b>\$4,799</b>	<b>\$4,799</b>	<b>\$5,795</b>
<b>Warranty</b>	<b>5 year</b>	<b>5 year</b>	<b>5 year</b>
<b>Tensioning</b>			
<b>Type</b>	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
<b>Tension Control</b>	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
<b>Tension Range</b>	10-90 lbs	10-90 lbs	10-90 lbs
<b>Gripper</b>	Hardened Steel Jaws	Hardened Steel Jaws	Steel Plates
<b>Calibration</b>	Internal and External	Internal and External	Information Unavailable
<b>Gripper Return Spring</b>	Spring Assisted Return	Spring Assisted Return	Not Available
<b>String Guide</b>	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Not Available
<b>Electronic Controls</b>			
<b>Type</b>	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
<b>Functions</b>	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Tension Adjustment (+/-), Pre-stretch (5%-20%)
<b>Mounting System</b>			
<b>Type</b>	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
<b>Head / Throat Support</b>	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (adaptors) / Micro Adjustment (support)
<b>Shoulder Support</b>	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Self Centering Arms
<b>Turntable</b>	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Steel Plate
<b>Special Adapters</b>	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Badminton
<b>360 degree Rotation</b>	Yes	Yes	Yes
<b>String Clamps</b>			
<b>Style</b>	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
<b>Clamp Base</b>	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Positive Lock-Down
<b>String Clamps</b>	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Tungsten Carbide Coated w/ Cam lever action knob screw adjustment
<b>Floor Stand</b>			
<b>Height Adjustment</b>	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
<b>Tool Trays</b>	1 in front	1 in front	1 in front
<b>Special Features</b>			
<b>Electronic String Length Meter</b>	Measures length of string electronically	Measures length of string electronically	Not Available
<b>Modular Components</b>	Standard Equipment	Standard Equipment	Standard Equipment
<b>Foot Pedal Switch</b>	Standard Equipment	Standard Equipment	Complete info not available
<b>Stringing Tools</b>	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Complete information not available - Badminton clamps and adaptors are available at additional cost

**GAMMA 9900 Els Machine Comparison**

<ul style="list-style-type: none"> <li>1 Alpha Ghost2</li> <li>2 Babolat Star 5</li> <li>3 Babolat Sensor</li> <li>4 Babolat Sensor Expert</li> <li>5 Babolat Racket Station Perf</li> <li>6 Babolat Racket Station Perf Link</li> <li>7 Babolat Racket Station Ultimate</li> <li>5 Pacific Digital DX8</li> <li>6 Pacific Digital 700</li> <li>7 Pacific Tronic DX6</li> <li>8 Prince 7000</li> <li>9 Technifibre Ergo 1</li> <li>10 Technifibre Ergo Pro ATP</li> <li>12 Tourna 800-ES</li> <li>13 Tourna Cube</li> <li>14 Wilson Baiardo</li> <li>15 Yonex Pro Tech 8 Deluxe</li> </ul>	<b>GAMMA 9900 Els - 6pt</b>	<b>GAMMA 9900 Els - 2pt</b>	<b>Babolat Sensor Expert</b>
			
<b>List Price</b>	<b>\$4,799</b>	<b>\$4,799</b>	<b>\$8,500</b>
<b>Warranty</b>	<b>5 year</b>	<b>5 year</b>	<b>5 year</b>
<b>Tensioning</b>			
<b>Type</b>	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
<b>Tension Control</b>	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
<b>Tension Range</b>	10-90 lbs	10-90 lbs	10-90 lbs
<b>Gripper</b>	Hardened Steel Jaws	Hardened Steel Jaws	Steel Plates
<b>Calibration</b>	Internal and External	Internal and External	Information Unavailable
<b>Gripper Return Spring</b>	Spring Assisted Return	Spring Assisted Return	Not Available
<b>String Guide</b>	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Not Available - Gripper Raises to the level of the string plane
<b>Electronic Controls</b>			
<b>Type</b>	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w Menu Display
<b>Functions</b>	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Tension Adjustment (+/-), Pre-Stretch (5%-20%), Lbs/Kgs, Knot Tension, Speed Control, Variable Settings for Mains and Crosses, String Length Meter, Racquet Counter
<b>Mounting System</b>			
<b>Type</b>	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
<b>Head / Throat Support</b>	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (adaptors) / Micro Adjustment (support)
<b>Shoulder Support</b>	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Self Centering Arms
<b>Turntable</b>	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Steel Plate
<b>Special Adapters</b>	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Badminton
<b>360 degree Rotation</b>	Yes	Yes	Yes
<b>String Clamps</b>			
<b>Style</b>	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
<b>Clamp Base</b>	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Electronic Lock-Down (locks and releases as tension is applied or released)
<b>String Clamps</b>	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Tungsten Carbide Coated w/ Cam lever action knob screw adjustment
<b>Floor Stand</b>			
<b>Height Adjustment</b>	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
<b>Tool Trays</b>	1 in front	1 in front	1 in front
<b>Special Features</b>			
<b>Electronic String Length Meter</b>	Measures length of string electronically	Measures length of string electronically	Measures length of string electronically
<b>Modular Components</b>	Standard Equipment	Standard Equipment	Standard Equipment
<b>Foot Pedal Switch</b>	Standard Equipment	Standard Equipment	Complete info not available
<b>Stringing Tools</b>	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Complete information not available - Badminton clamps and adaptors are available at additional cost

**GAMMA 9900 Els Machine Comparison**

<ul style="list-style-type: none"> <li>1 Alpha Ghost2</li> <li>2 Babolat Star 5</li> <li>3 Babolat Sensor</li> <li>4 Babolat Sensor Expert</li> <li>5 Babolat Racket Station Perf</li> <li>6 Babolat Racket Station Perf Link</li> <li>7 Babolat Racket Station Ultimate</li> <li>5 Pacific Digital DX8</li> <li>6 Pacific Digital 700</li> <li>7 Pacific Tronic DX6</li> <li>8 Prince 7000</li> <li>9 Technifibre Ergo 1</li> <li>10 Technifibre Ergo Pro ATP</li> <li>12 Tourna 800-ES</li> <li>13 Tourna Cube</li> <li>14 Wilson Baiardo</li> <li>15 Yonex Pro Tech 8 Deluxe</li> </ul>	<p><b>GAMMA 9900 Els - 6pt</b></p> 	<p><b>GAMMA 9900 Els - 2pt</b></p> 	<p><b>Babolat Racket Station Perf</b></p> 
<b>List Price</b>	<b>\$4,799</b>	<b>\$4,799</b>	<b>\$6,595</b>
<b>Warranty</b>	<b>5 year</b>	<b>5 year</b>	<b>5 year</b>
<b>Tensioning</b>			
<b>Type</b>	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
<b>Tension Control</b>	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
<b>Tension Range</b>	10-90 lbs	10-90 lbs	10-90 lbs
<b>Gripper</b>	Hardened Steel Jaws	Hardened Steel Jaws	Steel Plates
<b>Calibration</b>	Internal and External	Internal and External	Information Unavailable
<b>Gripper Return Spring</b>	Spring Assisted Return	Spring Assisted Return	Not Available
<b>String Guide</b>	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Not Available
<b>Electronic Controls</b>			
<b>Type</b>	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	Touch Screen LCD wMenu Display
<b>Functions</b>	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Seetings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Seetings, Basic Stringing Mode, String Length Meter, Racquet Counter	Tension Adjustment (+/-), Pre-Stretch (5%-20%), Lbs/Kgs, Knot Tension, Speed Control, Variable Settings for Mains and Crosses, String Length Meter, Racquet Counter
<b>Mounting System</b>			
<b>Type</b>	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
<b>Head / Throat Support</b>	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (adaptors) / Micro Adjustment (support)
<b>Shoulder Support</b>	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Self Centering Arms
<b>Turntable</b>	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Complete info not available
<b>Special Adapters</b>	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Complete info not available
<b>360 degree Rotation</b>	Yes	Yes	Yes
<b>String Clamps</b>			
<b>Style</b>	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
<b>Clamp Base</b>	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Positive Lock-Down
<b>String Clamps</b>	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Tungsten Carbide Coated w/ Cam lever action knob screw adjustment
<b>Floor Stand</b>			
<b>Height Adjustment</b>	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
<b>Tool Trays</b>	1 in front	1 in front	1 in front
<b>Special Features</b>			
<b>Electronic String Length Meter</b>	Measures length of string electronically	Measures length of string electronically	Not Available
<b>Modular Components</b>	Standard Equipment	Standard Equipment	Standard Equipment
<b>Foot Pedal Switch</b>	Standard Equipment	Standard Equipment	Complete info not available
<b>Stringing Tools</b>	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Complete info not available



**GAMMA 9900 Els Machine Comparison**

- 1 Alpha Ghost2
- 2 Babolat Star 5
- 3 Babolat Sensor
- 4 Babolat Sensor Expert
- 5 Babolat Racket Station Perf
- 6 Babolat Racket Station Perf Link
- 7 Babolat Racket Station Ultimate
- 5 Pacific Digital DX8
- 6 Pacific Digital 700
- 7 Pacific Tronic DX6
- 8 Prince 7000
- 9 Technifibre Ergo 1
- 10 Technifibre Ergo Pro ATP
- 12 Tourna 800-ES
- 13 Tourna Cube
- 14 Wilson Baiardo
- 15 Yonex Pro Tech 8 Deluxe

	GAMMA 9900 Els - 6pt	GAMMA 9900 Els - 2pt	Babolat Racket Station Perf Link
			
<b>List Price</b>	<b>\$4,799</b>	<b>\$4,799</b>	<b>\$7,895</b>

<b>Warranty</b>	<b>5 year</b>	<b>5 year</b>	<b>5 year</b>
-----------------	---------------	---------------	---------------

<b>Tensioning</b>			
<b>Type</b>	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
<b>Tension Control</b>	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
<b>Tension Range</b>	10-90 lbs	10-90 lbs	10-90 lbs
<b>Gripper</b>	Hardened Steel Jaws	Hardened Steel Jaws	Steel Plates
<b>Calibration</b>	Internal and External	Internal and External	Information Unavailable
<b>Gripper Return Spring</b>	Spring Assisted Return	Spring Assisted Return	Not Available
<b>String Guide</b>	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Not Available

<b>Electronic Controls</b>			
<b>Type</b>	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	Touch Screen LCD wMenu Display
<b>Functions</b>	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Seetings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Seetings, Basic Stringing Mode, String Length Meter, Racquet Counter	Tension Adjustment (+/-), Pre-Stretch (5%-20%), Lbs/Kgs, Knot Tension, Speed Control, Variable Settings for Mains and Crosses, String Length Meter, Racquet Counter




<b>Mounting System</b>			
<b>Type</b>	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
<b>Head / Throat Support</b>	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (adaptors) / Micro Adjustment (support)
<b>Shoulder Support</b>	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Self Centering Arms
<b>Turntable</b>	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Complete info not available
<b>Special Adapters</b>	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Complete info not available
<b>360 degree Rotation</b>	Yes	Yes	Yes

<b>String Clamps</b>			
<b>Style</b>	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
<b>Clamp Base</b>	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Positive Lock-Down
<b>String Clamps</b>	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Tungsten Carbide Coated w/ Cam lever action knob screw adjustment

<b>Floor Stand</b>			
<b>Height Adjustment</b>	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
<b>Tool Trays</b>	1 in front	1 in front	1 in front

<b>Special Features</b>			
<b>Electronic String Length Meter</b>	Measures length of string electronically	Measures length of string electronically	Measures length of string electronically
<b>Modular Components</b>	Standard Equipment	Standard Equipment	Standard Equipment
<b>Foot Pedal Switch</b>	Standard Equipment	Standard Equipment	Complete info not available
<b>Stringing Tools</b>	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Complete info not available

**GAMMA 9900 Els Machine Comparison**

<ul style="list-style-type: none"> <li>1 Alpha Ghost2</li> <li>2 Babolat Star 5</li> <li>3 Babolat Sensor</li> <li>4 Babolat Sensor Expert</li> <li>5 Babolat Racket Station Perf</li> <li>6 Babolat Racket Station Perf Link</li> <li>7 Babolat Racket Station Ultimate</li> <li>5 Pacific Digital DX8</li> <li>6 Pacific Digital 700</li> <li>7 Pacific Tronic DX6</li> <li>8 Prince 7000</li> <li>9 Technifibre Ergo 1</li> <li>10 Technifibre Ergo Pro ATP</li> <li>12 Tourna 800-ES</li> <li>13 Tourna Cube</li> <li>14 Wilson Baiardo</li> <li>15 Yonex Pro Tech 8 Deluxe</li> </ul>	<p><b>GAMMA 9900 Els - 6pt</b></p> 	<p><b>GAMMA 9900 Els - 2pt</b></p> 	<p><b>Babolat Racket Station Ultimate Link</b></p> 
<b>List Price</b>	<b>\$4,799</b>	<b>\$4,799</b>	<b>\$9,395</b>
<b>Warranty</b>	<b>5 year</b>	<b>5 year</b>	<b>5 year</b>
<b>Tensioning</b>			
<b>Type</b>	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
<b>Tension Control</b>	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
<b>Tension Range</b>	10-90 lbs	10-90 lbs	10-90 lbs
<b>Gripper</b>	Hardened Steel Jaws	Hardened Steel Jaws	Steel Plates
<b>Calibration</b>	Internal and External	Internal and External	Information Unavailable
<b>Gripper Return Spring</b>	Spring Assisted Return	Spring Assisted Return	Not Available
<b>String Guide</b>	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Not Available
<b>Electronic Controls</b>			
<b>Type</b>	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	Touch Screen LCD wMenu Display
<b>Functions</b>	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Tension Adjustment (+/-), Pre-Stretch (5%-20%), Lbs/Kgs, Knot Tension, Speed Control, Variable Settings for Mains and Crosses, String Length Meter, Racquet Counter
<b>Mounting System</b>			
<b>Type</b>	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
<b>Head / Throat Support</b>	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (adaptors) / Micro Adjustment (support)
<b>Shoulder Support</b>	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Self Centering Arms
<b>Turntable</b>	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Complete info not available
<b>Special Adapters</b>	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Complete info not available
<b>360 degree Rotation</b>	Yes	Yes	Yes
<b>String Clamps</b>			
<b>Style</b>	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
<b>Clamp Base</b>	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Positive Lock-Down
<b>String Clamps</b>	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Tungsten Carbide Coated w/ Cam lever action knob screw adjustment
<b>Floor Stand</b>			
<b>Height Adjustment</b>	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
<b>Tool Trays</b>	1 in front	1 in front	1 in front
<b>Special Features</b>			
<b>Electronic String Length Meter</b>	Measures length of string electronically	Measures length of string electronically	Measures length of string electronically
<b>Modular Components</b>	Standard Equipment	Standard Equipment	Standard Equipment
<b>Foot Pedal Switch</b>	Standard Equipment	Standard Equipment	Complete info not available
<b>Stringing Tools</b>	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Complete info not available

**GAMMA 9900 Els Machine Comparison**

- 1 Alpha Ghost2
- 2 Babolat Star 5
- 3 Babolat Sensor
- 4 Babolat Sensor Expert
- 5 Babolat Racket Station Perf
- 6 Babolat Racket Station Perf Link
- 7 Babolat Racket Station Ultimate
- 5 Pacific Digital DX8
- 6 Pacific Digital 700
- 7 Pacific Tronic DX6
- 8 Prince 7000
- 9 Technifibre Ergo 1
- 10 Technifibre Ergo Pro ATP
- 12 Tourna 800-ES
- 13 Tourna Cube
- 14 Wilson Baiardo
- 15 Yonex Pro Tech 8 Deluxe

	GAMMA 9900 Els - 6pt	GAMMA 9900 Els - 2pt	Pacific Digital DX8
			
<b>List Price</b>	<b>\$4,799</b>	<b>\$4,799</b>	<b>\$9,995</b>

<b>Warranty</b>	<b>5 year</b>	<b>5 year</b>	<b>2 Year</b>
-----------------	---------------	---------------	---------------

<b>Tensioning</b>			
<b>Type</b>	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
<b>Tension Control</b>	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
<b>Tension Range</b>	10-90 lbs	10-90 lbs	11-88 lbs
<b>Gripper</b>	Hardened Steel Jaws	Hardened Steel Jaws	Steel Plates
<b>Calibration</b>	Internal and External	Internal and External	Information Unavailable
<b>Gripper Return Spring</b>	Spring Assisted Return	Spring Assisted Return	Not Available
<b>String Guide</b>	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Fixed Diabolo

<b>Electronic Controls</b>			
<b>Type</b>	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
<b>Functions</b>	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Tension Adjustment (+/-), Pre-stretch, Knot

<b>Mounting System</b>			
<b>Type</b>	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
<b>Head / Throat Support</b>	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (adaptors) / Micro Adjustment (support)
<b>Shoulder Support</b>	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Independent Arms
<b>Turntable</b>	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Complete info not available
<b>Special Adapters</b>	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Badminton
<b>360 degree Rotation</b>	Yes	Yes	Yes




<b>String Clamps</b>			
<b>Style</b>	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
<b>Clamp Base</b>	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Positive Lock-Down
<b>String Clamps</b>	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Tungsten Carbide Coated w/ Cam lever action knob screw adjustment

<b>Floor Stand</b>			
<b>Height Adjustment</b>	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
<b>Tool Trays</b>	1 in front	1 in front	1 in front

<b>Special Features</b>			
<b>Electronic String Length Meter</b>	Measures length of string electronically	Measures length of string electronically	Not Available
<b>Modular Components</b>	Standard Equipment	Standard Equipment	Standard Equipment
<b>Foot Pedal Switch</b>	Standard Equipment	Standard Equipment	Complete info not available
<b>Stringing Tools</b>	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	2 Awl, Setting Awl, Scissors, Starting Clamp, Curved & Repair Pliers, Clippers - Badminton clamps and adaptors are available at additional cost



**GAMMA 9900 Els Machine Comparison**

<ul style="list-style-type: none"> <li>1 Alpha Ghost2</li> <li>2 Babolat Star 5</li> <li>3 Babolat Sensor</li> <li>4 Babolat Sensor Expert</li> <li>5 Babolat Racket Station Perf</li> <li>6 Babolat Racket Station Perf Link</li> <li>7 Babolat Racket Station Ultimate</li> <li>5 Pacific Digital DX8</li> <li>6 Pacific Digital 700</li> <li>7 Pacific Tronic DX6</li> <li>8 Prince 7000</li> <li>9 Technifibre Ergo 1</li> <li>10 Technifibre Ergo Pro ATP</li> <li>12 Tourna 800-ES</li> <li>13 Tourna Cube</li> <li>14 Wilson Baiardo</li> <li>15 Yonex Pro Tech 8 Deluxe</li> </ul>	<b>GAMMA 9900 Els - 6pt</b>	<b>GAMMA 9900 Els - 2pt</b>	<b>Pacific Digital 700</b>
			
<b>List Price</b>	<b>\$4,799</b>	<b>\$4,799</b>	<b>\$7,995</b>
<b>Warranty</b>	<b>5 year</b>	<b>5 year</b>	<b>2 Year</b>
<b>Tensioning</b>			
<b>Type</b>	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
<b>Tension Control</b>	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
<b>Tension Range</b>	10-90 lbs	10-90 lbs	11-88 lbs
<b>Gripper</b>	Hardened Steel Jaws	Hardened Steel Jaws	Steel Plates
<b>Calibration</b>	Internal and External	Internal and External	
<b>Gripper Return Spring</b>	Spring Assisted Return	Spring Assisted Return	Not Available
<b>String Guide</b>	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Fixed Diabolo
<b>Electronic Controls</b>			
<b>Type</b>	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
<b>Functions</b>	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Tension Adjustment (+/-), Pre-stretch, Knot
<b>Mounting System</b>			
<b>Type</b>	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
<b>Head / Throat Support</b>	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (adaptors) / Micro Adjustment (support)
<b>Shoulder Support</b>	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Independent Arms
<b>Turntable</b>	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Complete info not available
<b>Special Adapters</b>	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Badminton
<b>360 degree Rotation</b>	Yes	Yes	Yes
<b>String Clamps</b>			
<b>Style</b>	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
<b>Clamp Base</b>	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Positive Lock-Down
<b>String Clamps</b>	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Tungsten Carbide Coated w/ Cam lever action knob screw adjustment
<b>Floor Stand</b>			
<b>Height Adjustment</b>	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
<b>Tool Trays</b>	1 in front	1 in front	1 in front
<b>Special Features</b>			
<b>Electronic String Length Meter</b>	Measures length of string electronically	Measures length of string electronically	Not Available
<b>Modular Components</b>	Standard Equipment	Standard Equipment	Standard Equipment
<b>Foot Pedal Switch</b>	Standard Equipment	Standard Equipment	Complete info not available
<b>Stringing Tools</b>	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	2 Awl, Setting Awl, Scissors, Starting Clamp, Curved & Repair Pliers, Clippers - Badminton clamps and adaptors are available at additional cost

**GAMMA 9900 Els Machine Comparison**

- 1 Alpha Ghost2
- 2 Babolat Star 5
- 3 Babolat Sensor
- 4 Babolat Sensor Expert
- 5 Babolat Racket Station Perf
- 6 Babolat Racket Station Perf Link
- 7 Babolat Racket Station Ultimate
- 5 Pacific Digital DX8
- 6 Pacific Digital 700
- 7 Pacific Tronic DX6
- 8 Prince 7000
- 9 Technifibre Ergo 1
- 10 Technifibre Ergo Pro ATP
- 12 Tourna 800-ES
- 13 Tourna Cube
- 14 Wilson Baiardo
- 15 Yonex Pro Tech 8 Deluxe

	GAMMA 9900 Els - 6pt	GAMMA 9900 Els - 2pt	Pacific Tronic DX6
			
<b>List Price</b>	<b>\$4,799</b>	<b>\$4,799</b>	<b>\$6,495</b>

<b>Warranty</b>	<b>5 year</b>	<b>5 year</b>	<b>2 Year</b>
-----------------	---------------	---------------	---------------

<b>Tensioning</b>			
<b>Type</b>	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
<b>Tension Control</b>	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
<b>Tension Range</b>	10-90 lbs	10-90 lbs	11-88 lbs
<b>Gripper</b>	Hardened Steel Jaws	Hardened Steel Jaws	Steel Plates
<b>Calibration</b>	Internal and External	Internal and External	Information Unavailable
<b>Gripper Return Spring</b>	Spring Assisted Return	Spring Assisted Return	Not Available
<b>String Guide</b>	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Fixed Diabolo

<b>Electronic Controls</b>			
<b>Type</b>	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
<b>Functions</b>	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Tension Adjustment (+/-), Pre-stretch, Knot




<b>Mounting System</b>			
<b>Type</b>	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
<b>Head / Throat Support</b>	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (adaptors) / Micro Adjustment (support)
<b>Shoulder Support</b>	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Independent Arms
<b>Turntable</b>	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Complete info not available
<b>Special Adapters</b>	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Badminton
<b>360 degree Rotation</b>	Yes	Yes	Yes

<b>String Clamps</b>			
<b>Style</b>	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
<b>Clamp Base</b>	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Positive Lock-Down
<b>String Clamps</b>	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Tungsten Carbide Coated w/ Cam lever action knob screw adjustment




<b>Floor Stand</b>			
<b>Height Adjustment</b>	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
<b>Tool Trays</b>	1 in front	1 in front	1 in front

<b>Special Features</b>			
<b>Electronic String Length Meter</b>	Measures length of string electronically	Measures length of string electronically	Not Available
<b>Modular Components</b>	Standard Equipment	Standard Equipment	Standard Equipment
<b>Foot Pedal Switch</b>	Standard Equipment	Standard Equipment	Complete info not available
<b>Stringing Tools</b>	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	2 Awl, Setting Awl, Scissors, Starting Clamp, Curved & Repair Pliers, Clippers - Badminton clamps and adaptors are available at additional cost




**GAMMA 9900 Els Machine Comparison**

<ul style="list-style-type: none"> <li>1 Alpha Ghost2</li> <li>2 Babolat Star 5</li> <li>3 Babolat Sensor</li> <li>4 Babolat Sensor Expert</li> <li>5 Babolat Racket Station Perf</li> <li>6 Babolat Racket Station Perf Link</li> <li>7 Babolat Racket Station Ultimate</li> <li>5 Pacific Digital DX8</li> <li>6 Pacific Digital 700</li> <li>7 Pacific Tronic DX6</li> <li>8 Prince 7000</li> <li>9 Technifibre Ergo 1</li> <li>10 Technifibre Ergo Pro ATP</li> <li>12 Tourna 800-ES</li> <li>13 Tourna Cube</li> <li>14 Wilson Baiardo</li> <li>15 Yonex Pro Tech 8 Deluxe</li> </ul>	<b>GAMMA 9900 Els - 6pt</b>	<b>GAMMA 9900 Els - 2pt</b>	<b>Prince 7000</b>
			
<b>List Price</b>	<b>\$4,799</b>	<b>\$4,799</b>	<b>\$6,495</b>
<b>Warranty</b>	<b>5 year</b>	<b>5 year</b>	<b>3 Year</b>
<b>Tensioning</b>			
<b>Type</b>	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
<b>Tension Control</b>	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
<b>Tension Range</b>	10-90 lbs	10-90 lbs	Complete info not available
<b>Gripper</b>	Hardened Steel Jaws	Hardened Steel Jaws	Complete info not available
<b>Calibration</b>	Internal and External	Internal and External	External
<b>Gripper Return Spring</b>	Spring Assisted Return	Spring Assisted Return	Not Available
<b>String Guide</b>	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Fixed Diabolo
<b>Electronic Controls</b>			
<b>Type</b>	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
<b>Functions</b>	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Speed Control, Pre-Stretch, Lbs/Kgs, Knot
<b>Mounting System</b>			
<b>Type</b>	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	4 point
<b>Head / Throat Support</b>	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (stand)
<b>Shoulder Support</b>	Rotating "V" Shaped Supports on Self Centering Arms	None	None
<b>Turntable</b>	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Aluminum
<b>Special Adapters</b>	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Complete info not available
<b>360 degree Rotation</b>	Yes	Yes	Yes
<b>String Clamps</b>			
<b>Style</b>	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
<b>Clamp Base</b>	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Rotating Cam Lock
<b>String Clamps</b>	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Metallic w Diamond Coating w Cam Lever Action
<b>Floor Stand</b>			
<b>Height Adjustment</b>	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
<b>Tool Trays</b>	1 in front	1 in front	1 in front
<b>Special Features</b>			
<b>Electronic String Length Meter</b>	Measures length of string electronically	Measures length of string electronically	Not Available
<b>Modular Components</b>	Standard Equipment	Standard Equipment	Standard Equipment
<b>Foot Pedal Switch</b>	Standard Equipment	Standard Equipment	Standard Equipment
<b>Stringing Tools</b>	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Cutters, Straight Pliers, Assembly Tools

**GAMMA 9900 Els Machine Comparison**

<ul style="list-style-type: none"> <li>1 Alpha Ghost2</li> <li>2 Babolat Star 5</li> <li>3 Babolat Sensor</li> <li>4 Babolat Sensor Expert</li> <li>5 Babolat Racket Station Perf</li> <li>6 Babolat Racket Station Perf Link</li> <li>7 Babolat Racket Station Ultimate</li> <li>5 Pacific Digital DX8</li> <li>6 Pacific Digital 700</li> <li>7 Pacific Tronic DX6</li> <li>8 Prince 7000</li> <li>9 Technifibre Ergo 1</li> <li>10 Technifibre Ergo Pro ATP</li> <li>12 Tourna 800-ES</li> <li>13 Tourna Cube</li> <li>14 Wilson Baiardo</li> <li>15 Yonex Pro Tech 8 Deluxe</li> </ul>	<b>GAMMA 9900 Els - 6pt</b>	<b>GAMMA 9900 Els - 2pt</b>	<b>Technifibre Ergo 1</b>	
				
	<b>List Price</b>	<b>\$4,799</b>	<b>\$4,799</b>	<b>\$6,000</b>
	<b>Warranty</b>	<b>5 year</b>	<b>5 year</b>	<b>2 Year</b>
	<b>Tensioning</b>			
	<b>Type</b>	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
	<b>Tension Control</b>	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
	<b>Tension Range</b>	10-90 lbs	10-90 lbs	Complete info not available
	<b>Gripper</b>	Hardened Steel Jaws	Hardened Steel Jaws	Complete info not available
	<b>Calibration</b>	Internal and External	Internal and External	External
	<b>Gripper Return Spring</b>	Spring Assisted Return	Spring Assisted Return	None
	<b>String Guide</b>	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Not Available
	<b>Electronic Controls</b>			
	<b>Type</b>	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
	<b>Functions</b>	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Adjustable Speeds, Kgs/lbs, Pre-Stretch, Knot
<b>Mounting System</b>				
<b>Type</b>	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)	
<b>Head / Throat Support</b>	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (stand)	
<b>Shoulder Support</b>	Rotating "V" Shaped Supports on Self Centering Arms	None	None	
<b>Turntable</b>	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Aluminum	
<b>Special Adapters</b>	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Complete info not available	
<b>360 degree Rotation</b>	Yes	Yes	Optional- \$98.60	
<b>String Clamps</b>				
<b>Style</b>	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action / X-Y Glide Bar	
<b>Clamp Base</b>	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Rotating Cam Action / Self Locking Glide Bar	
<b>String Clamps</b>	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Molded Aluminum w Cam Lever Action	
<b>Floor Stand</b>				
<b>Height Adjustment</b>	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)	
<b>Tool Trays</b>	1 in front	1 in front	1 in front	
<b>Special Features</b>				
<b>Electronic String Length Meter</b>	Measures length of string electronically	Measures length of string electronically	Not Available	
<b>Modular Components</b>	Standard Equipment	Standard Equipment	Standard Equipment	
<b>Foot Pedal Switch</b>	Standard Equipment	Standard Equipment	Complete info not available	
<b>Stringing Tools</b>	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Complete info not available	

**GAMMA 9900 Els Machine Comparison**

<ul style="list-style-type: none"> <li>1 Alpha Ghost2</li> <li>2 Babolat Star 5</li> <li>3 Babolat Sensor</li> <li>4 Babolat Sensor Expert</li> <li>5 Babolat Racket Station Perf</li> <li>6 Babolat Racket Station Perf Link</li> <li>7 Babolat Racket Station Ultimate</li> <li>5 Pacific Digital DX8</li> <li>6 Pacific Digital 700</li> <li>7 Pacific Tronic DX6</li> <li>8 Prince 7000</li> <li>9 Technifibre Ergo 1</li> <li>10 Technifibre Ergo Pro ATP</li> <li>12 Tourna 800-ES</li> <li>13 Tourna Cube</li> <li>14 Wilson Baiardo</li> <li>15 Yonex Pro Tech 8 Deluxe</li> </ul>	<b>GAMMA 9900 Els - 6pt</b>	<b>GAMMA 9900 Els - 2pt</b>	<b>Technifibre Ergo Pro ATP</b>
			
<b>List Price</b>	<b>\$4,799</b>	<b>\$4,799</b>	<b>\$9,000</b>
<b>Warranty</b>	<b>5 year</b>	<b>5 year</b>	<b>3 Year</b>
<b>Tensioning</b>			
<b>Type</b>	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
<b>Tension Control</b>	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
<b>Tension Range</b>	10-90 lbs	10-90 lbs	Complete info not available
<b>Gripper</b>	Hardened Steel Jaws	Hardened Steel Jaws	Complete info not available
<b>Calibration</b>	Internal and External	Internal and External	External
<b>Gripper Return Spring</b>	Spring Assisted Return	Spring Assisted Return	None
<b>String Guide</b>	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Not Available
<b>Electronic Controls</b>			
<b>Type</b>	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
<b>Functions</b>	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Adjustable Speeds, Kgs/lbs, Pre-Stretch, Knot
<b>Mounting System</b>			
<b>Type</b>	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
<b>Head / Throat Support</b>	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (stand)
<b>Shoulder Support</b>	Rotating "V" Shaped Supports on Self Centering Arms	None	None
<b>Turntable</b>	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Aluminum
<b>Special Adapters</b>	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Complete info not available
<b>360 degree Rotation</b>	Yes	Yes	Optional- \$98.60
<b>String Clamps</b>			
<b>Style</b>	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action / X-Y Glide Bar
<b>Clamp Base</b>	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Rotating Cam Action / Self Locking Glide Bar
<b>String Clamps</b>	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Molded Aluminum w Cam Lever Action
<b>Floor Stand</b>			
<b>Height Adjustment</b>	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
<b>Tool Trays</b>	1 in front	1 in front	1 in front
<b>Special Features</b>			
<b>Electronic String Length Meter</b>	Measures length of string electronically	Measures length of string electronically	Not Available
<b>Modular Components</b>	Standard Equipment	Standard Equipment	Standard Equipment
<b>Foot Pedal Switch</b>	Standard Equipment	Standard Equipment	Complete info not available
<b>Stringing Tools</b>	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Complete info not available



**GAMMA 9900 Els Machine Comparison**

- 1 Alpha Ghost2
- 2 Babolat Star 5
- 3 Babolat Sensor
- 4 Babolat Sensor Expert
- 5 Babolat Racket Station Perf
- 6 Babolat Racket Station Perf Link
- 7 Babolat Racket Station Ultimate
- 5 Pacific Digital DX8
- 6 Pacific Digital 700
- 7 Pacific Tronic DX6
- 8 Prince 7000
- 9 Technifibre Ergo 1
- 10 Technifibre Ergo Pro ATP
- 12 Tourna 800-ES
- 13 Tourna Cube
- 14 Wilson Baiardo
- 15 Yonex Pro Tech 8 Deluxe

	GAMMA 9900 Els - 6pt	GAMMA 9900 Els - 2pt	Tourna 800-ES
			
<b>List Price</b>	<b>\$4,799</b>	<b>\$4,799</b>	<b>\$3,490</b>

<b>Warranty</b>	<b>5 year</b>	<b>5 year</b>	<b>2 Year</b>
-----------------	---------------	---------------	---------------

<b>Tensioning</b>			
<b>Type</b>	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
<b>Tension Control</b>	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
<b>Tension Range</b>	10-90 lbs	10-90 lbs	Complete info not available
<b>Gripper</b>	Hardened Steel Jaws	Hardened Steel Jaws	Complete info not available
<b>Calibration</b>	Internal and External	Internal and External	External
<b>Gripper Return Spring</b>	Spring Assisted Return	Spring Assisted Return	None
<b>String Guide</b>	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Not Available

<b>Electronic Controls</b>			
<b>Type</b>	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
<b>Functions</b>	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Adjustable Speeds, Kgs/lbs, Pre-Stretch, Knot




<b>Mounting System</b>			
<b>Type</b>	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
<b>Head / Throat Support</b>	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (stand)
<b>Shoulder Support</b>	Rotating "V" Shaped Supports on Self Centering Arms	None	None
<b>Turntable</b>	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Complete info not available
<b>Special Adapters</b>	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Complete info not available
<b>360 degree Rotation</b>	Yes	Yes	Optional- \$98.60

<b>String Clamps</b>			
<b>Style</b>	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action / X-Y Glide Bar
<b>Clamp Base</b>	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Rotating Cam Action / Self Locking Glide Bar
<b>String Clamps</b>	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Molded Aluminum w Cam Lever Action




<b>Floor Stand</b>			
<b>Height Adjustment</b>	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
<b>Tool Trays</b>	1 in front	1 in front	1 in front

<b>Special Features</b>			
<b>Electronic String Length Meter</b>	Measures length of string electronically	Measures length of string electronically	Not Available
<b>Modular Components</b>	Standard Equipment	Standard Equipment	Standard Equipment
<b>Foot Pedal Switch</b>	Standard Equipment	Standard Equipment	Complete info not available
<b>Stringing Tools</b>	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Complete info not available




**GAMMA 9900 Els Machine Comparison**

<ul style="list-style-type: none"> <li>1 Alpha Ghost2</li> <li>2 Babolat Star 5</li> <li>3 Babolat Sensor</li> <li>4 Babolat Sensor Expert</li> <li>5 Babolat Racket Station Perf</li> <li>6 Babolat Racket Station Perf Link</li> <li>7 Babolat Racket Station Ultimate</li> <li>5 Pacific Digital DX8</li> <li>6 Pacific Digital 700</li> <li>7 Pacific Tronic DX6</li> <li>8 Prince 7000</li> <li>9 Technifibre Ergo 1</li> <li>10 Technifibre Ergo Pro ATP</li> <li>12 Tourna 800-ES</li> <li>13 Tourna Cube</li> <li>14 Wilson Baiardo</li> <li>15 Yonex Pro Tech 8 Deluxe</li> </ul>	<b>GAMMA 9900 Els - 6pt</b>	<b>GAMMA 9900 Els - 2pt</b>	<b>Tourna Cube</b>
			
<b>List Price</b>	<b>\$4,799</b>	<b>\$4,799</b>	<b>Info Not Available</b>
<b>Warranty</b>	<b>5 year</b>	<b>5 year</b>	<b>2 Year</b>
<b>Tensioning</b>			
<b>Type</b>	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
<b>Tension Control</b>	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
<b>Tension Range</b>	10-90 lbs	10-90 lbs	Complete info not available
<b>Gripper</b>	Hardened Steel Jaws	Hardened Steel Jaws	Complete info not available
<b>Calibration</b>	Internal and External	Internal and External	External
<b>Gripper Return Spring</b>	Spring Assisted Return	Spring Assisted Return	None
<b>String Guide</b>	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Not Available
<b>Electronic Controls</b>			
<b>Type</b>	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
<b>Functions</b>	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Complete info not available
<b>Mounting System</b>			
<b>Type</b>	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
<b>Head / Throat Support</b>	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (stand)
<b>Shoulder Support</b>	Rotating "V" Shaped Supports on Self Centering Arms	None	None
<b>Turntable</b>	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Complete info not available
<b>Special Adapters</b>	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Complete info not available
<b>360 degree Rotation</b>	Yes	Yes	Optional- \$98.60
<b>String Clamps</b>			
<b>Style</b>	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action / X-Y Glide Bar
<b>Clamp Base</b>	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Rotating Cam Action / Self Locking Glide Bar
<b>String Clamps</b>	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Molded Aluminum w Cam Lever Action
<b>Floor Stand</b>			
<b>Height Adjustment</b>	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
<b>Tool Trays</b>	1 in front	1 in front	1 in front
<b>Special Features</b>			
<b>Electronic String Length Meter</b>	Measures length of string electronically	Measures length of string electronically	Not Available
<b>Modular Components</b>	Standard Equipment	Standard Equipment	Standard Equipment
<b>Foot Pedal Switch</b>	Standard Equipment	Standard Equipment	Complete info not available
<b>Stringing Tools</b>	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Complete info not available

**GAMMA 9900 Els Machine Comparison**

<ul style="list-style-type: none"> <li>1 Alpha Ghost2</li> <li>2 Babolat Star 5</li> <li>3 Babolat Sensor</li> <li>4 Babolat Sensor Expert</li> <li>5 Babolat Racket Station Perf</li> <li>6 Babolat Racket Station Perf Link</li> <li>7 Babolat Racket Station Ultimate</li> <li>5 Pacific Digital DX8</li> <li>6 Pacific Digital 700</li> <li>7 Pacific Tronic DX6</li> <li>8 Prince 7000</li> <li>9 Technifibre Ergo 1</li> <li>10 Technifibre Ergo Pro ATP</li> <li>12 Tourna 800-ES</li> <li>13 Tourna Cube</li> <li>14 Wilson Baiardo</li> <li>15 Yonex Pro Tech 8 Deluxe</li> </ul>	<b>GAMMA 9900 Els - 6pt</b>	<b>GAMMA 9900 Els - 2pt</b>	<b>Wilson Baiardo</b>
			
<b>List Price</b>	<b>\$4,799</b>	<b>\$4,799</b>	<b>\$6,000</b>
<b>Warranty</b>	<b>5 year</b>	<b>5 year</b>	<b>5 Year</b>
<b>Tensioning</b>			
<b>Type</b>	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
<b>Tension Control</b>	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
<b>Tension Range</b>	10-90 lbs	10-90 lbs	Complete info not available
<b>Gripper</b>	Hardened Steel Jaws	Hardened Steel Jaws	Hardened Steel Plates w Diamond Coating
<b>Calibration</b>	Internal and External	Internal and External	External
<b>Gripper Return Spring</b>	Spring Assisted Return	Spring Assisted Return	Spring Assisted Return
<b>String Guide</b>	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Fixed Diabolo
<b>Electronic Controls</b>			
<b>Type</b>	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	Touch Screen LCD wMenu Display
<b>Functions</b>	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Pull Speed, Pre-Stretch, Knot, Cross String, Lbs/Kgs
<b>Mounting System</b>			
<b>Type</b>	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
<b>Head / Throat Support</b>	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Micro Adjustment (support)
<b>Shoulder Support</b>	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Self Centering Arms
<b>Turntable</b>	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Aluminum
<b>Special Adapters</b>	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Complete info not available
<b>360 degree Rotation</b>	Yes	Yes	Yes
<b>String Clamps</b>			
<b>Style</b>	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
<b>Clamp Base</b>	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Rotating Cam Lock
<b>String Clamps</b>	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Metallic w Diamond Coating w Cam Lever Action
<b>Floor Stand</b>			
<b>Height Adjustment</b>	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
<b>Tool Trays</b>	1 in front	1 in front	1 in front
<b>Special Features</b>			
<b>Electronic String Length Meter</b>	Measures length of string electronically	Measures length of string electronically	Not Available
<b>Modular Components</b>	Standard Equipment	Standard Equipment	Standard Equipment
<b>Foot Pedal Switch</b>	Standard Equipment	Standard Equipment	Complete info not available
<b>Stringing Tools</b>	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Starting Clamp, Straight Pliers, Cutters, Awl, Hex Wrenches

**GAMMA 9900 Els Machine Comparison**

<ul style="list-style-type: none"> <li>1 Alpha Ghost2</li> <li>2 Babolat Star 5</li> <li>3 Babolat Sensor</li> <li>4 Babolat Sensor Expert</li> <li>5 Babolat Racket Station Perf</li> <li>6 Babolat Racket Station Perf Link</li> <li>7 Babolat Racket Station Ultimate</li> <li>5 Pacific Digital DX8</li> <li>6 Pacific Digital 700</li> <li>7 Pacific Tronic DX6</li> <li>8 Prince 7000</li> <li>9 Technifibre Ergo 1</li> <li>10 Technifibre Ergo Pro ATP</li> <li>12 Tourna 800-ES</li> <li>13 Tourna Cube</li> <li>14 Wilson Baiardo</li> <li>15 Yonex Pro Tech 8 Deluxe</li> </ul>	<b>GAMMA 9900 Els - 6pt</b>	<b>GAMMA 9900 Els - 2pt</b>	<b>Yonex Pro Tech 8 Deluxe</b>
			
<b>List Price</b>	<b>\$4,799</b>	<b>\$4,799</b>	<b>\$8,499</b>
<b>Warranty</b>	<b>5 year</b>	<b>5 year</b>	<b>3 Year</b>
<b>Tensioning</b>			
<b>Type</b>	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
<b>Tension Control</b>	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
<b>Tension Range</b>	10-90 lbs	10-90 lbs	Complete info not available
<b>Gripper</b>	Hardened Steel Jaws	Hardened Steel Jaws	Complete info not available
<b>Calibration</b>	Internal and External	Internal and External	External
<b>Gripper Return Spring</b>	Spring Assisted Return	Spring Assisted Return	Not Available
<b>String Guide</b>	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Fixed Diabolo
<b>Electronic Controls</b>			
<b>Type</b>	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
<b>Functions</b>	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Kgs/Lbs, Knot
<b>Mounting System</b>			
<b>Type</b>	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
<b>Head / Throat Support</b>	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (adaptors) / Micro Adjustment (support)
<b>Shoulder Support</b>	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Independent Arms
<b>Turntable</b>	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Aluminum
<b>Special Adapters</b>	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Complete info not available
<b>360 degree Rotation</b>	Yes	Yes	Yes
<b>String Clamps</b>			
<b>Style</b>	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
<b>Clamp Base</b>	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Rotating Cam Lock
<b>String Clamps</b>	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Molded Steel w Cam lever action
<b>Floor Stand</b>			
<b>Height Adjustment</b>	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
<b>Tool Trays</b>	1 in front	1 in front	1 rotating drawer
<b>Special Features</b>			
<b>Electronic String Length Meter</b>	Measures length of string electronically	Measures length of string electronically	Not Available
<b>Modular Components</b>	Standard Equipment	Standard Equipment	Standard Equipment
<b>Foot Pedal Switch</b>	Standard Equipment	Standard Equipment	Complete info not available
<b>Stringing Tools</b>	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Complete info not available