

**GAMMA Progression Els & X-Els Machine Comparison**

- 1 Eagnas Smart 3000T
- 2 Mutual Power Hercules 880
- 3 Xtreme NRG

	Progression Els	X-Els	Tourna 600-EST
			
<b>List Price</b>	<b>\$1,369</b>	<b>\$1,399</b>	<b>\$1,600</b>

<b>Warranty</b>	<b>5 year</b>	<b>5 year</b>	<b>2 Year</b>
-----------------	---------------	---------------	---------------

Tensioning			
<b>Type</b>	Electric - Rotational Pull	Electric - Rotational Pull	Electric - Linear Pull
<b>Tension Control</b>	Microprocessor Controlled	Microprocessor Controlled	Microprocessor Controlled Motor
<b>Tension Button</b>	Push Button	Push Button	Complete info not available
<b>Tension Range</b>	10-90 lbs	10-90 lbs	Complete info not available
<b>Gripper</b>	Split Drum with Diamond Coated Plates	Split Drum with Diamond Coated Plates	Rotationbal Split Drum
<b>Calibration</b>	External	External	External
<b>Gripper Return Spring</b>	Spring Assisted Return	Spring Assisted Return	None
<b>String Guide</b>	Drum winder eliminates need for guide	Drum winder eliminates need for guide	Not Available

Electronic Controls			
<b>Type</b>	12 Button Pre-set Control Panel w/LED Display	12 Button Pre-set Control Panel w/LED Display	LCD w +/- Scrolling Display
<b>Functions</b>	Tension Adjustment +/-, Pre-Stretch (10%-20%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (10%), Speed Control (Fast/Medium/Slow) 9 Pre-set Permanent Memories, Racquet Counter	Tension Adjustment +/-, Pre-Stretch (10%-20%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (10%), Speed Control (Fast/Medium/Slow) 9 Pre-set Permanent Memories, Racquet Counter	Adjustable Speeds, Kgs/lbs, Pre-Stretch, Knot

Mounting System			
<b>Type</b>	6 point "Quick Mount" system (10 pt support)	6 point "Quick Mount" system (10 pt support)	5 point
<b>Head / Throat Support</b>	Macro Adjustment (stand) / Micro Adjustment (support)	Macro Adjustment (stand) / Micro Adjustment (support)	Macro Adjustment (stand)
<b>Shoulder Support</b>	Rotating "V" Shaped Supports on independently adjustable arms	Rotating "V" Shaped Supports on independently adjustable arms	None
<b>Turntable</b>	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Aluminum
<b>Special Adapters</b>	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Complete info not available
<b>360 degree Rotation</b>	Yes	Yes	Optional- \$98.60

String Clamps			
<b>Style</b>	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action / X-Y Glide Bar
<b>Clamp Base</b>	"Quick Action" Lever Lock Down w Spring Assist - 1/3 turn of lever locks clamp to base	"Quick Action" Lever Lock Down w Spring Assist - 1/3 turn of lever locks clamp to base	Rotating Cam Action / Self Locking Glide Bar
<b>String Clamps</b>	Metallic / diamond coated inserts / positive lock cam lever action / self-locking adjustment knob	Metallic / diamond coated inserts / positive lock cam lever action / self-locking adjustment knob	Molded Aluminum w Cam Lever Action

Floor Stand			
<b>Height Adjustment</b>	Table Top (Floor Stand Optional)	Table Top (Floor Stand Optional)	Adjustable (unknown range)
<b>Tool Trays</b>	1 in front	1 in front / 2 built in drawers	1 in front

Special Features			
<b>Modular Components</b>	Standard Equipment	Standard Equipment	Not Available
<b>Foot Pedal Switch</b>	Optional	Optional	Standard Equipment
<b>Stringing Tools</b>	Awl, Pathfinder Awl, Straight Pliers, Utility Knife, Wrench Set	Awl, Pathfinder Awl, Straight Pliers, Utility Knife, Wrench Set	Complete info not available

**GAMMA Progression Els & X-Els Machine Comparison**

- 1 Eagnas Smart 3000T
- 2 Mutual Power Hercules 880
- 3 Xtreme NRG

	Progression Els	X-Els	Eagnas Smart 3000T
			
<b>List Price</b>	<b>\$1,369</b>	<b>\$1,399</b>	<b>\$795</b>

<b>Warranty</b>	<b>5 year</b>	<b>5 year</b>	<b>5 year</b>
-----------------	---------------	---------------	---------------

Tensioning			
<b>Type</b>	Electric - Rotational Pull	Electric - Rotational Pull	Electric - Rotational Pull
<b>Tension Control</b>	Microprocessor Controlled	Microprocessor Controlled	Electromechanically Controlled
<b>Tension Button</b>	Push Button	Push Button	Push Button
<b>Tension Range</b>	10-90 lbs	10-90 lbs	10-90 lbs
<b>Gripper</b>	Split Drum with Diamond Coated Plates	Split Drum with Diamond Coated Plates	Rotational Split Drum
<b>Calibration</b>	External	External	External
<b>Gripper Return Spring</b>	Spring Assisted Return	Spring Assisted Return	Spring Assisted Return
<b>String Guide</b>	Drum winder eliminates need for guide	Drum winder eliminates need for guide	Drum winder eliminates need for guide

Electronic Controls			
<b>Type</b>	12 Button Pre-set Control Panel w/LED Display	12 Button Pre-set Control Panel w/LED Display	LED Display w Adjustment Knob
<b>Functions</b>	Tension Adjustment +/-, Pre-Stretch (10%-20%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (10%), Speed Control (Fast/Medium/Slow) 9 Pre-set Permanent Memories, Racquet Counter	Tension Adjustment +/-, Pre-Stretch (10%-20%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (10%), Speed Control (Fast/Medium/Slow) 9 Pre-set Permanent Memories, Racquet Counter	Single Pull, Pre-Stretch & Self Test

Mounting System			
<b>Type</b>	6 point "Quick Mount" system (10 pt support)	6 point "Quick Mount" system (10 pt support)	6 point Rotating Arms (10 pt support)
<b>Head / Throat Support</b>	Macro Adjustment (stand) / Micro Adjustment (support)	Macro Adjustment (stand) / Micro Adjustment (support)	Macro Adjustment (stand) / Micro Adjustment (support)
<b>Shoulder Support</b>	Rotating "V" Shaped Supports on independently adjustable arms	Rotating "V" Shaped Supports on independently adjustable arms	Rotating "L" Shaped Supports on independently adjustable arms
<b>Turntable</b>	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Molded Aluminum
<b>Special Adapters</b>	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Not Available
<b>360 degree Rotation</b>	Yes	Yes	Yes

String Clamps			
<b>Style</b>	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
<b>Clamp Base</b>	"Quick Action" Lever Lock Down w Spring Assist - 1/3 turn of lever locks clamp to base	"Quick Action" Lever Lock Down w Spring Assist - 1/3 turn of lever locks clamp to base	Rotating Cam Action
<b>String Clamps</b>	Metallic / diamond coated inserts / positive lock cam lever action / self-locking adjustment knob	Metallic / diamond coated inserts / positive lock cam lever action / self-locking adjustment knob	Molded Steel w Cam lever action

Floor Stand			
<b>Height Adjustment</b>	Table Top (Floor Stand Optional)	Table Top (Floor Stand Optional)	Table Top (Floor Stand Optional)
<b>Tool Trays</b>	1 in front	1 in front / 2 built in drawers	1 in front

Special Features			
<b>Modular Components</b>	Standard Equipment	Standard Equipment	Not Available
<b>Foot Pedal Switch</b>	Optional	Optional	Not Available
<b>Stringing Tools</b>	Awl, Pathfinder Awl, Straight Pliers, Utility Knife, Wrench Set	Awl, Pathfinder Awl, Straight Pliers, Utility Knife, Wrench Set	Diagonal Cutter, Straight Pliers, Awl, String Mover, 6mm & 10mm Allen Wrenches, Philips Screw driver

**GAMMA Progression Els & X-Els Machine Comparison**

- 1 Eagnas Smart 3000T
- 2 Mutual Power Hercules 880
- 3 Xtreme NRG

	Progression Els	X-Els	Mutual Power Hercules 880
			
<b>List Price</b>	<b>\$1,369</b>	<b>\$1,399</b>	<b>\$599</b>

<b>Warranty</b>	<b>5 year</b>	<b>5 year</b>	<b>5 year</b>
-----------------	---------------	---------------	---------------

Tensioning			
<b>Type</b>	Electric - Rotational Pull	Electric - Rotational Pull	Electric - Rotational Pull
<b>Tension Control</b>	Microprocessor Controlled	Microprocessor Controlled	Microprocessor Controlled
<b>Tension Button</b>	Push Button	Push Button	Rocker Switch
<b>Tension Range</b>	10-90 lbs	10-90 lbs	Complete information not available
<b>Gripper</b>	Split Drum with Diamond Coated Plates	Split Drum with Diamond Coated Plates	Rotational
<b>Calibration</b>	External	External	External
<b>Gripper Return Spring</b>	Spring Assisted Return	Spring Assisted Return	Not Available
<b>String Guide</b>	Drum winder eliminates need for guide	Drum winder eliminates need for guide	Drum winder eliminates need for guide

Electronic Controls			
<b>Type</b>	12 Button Pre-set Control Panel w/LED Display	12 Button Pre-set Control Panel w/LED Display	LED Display w Adjustment Knob
<b>Functions</b>	Tension Adjustment +/-, Pre-Stretch (10%-20%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (10%), Speed Control (Fast/Medium/Slow) 9 Pre-set Permanent Memories, Racquet Counter	Tension Adjustment +/-, Pre-Stretch (10%-20%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (10%), Speed Control (Fast/Medium/Slow) 9 Pre-set Permanent Memories, Racquet Counter	Lbs/Kgs

Mounting System			
<b>Type</b>	6 point "Quick Mount" system (10 pt support)	6 point "Quick Mount" system (10 pt support)	6 point Rotating Arms (10 pt support)
<b>Head / Throat Support</b>	Macro Adjustment (stand) / Micro Adjustment (support)	Macro Adjustment (stand) / Micro Adjustment (support)	Macro Adjustment (stand) / Micro Adjustment (support)
<b>Shoulder Support</b>	Rotating "V" Shaped Supports on independently adjustable arms	Rotating "V" Shaped Supports on independently adjustable arms	Rotating "L" Shaped Supports on independently adjustable arms
<b>Turntable</b>	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Molded Aluminum
<b>Special Adapters</b>	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Not Available
<b>360 degree Rotation</b>	Yes	Yes	Yes

String Clamps			
<b>Style</b>	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
<b>Clamp Base</b>	"Quick Action" Lever Lock Down w Spring Assist - 1/3 turn of lever locks clamp to base	"Quick Action" Lever Lock Down w Spring Assist - 1/3 turn of lever locks clamp to base	Rotating Screw Down
<b>String Clamps</b>	Metallic / diamond coated inserts / positive lock cam lever action / self-locking adjustment knob	Metallic / diamond coated inserts / positive lock cam lever action / self-locking adjustment knob	Molded Steel w Cam lever action

Floor Stand			
<b>Height Adjustment</b>	Table Top (Floor Stand Optional)	Table Top (Floor Stand Optional)	Table Top (Floor Stand Optional)
<b>Tool Trays</b>	1 in front	1 in front / 2 built in drawers	1 in front

Special Features			
<b>Modular Components</b>	Standard Equipment	Standard Equipment	Standard Equipment
<b>Foot Pedal Switch</b>	Optional	Optional	Not Available
<b>Stringing Tools</b>	Awl, Pathfinder Awl, Straight Pliers, Utility Knife, Wrench Set	Awl, Pathfinder Awl, Straight Pliers, Utility Knife, Wrench Set	Awl, Straight Pliers

**GAMMA Progression Els & X-Els Machine Comparison**

- 1 Eagnas Smart 3000T
- 2 Mutual Power Hercules 880
- 3 Xtreme NRG

	Progression Els	X-Els	Xtreme NRG
			
<b>List Price</b>	<b>\$1,369</b>	<b>\$1,399</b>	<b>\$1,700</b>

<b>Warranty</b>	<b>5 year</b>	<b>5 year</b>	<b>5 years</b>
-----------------	---------------	---------------	----------------

Tensioning			
<b>Type</b>	Electric - Rotational Pull	Electric - Rotational Pull	Electric - Rotational Pull
<b>Tension Control</b>	Microprocessor Controlled	Microprocessor Controlled	Microprocessor Controlled Motor
<b>Tension Button</b>	Push Button	Push Button	Push Button
<b>Tension Range</b>	10-90 lbs	10-90 lbs	Complete information not available
<b>Gripper</b>	Split Drum with Diamond Coated Plates	Split Drum with Diamond Coated Plates	Split Drum with Diamond Coated Plates
<b>Calibration</b>	External	External	
<b>Gripper Return Spring</b>	Spring Assisted Return	Spring Assisted Return	Spring Assisted Return
<b>String Guide</b>	Drum winder eliminates need for guide	Drum winder eliminates need for guide	Drum winder eliminates need for guide

Electronic Controls			
<b>Type</b>	12 Button Pre-set Control Panel w/LED Display	12 Button Pre-set Control Panel w/LED Display	LCD w +/- Scrolling Display
<b>Functions</b>	Tension Adjustment +/-, Pre-Stretch (10%-20%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (10%), Speed Control (Fast/Medium/Slow) 9 Pre-set Permanent Memories, Racquet Counter	Tension Adjustment +/-, Pre-Stretch (10%-20%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (10%), Speed Control (Fast/Medium/Slow) 9 Pre-set Permanent Memories, Racquet Counter	Multiply Speed, Lbs/Kgs, Pre-Stretch

Mounting System			
<b>Type</b>	6 point "Quick Mount" system (10 pt support)	6 point "Quick Mount" system (10 pt support)	6 point Self-Centering system (10 pt support)
<b>Head / Throat Support</b>	Macro Adjustment (stand) / Micro Adjustment (support)	Macro Adjustment (stand) / Micro Adjustment (support)	Micro Adjustment (support)
<b>Shoulder Support</b>	Rotating "V" Shaped Supports on independently adjustable arms	Rotating "V" Shaped Supports on independently adjustable arms	Fixed "L" Shaped Supports on Self Centering Arms
<b>Turntable</b>	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Molded Aluminum
<b>Special Adapters</b>	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Not Available
<b>360 degree Rotation</b>	Yes	Yes	Yes

String Clamps			
<b>Style</b>	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
<b>Clamp Base</b>	"Quick Action" Lever Lock Down w Spring Assist - 1/3 turn of lever locks clamp to base	"Quick Action" Lever Lock Down w Spring Assist - 1/3 turn of lever locks clamp to base	Rotating Screw Down
<b>String Clamps</b>	Metallic / diamond coated inserts / positive lock cam lever action / self-locking adjustment knob	Metallic / diamond coated inserts / positive lock cam lever action / self-locking adjustment knob	Molded Steel w Cam lever action

Floor Stand			
<b>Height Adjustment</b>	Table Top (Floor Stand Optional)	Table Top (Floor Stand Optional)	Table Top
<b>Tool Trays</b>	1 in front	1 in front / 2 built in drawers	1 in front

Special Features			
<b>Modular Components</b>	Standard Equipment	Standard Equipment	Standard Equipment
<b>Foot Pedal Switch</b>	Optional	Optional	Not Available
<b>Stringing Tools</b>	Awl, Pathfinder Awl, Straight Pliers, Utility Knife, Wrench Set	Awl, Pathfinder Awl, Straight Pliers, Utility Knife, Wrench Set	Complete information not available