

**FROM SILVERLINE
A BRAND OF AMERFIT HARDWARE**

Experience the next generation
of cabinet lifting systems


LIFTING SYSTEM

EasyLift Series: Smart Lifting Solutions

An easy-to-install lifting system that brings effortless motion to upper cabinets. From single-fold to bi-fold, from soft-closing to free-stop designs, EasyLift offers smart, space-saving solutions for modern kitchens.

Standard Gas Spring Series

Simple gas spring system that aims to refurbish lifting process with the most efficient tool.
Ideal for fast upgrades and cost-conscious projects



VISIT US -

Amerfit Hardware
14331 Proctor Ave.
City of Industry, CA 91746.

Gas Spring Series -

- Gas Spring Lift System (SGS100)
- Standard GS Series (GS50, GS80, GS100, GS120)
- Flap Stay Lift System (FS01)

EasyLift Series -

- Vertical Lift System (G219)
- Bi-Fold Lift System (G235)
- Free-Stop Lift System (G217)
- Free-Stop Heavy-Duty Soft-Down Lift System (G203)



SILVERLINE

More Information:
www.amerfithardware.com

Contact:
sales@amerfithardware.com

SILVERLINE EASYLIFT SERIES

Vertical Lift System

G219

Lift Up with Ease -
a **sleek, space-saving** solution
for any upper cabinet

Featuring
Soft-Opening
Soft-Closing
Free-Stop

G219 is built for cabinets of various **widths and heights** by offering easy adjustability. Its **soft-opening** and **soft-closing** features, combined with a **free-stop** mechanism, ensure effortless operation at any angle.

Everything Adjustable

Arm Length • Closing Speed
Load Capacity • Panel Angle

Transform

Your kitchen with
Simple Installation

Beauty of EasyLift.

For All Applications
Appliances
Cabinets
Pantries

SILVERLINE EASYLIFT SERIES

G235 BI-FOLD LIFT SYSTEM

BI-FOLD LIFT SYSTEM


Open Wide with Style -
smooth, modern motion for double-panel doors

G235 is crafted with a simple mission: to be the ultimate solution for any **two-level cabinet**. Smooth, effortless motion and flexible design make installation and daily use a breeze.



Modern Design

Sleek decorative casing and minimal components highlight the mechanical elegance of the system



Full Adjustability

Easily adapts to **common cabinet widths and heights**, while giving users control over **capacity, arm length, opening angle, panel position**, and more.



Effortless Motion

Engineered for smooth, user-friendly operation with built-in **soft-opening** and **soft-closing** features for a premium experience.



G217


Free-Stop Lift System
Free-Stop Lift System
Free-Stop Lift System

Stop where you want -

effortless control and perfect balance at every angle

Featuring

Soft-Opening
Soft-Closing
Free-Stop



G217 was designed with simplicity in mind while delivering a powerful single-panel lifting solution. Enjoy smooth **soft-opening**, **soft-closing**, and precise **free-stop** control for effortless cabinet access with just a **single arm**.

Transform

Your kitchen with **Simple Installation.**


Minimalist Mechanics.

⋮

How to Install:

Align
Screw
Adjust

G203 HEAVY-DUTY SOFT-DOWN LIFT SYSTEM



LIFT EASY
EASY LIFT

Engineered for heavier doors with
Free Stop | Soft Closing | Soft Opening

Adjustable Capacity
Adjustable Angle
Adjustable Speed





Silverline Gas Springs Series

SGS & GS Series

Effortless Motion • Everyday Reliability

SGS100

Provides dependable lift support for standard cabinets. **Soft-opening, soft-closing, steady support**



**Cost
Effective
And
Efficient.**

GS Series: GS50/80/100/120

Affordable lift support for simple cabinets. Designed to deliver reliable performance at a **budget-friendly** cost.



FS01

Hinge-type lift system that delivers functional, space-saving support for flap-style cabinet doors.



SILVERLINE

Specs.

Model Name	Free Stop	Soft-Closing	Max Angle	Cabinet Height	Cabinet Width	Power Factor(LF)	Cabinet Depth
G219	60°-110°	<30°	135°	500-600mm 19-11/16" to 23-5/8"	500-900mm 19-11/16" to 35-7/16"	1750-3600	≥ 290mm ≥ 11-7/16"
G217 (single piece)	30°-90°	<30°	90°	400-500mm 15-3/4" to 19-11/16"	500-1200mm 19-11/16" to 47-1/4"	2000-3000	≥245mm ≥9-5/8"
G217 (two piece)	30°-90°	<30°	90°	400-550mm 15-3/4" to 21-5/8"	700-1500mm 27-9/16" to 59"	3600-6050	≥245mm ≥9-5/8"
G235	None	<30°	110°	700-1040mm 27-9/16" to 40-15/16"	Depending on panel thickkness	6500-8500	≥280mm ≥11"
G203	Anywhere	<35°	100°	300-600mm 11-13/16" to 23-5/8"	350-1800mm 13-3/4 to 70-7/8"	1100-2900	≥260mm ≥10-1/4"
SGS100	None	<30°	90°	300-550mm 11-13/16" to 21-5/8"	400-1200mm 15-3/4" to 47-1/4"	40-150N*	No requirement
GS Series	None	None	90°	No Specifications	No Specifications	50-120N*	No requirement
FS01	None	None	90°	No Specifications	No Specifications	No Specifications	No Specifications

* Power Factor (LF)= KH * FW

KH = Cabinet Height in mm

FW = Door Handle Weight in kg x 2 + Front Panel Weight in kg



SILVERLINE