

Alpine Rx



HIGH PERFORMANCE Rx EYEWEAR





CONTENTS

Introduction	1	Rx Lens Installation	8-9
Eyewear Components	2-3	Rx Lens Removal	10
Shield Removal	4-5	Care & Maintenance	11
Shield Installation	6-7	Limited Warranty	12-13

Thank you for your purchase of the Fast Metal Alpine Sunglasses.

This lifestyle product provides many options to interchange lenses within seconds and the ability to replace them when needed. It was designed for people who wear prescription lenses and also have a need for sunglasses without the hassle and look of traditional fit-overs. These fashionable prescription sunglasses are capable of providing both within the same frame, while delivering 100% protection from harmful UV rays. With proper maintenance and care these models will deliver style, protection, and convenience for years to come.

Fast Metal brings 25 years of experience and knowledge into developing a newer concept of the aluminum sunglass frame interchangeable lens system. This system was developed by Fast Metal's founder, Ken Wilson, also known as the Originator of aluminum eyewear. Ken is the pioneer of the aluminum eyewear market who invented and patented the first ever 27 step procedure to manufacture aluminum sunglass frames in the USA back in 1995.



EYEWEAR COMPONENTS



Alpine frames with Removable Shield Lens



Removable Shield Lens with Multiple Color Options Scan the code to go to our Alpine Sheild page





SHIELD REPLACEMENT

SHIELD REMOVAL

1. Grip the sunglasses in your left hand by their top and bottom edges, near the right side as shown.

WARNING:

Lenses can only be changed using these instructions for the Alpine model. Other models made by Fast Metal may not offer the same technique.

> Scan the code to see our Shield Replacement Video





2. With your right hand, securely grip the crook of the frame on the glasses' right side so that your forefinger is over the tab on the Alpine shield. Press tab inward.



3. Adjust your left hand's grip to the shield's edges near the right side and gently pull the shield inward away from the clip, allowing it to bow slightly. Once the shield's right tab is free, wiggle the shield's left side tab free.



damage your shield or clip.



SHIELD REPLACEMENT (CONTINUED)

SHIELD INSTALLATION

1. With the front of the glasses facing away from you, use your right hand to grip the crook of the frame on the right side. Take the shield in your left hand and grip it by its right side edges so that it is oriented properly to the frame.

Scan the code to see our Shield Replacement Video





2. Hold shield parallel to the frame face and place left tab of shield into clip on the left side of the frame, insert fully.

3. Press shield toward left clip and allow it to bow slightly, enough to insert the right tab into its clip.





Rx LENS INSTALLATION & REMOVAL

Follow the shield removal procedure on page 4 before working with your Rx lenses.

LENS INSTALLATION

1. With the front of the glasses facing toward you, place either lens flat over its proper socket, and slide inward slightly, letting a gap show on the outside edge.

WARNING:

Lenses can only be changed using these instructions for the Alpine model. Other models made by Fast Metal may not offer the same technique. Always work over a soft surface that will not damage lenses if dropped. Scan the code to see our Rx Lens Replacement Video





2. Using the gap, slide the outer edge of the lens down into the groove in the rubber insert first. Keep lens level with rubber insert around socket, avoid letting top or bottom become inserted without the other.



3. Move thumbs to the inner (nose) edge of the lens and apply pressure to the lens nose area pushing outward toward the outside of the glasses and downward into the rubber insert. Inspect visually and manually to make sure lenses are fully inserted and sturdy.





RX LENS REMOVAL (CONTINUED)

LENS REMOVAL

Always work over a soft surface that will not damage lenses if they fall or are dropped. From the inside of the sunglasses, place both thumbs together near the lens nose and press until lens pops out of the front of the sunglasses.

> Scan the code to see our Rx Lens Replacement Video





CARE & MAINTENANCE

Fast Metal Alpine models come with a specially-woven Microfiber pouch for cleaning and storing. Using the soft bag will help preserve the superior optical quality of your Fast Metal lenses. Hand wash and air dry the bag regularly.

When not in use, always carry your eyewear in the provided bag or other sturdy eyewear case. To keep them in shape, use both hands to take them off and avoid putting them face down on a surface, as scratches can impede the performance or ruin your lenses.

To avoid scratches, never wipe the lenses when they are dry (there may be dust or particles). Always use a microfiber cloth. Never use paper towels or other rough materials.

Check your Fast Metal Alpine sunglasses regularly to make sure the screws are tight. If you find one that is loose, tighten it gently with a small optical screwdriver. A 2.0mm screwdriver is recommended. Also, if your hinges are binding, use a small amount of oil on the barrels to free them.



LIMITED WARRANTY

Fast Metal warranties the Alpine up to 1 year from date of purchase for workmanship and defects. This warranty does not cover scratched lenses. Fast Metal does not warranty scratched lenses or damage resulting from improper care or excessive size adjustments. If you believe your product has a defective lens, notify us immediately for options on how to repair or replace. If you have issues with your frame, contact us for warranty repairs and service. If your frame is accidentally broken and not covered as a defect, we will offer you a minimum charge to repair or replace your product. We reserve the right to determine in our sole discrection if a product has been mishandled or abused. However, you will not be turned away without Fast Metal offering a solution to replace or repair your glasses for a minimum cost. Our intention is to keep you happy and keep you as a customer. Customer satisfaction is our number one goal.

EXCEPT WHERE PROHIBITED BY LAW, THE WARRANTY DESCRIBED ABOVE CONSTITUTES THE SOLE WARRANTY MADE BY FAST METAL LLC EITHER EXPRES OR IMPLIED. THERE ARE NO OTHER EXPRESS OR IMPLIED WARRANTIES THAT EXTEND BEYOND THOSE OUTLINED HEREIN, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL FAST METAL LLC BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGE EVEN IF ADVISED OF THE POTENTIAL FOR SUCH DAMAGES, AND THE USER, ITS AGENTS, EMPLOYEES, OR CUSTOMERS REMEDIES SHALL BE LIMITED SOLELY TO THE REPAIR OF REPLACEMENT OF THE NONCONFORMING UNITS OR PARTS, WHICH AMOUNT SHALL NOT EXCEED THE TOTAL PURCHASE PRICE OF THE PRODUCT UNDER WARRANTY. Any tampering, misuse or negligence in handling or use of the product renders the warranty void. Further, the warranty is void if at any time, the user, its agents, employees, or customers attempts to make any internal changes to any of the components of a product: If at any time the power supplied to any part of the product exceeds the rated tolerances: if any external device attached by the user, its agents, employees or customers creates conditions exceeding the tolerances of the product:

OPERATION OF THE PRODUCT RENDERS THAT RENDERS THIS WARRANTY VOID WILL BE DEFINED TO INCLUDE ALL OF THE POSSIBILITIES DESCRIBED IN THIS SECTION, TOGETHER WITH ANY PRACTICE THAT RESULTS IN CONDITIONS EXCEEDING THE DESIGN TOLERANCE OF THE PRODUCTS.

The warranty will be void if the product is purchased from an unauthorized source.

⚠ WARNING!

This product can expose you to chemicals including Bisphenol-A (BpA), Chromium and Nickel which are known to the State of California to cause cancer (Nickel and Chromium) and birth defects or other reproductive harm (BpA and Chromium). For more information go to **www. P65Warnings.ca.gov.**

FAST METAL



Visit us at **www.FastMetal.com** or follow us on Facebook, Instagram and Twitter. Fast Metal is a registered trademark. **Email:** Orders@Fastmetal.com • **U.S. Patent** #11,002,988, and other patents pending.

Version: 7.2021