

Prepared for:
Green Water, LLC
25797 Conifer Rd B-102
Conifer, CO USA 80433

Full Spectrum Breathe Deep

Batch ID or Lot Number: Lot: 1132	Test: Potency	Reported: 22Jan2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000233308	Started: 20Jan2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 19Jan2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.005	0.017	0.060	0.60	
Cannabichromenic Acid (CBCA)	0.005	0.015	ND	ND	
Cannabidiol (CBD)	0.014	0.047	1.760	17.60	
Cannabidiolic Acid (CBDA)	0.014	0.048	ND	ND	
Cannabidivarin (CBDV)	0.003	0.011	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	0.006	0.020	ND	ND	
Cannabigerol (CBG)	0.003	0.009	0.030	0.30	
Cannabigerolic Acid (CBGA)	0.012	0.039	ND	ND	
Cannabinol (CBN)	0.004	0.012	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	0.008	0.027	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.015	0.047	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.013	0.043	0.070	0.70	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.012	0.038	<LOQ	<LOQ	
Tetrahydrocannabivarin (THCV)	0.003	0.009	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.010	0.033	ND	ND	
Total Cannabinoids			1.920	19.20	
Total Potential THC			0.070	0.70	
Total Potential CBD			1.760	17.60	

Final Approval



Karen Winternheimer
22Jan2023
09:12:00 AM MST

PREPARED BY / DATE



Sam Smith
22Jan2023
09:13:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/5e30c9b4-5010-4f11-ad6e-a39d47000002>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
5e30c9b450104f11ad6ea39d47000002.1