

Prepared for:
Green Water, LLC
25797 Conifer Rd B-102
Conifer, CO USA 80433

Full Spectrum 5X

Batch ID or Lot Number: 1162	Test: Potency	Reported: 27Oct2022	USDA License: N/A
Matrix: Concentrate	Test ID: T000225503	Started: 26Oct2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 24Oct2022	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.025	0.078	0.160	1.60	
Cannabichromenic Acid (CBCA)	0.023	0.072	ND	ND	
Cannabidiol (CBD)	0.071	0.228	4.100	41.00	
Cannabidiolic Acid (CBDA)	0.072	0.234	ND	ND	
Cannabidivarin (CBDV)	0.017	0.054	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	0.030	0.098	ND	ND	
Cannabigerol (CBG)	0.014	0.044	0.080	0.80	
Cannabigerolic Acid (CBGA)	0.060	0.186	ND	ND	
Cannabinol (CBN)	0.019	0.058	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	0.041	0.127	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.071	0.221	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.064	0.201	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.057	0.178	ND	ND	
Tetrahydrocannabivarin (THCV)	0.013	0.040	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.050	0.157	ND	ND	
Total Cannabinoids			4.500	43.40	
Total Potential THC			0.100	1.00	
Total Potential CBD			4.100	41.00	

Final Approval



Karen Winternheimer
27Oct2022
11:32:00 AM MDT

PREPARED BY / DATE



Sam Smith
27Oct2022
11:33:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/2285c45d-0255-443a-b209-0dfe21335cbb>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
2285c45d0255443ab2090dfe21335cbb.1