

Prepared for:
Green Water, LLC
25797 Conifer Rd B-102
Conifer, CO USA 80433

Full Spectrum 5X

Batch ID or Lot Number: Lot # 1167	Test: Potency	Reported: 19Apr2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000241496	Started: 18Apr2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 14Apr2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.007	0.016	0.210	2.10	
Cannabichromenic Acid (CBCA)	0.006	0.015	ND	ND	
Cannabidiol (CBD)	0.016	0.043	5.030	50.30	
Cannabidiolic Acid (CBDA)	0.017	0.044	ND	ND	
Cannabidivarin (CBDV)	0.004	0.010	0.030	0.30	
Cannabidivarinic Acid (CBDVA)	0.007	0.018	ND	ND	
Cannabigerol (CBG)	0.004	0.009	0.140	1.40	
Cannabigerolic Acid (CBGA)	0.016	0.039	ND	ND	
Cannabinol (CBN)	0.005	0.012	0.020	0.20	
Cannabinolic Acid (CBNA)	0.011	0.026	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.019	0.046	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.017	0.042	0.230	2.30	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.015	0.037	ND	ND	
Tetrahydrocannabivarin (THCV)	0.003	0.008	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.013	0.033	ND	ND	
Total Cannabinoids			5.660	56.60	
Total Potential THC			0.230	2.30	
Total Potential CBD			5.030	50.30	

Final Approval



Karen Winternheimer
19Apr2023
11:14:00 AM MDT

PREPARED BY / DATE



Sam Smith
19Apr2023
11:16:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/3d622f63-c050-4a90-8d2b-84920f690e90>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cell #4329.02
3d622f63c0504a908d2b84920f690e90.1