


# Discus Pendant 6

## *Installation Guide*

---

M . M




# Discus Pendant 6

## *Installation Guide*


---

M . M

Included for installation:




1 x Discus Pendant 6




1x Drop



5 x Wire Nuts




1 x Slip Ring, Hex Key, & Screw




1 x LED driver




1 x 3/8 IPS Nipple




1 x Crossbar




1 x Ground Wire



2 x 8-32 screws



1 x Canopy



1 x 3/8 IPS Nut


# Discus Pendant 6

## *Installation Guide*

---

M . M

### Step 1 - 2




**DANGER: ELECTRIC SHOCK RISK**  
Turn off power before installing.

Matter Made recommends the installation of this fixture to be completed by a licensed electrician.

1. Remove fixture from packaging and lay flat on a protected surface.
2. Screw drop stem into coupling.
3. Feed the wires exiting through the top of the drop stem.

### Step 3




# Discus Pendant 6

## *Installation Guide*


M . M

### Step 4 - 5



4. Loosen the slip ring (A) and lower canopy (B) gently down the drop stem (C).
5. Tighten the slip ring to hold the canopy up while accessing the cross bar.

### Step 6 - 7




6. Attach the cross bar (D) to the threaded nipple with the nut (E).
7. Attach the Discus to the junction box in the ceiling by passing the two 8-32 screws (F) provided through the holes in the cross bar and into the threaded holes in the junction box.

# Discus Pendant 6

## *Installation Guide*

M . M

Step 8 - 11



NOTE: The drawing is exploded for illustrating wiring and electrical connections.

8. Using the provided wire nuts, connect the ground wire from the junction box to the ground wire attached to the crossbar (G).
9. Connect the live and neutral wires (H) to the corresponding input wire leads (labelled ACN and ACN) of the provided LED Driver.
10. Connect the output wires (I) of the LED Driver (labelled V+ and V-) to the corresponding wires of the Discus drop.
11. For 0-10v dimming, connect the driver dimming wires (labelled DIM+ and DIM-) to the corresponding wires attached to your dimmer.

NOTE: The LED driver needs to be connected to the main power, allowing an adjusted current to power the LEDs. Never connect your fixture directly to main power without a driver.

# Discus Pendant 6

## *Installation Guide*

---

M . M

Step 12 - 13

12. Once the crossbar is secure, tuck the connected wires into the Junction box (J) and raise the canopy (K) and the slip ring (L) up the drop stem (M). Make sure the canopy is flush to the ceiling and tighten the slip ring.

13. Enjoy!

