

# APPLICATION DATA SHEET



**ENVIROGRAF®**

AP042-ENVIROBAR-10-2019

## Product Number: 42 HW ENVIROBAR Food-Safe Top Coat

### Description:

Envirobar is an acrylic coating in white matt or satin. The standard colour is white but it can be coloured to any BS colour or tint. Envirobar is strong, robust acrylic resin coating for **INTERNAL USE ONLY**. Envirobar has been formulated to fight against harmful bacteria in Hospitals and Catering Kitchens. Proven to actively inhibit MRSA and E-Coli when used over fire rated products.

### Recommended Uses:

Suitable for interior use. Suitable for use with Product 42, Product 83 and Product 92

### Preparation:

Ensure all surfaces are dry, clean and free from grease. Remove any loose paint with waterproof abrasive paper. Avoid the inhalation of dust, wear a suitable face mask if dry sanding. Seal absorbent areas with a solution of Envirobar mixed and add 25% water to act as a primer coat. For further advice contact Technical on 01304 842555

### Application:

Stir well before use and apply by brush or roller. Use new clean tools (brushes, rollers, etc) to ensure cleanliness. Apply liberally and evenly for a smooth finish.  
Two coats at 12m<sup>2</sup> per litre per coat.

### Drying Time:

One to two hours per coat. Second coat must only be applied after initial coat has had two hours drying time.

### Storage:

Protect from frost. Ensure all containers are closed shut when not in use.

### Cleaning:

Remove as much paint as possible from application equipment before cleaning. Replace lid firmly. Clean equipment immediately after use with warm soapy water and rinse thoroughly. Some local authorities have special facilities for the disposal of waste coatings. Do not empty product into drains or watercourses.

# SAFETY DATA SHEET



**ENVIROGRAF®**

HS042-Envirobar FoodSafe-10-2019

## Product Number: 42 HW ENVIROBAR Food-Safe Top Coat

### Description:

Envirobar is an acrylic coating in white matt or satin. The standard colour is white but it can be coloured to any BS colour or tint. Envirobar is strong, robust acrylic resin coating for **INTERNAL USE ONLY**. Envirobar has been formulated to fight against harmful bacteria in Hospitals and Catering Kitchens. Proven to actively inhibit MRSA and E-Coli when used over fire rated products.

This product comprises of the following materials and therefore is supported by Health & Safety Data Sheets:

- (Appendix 95) Envirobar Food-Safe

\*The information contained in this safety data sheet is given in good faith. It is accurate to the best of our knowledge and belief and represents the most up to date information. The information given in this data sheet does not constitute or replace the user's own assessment of workplace risk as required by other health and safety legislation.

# HEALTH & SAFETY INFORMATION SHEET

## APPENDIX 65

### ENVIROBAR FOOD-SAFE

DATE OF ISSUE 12.10.2019

---

#### 1. IDENTIFICATION OF THE PREPARATION AND COMPANY

---

##### 1.1 Product identifier

**Product name** : Envirobar Food-safe  
**Product code** : Not available  
**Other means of identification** : Not available

##### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product use** : Consumer applications, Professional applications, Used by spraying  
**Use of the substance/Mixture** : Coating

##### 1.3 Details of the supplier of the safety data sheet

Envirograf  
Envirograf House, Barfrestone, Dover, Kent, CT15 7JG  
Telephone/fax/email: 01304 842555 01304 842666 sales@envirograf.com  
**1.4 Emergency telephone number: Supplier** 01304 842555 (Not 24 Hours)

---

#### 2. HAZARDS IDENTIFICATION

---

##### 2.1 Classification of the substance or mixture

**Product definition** : Mixture

##### **Classification According to Regulation (EC) No. 1272/2008 [CLP/GHS]:**

Not classified

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above

See Section 11 for more detailed information on health effects and symptoms.

##### 2.2 Label Elements

**Signal word** : No signal word  
**Hazard statements** : No known significant effects or critical hazards

##### **Precautionary statements**

**General:** Keep out of reach of children. If medical advice is needed, have product container or label at hand

**Prevention** : Not applicable

**Response** : Not applicable

**Storage** : Not applicable

**Disposal** : Not applicable

P102, P101

**Hazardous ingredients** : Not applicable

**Supplemental label elements:** Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), octhilinone (ISO) and 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

**Annex XVII- Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.:** Not Applicable

##### **Special packaging requirements**

**Containers to be fitted with child-resistant fastenings** : Not applicable

**Tactile warning of danger:** Not applicable

##### 2.3 Other hazards

**Other hazards which do not result in classification:** None known

---

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

---

##### 3.2 Mixtures :Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

---

## 4. FIRST AID MEASURES

---

### 4.1 Description of first aid

**Eye contact:** Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelid seek immediate medical advice.

**Inhalation:** Remove to fresh air, keep patient warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

**Skin Contact:** Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or a recognized skin cleaner. DO NOT USE SOLVENT OR THINNERS.

**Ingestion:** If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. DO NOT induce vomiting

**Protection of first-aiders:** No action shall be taken involving any personal risk or without suitable training.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential acute health effects

**Eye contact** : No known significant effects or critical hazards

**Inhalation** : No known significant effects or critical hazards

**Skin contact** : No known significant effects or critical hazards

**Ingestion** : No known significant effects or critical hazards

#### Over-exposure signs/symptoms

**Eye contact** : No specific data

**Inhalation** : No specific data

**Skin contact** : No specific data

**Ingestion** : No specific data

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled

Specific treatments: No specific treatment.

---

## 5. FIRE-FIGHTING MEASURES

---

### 5.1 Extinguishing media

**Suitable extinguishing media:** Use an extinguishing agent suitable for the surrounding fire

**Unsuitable extinguishing media:** None known

### 5.2 Special hazards arising from the substance or mixture

**Hazards from the substance or mixture:** In a fire or if heated, a pressure increase will occur and the container may burst

**Hazardous combustion products:** Decomposition products may include the following materials: carbon oxides, metal oxide/oxides

### 5.3 Advice for firefighters

**Special precautions for firefighters:** Promptly isolate the scene by removing all persons from the vicinity of the incident there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective equipment for firefighters:** Firefighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for firefighters (including helmets, protective boots and gloves) conforming to European standard EN469 will provide a basic level of protection for chemical incidents

---

## 6. ACCIDENTAL RELEASE MEASURES

---

### 6.1 Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel:** No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding area. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

**For emergency responders :** If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel."

**6.2 Environmental precautions:** Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers waterways, soil or air)

### 6.3 Methods and material for containment and cleaning up

**Small spill:** Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

**Large spill:** Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

**6.4 Reference to other Sections** : See Section 1 for emergency contact information  
See Section 8 for information appropriate personal protective equipment  
See Section 13 for additional waste treatment information

---

## 7. HANDLING AND STORAGE

---

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s)

### 7.1 Precautions for safe handling

**Protective measures:** Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

**Advice on general occupational hygiene:** Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

**7.2 Conditions for safe storage, including any incompatibilities:** Storage temperature 5 to 25°C (41 to 77°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

See Section 1.2 for Identified uses

---

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

---

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s)

### 8.1 Control parameters

#### Occupational exposure limits

No exposure limit value known.

**Recommended monitoring procedures:** If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres – Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres – Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres – General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### DNELs

DNELs – Not available

#### PNECs

PNECs – Not available

### 8.2 Exposure controls

**Appropriate engineering controls:** Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### **Individual protection measures**

**Hygiene measures:** Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection:** Safety glasses with side shields. Use eye protection according to EN 166

### **Skin protection**

**Hand Protection:** Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Gloves:** For prolonged or repeated handling, use the following type of gloves: Recommended: Viton®

**Body protection:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection:** Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and risks involved and should be approved by a specialist before handling this product.

**Respiratory protection:** Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Wear a respirator conforming to EN140. Filter type: organic vapour (Type A) and particulate filter P3

**Environmental exposure controls:** Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

---

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

---

### **9.1 Information on basic physical and chemical properties**

#### **Appearance**

<b>Physical state</b>	: Liquid
<b>Colour</b>	: White
<b>Odour</b>	: Faint odour
<b>Odour threshold</b>	: Not available
<b>pH</b>	: 8
<b>Melting/freezing point</b>	: May start to solidify at the following temperature: 0°C (32°F). This is based on data for the following ingredient: Water. Weighted average: -2.25°C (27.9°F)
<b>Initial boiling point and boiling range</b>	: >37.78°C
<b>Flash point</b>	: Closed cup: Not applicable [Product does not sustain combustion]
<b>Evaporation rate</b>	: Not available
<b>Material supports combustion</b>	: No
<b>Flammability (solid, gas)</b>	: Liquid
<b>Upper/lower flammability or explosive limits</b>	: Not applicable
<b>Vapour pressure</b>	: Highest known value: 3.2 kPa (23.8mm Hg) (at 20°C) (water) Weighted Average: 3.11 kPa (23.33 mm Hg) (at 20°C)
<b>Vapour density</b>	: Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol)
<b>Relative density</b>	: 1.18
<b>Solubility(ies)</b>	: Partially soluble in the following materials: cold water
<b>Partition coefficient: n-octanol/water</b>	: Not applicable
<b>Auto-ignition temperature</b>	: Not applicable
<b>Decomposition temperature</b>	: Stable under recommended storage and handling conditions (see Section 7)
<b>Viscosity</b>	: Kinematic (40°C): >0.21cm <sup>2</sup> /s
<b>Explosive properties</b>	: Product does not present an explosion hazard
<b>Oxidising properties</b>	: Product does not present an oxidising hazard

### **9.2 Other information**

No additional information.

---

## 10. STABILITY AND REACTIVITY

---

**10.1 Reactivity:** No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability:** The product is stable

**10.3 Possibility of hazardous reactions:** Under normal conditions of storage and use, hazardous reaction will not occur

**10.4 Conditions to avoid:** When exposed to high temperature may produce hazardous decomposition products. Refer to protective measures listed in Sections 7 & 8

**10.5 Incompatible materials:** Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.

**10.6 Hazardous decomposition products:** Decomposition products may include the following materials carbon oxides, metal oxide / oxides

---

## 11. TOXICOLOGICAL INFORMATION

---

### 11.1 Information on toxicological effects

#### Acute toxicity

**Conclusion/Summary** : There are no data available on the mixture itself

#### Acute toxicity estimates

Route	ATE value
Not available	

#### Irritation/Corrosion

##### **Conclusion/Summary**

**Skin** : There are no data available on the mixture itself

**Eyes** : There are no data available on the mixture itself

**Respiratory** : There are no data available on the mixture itself

#### Sensitisation

##### **Conclusion/Summary**

**Skin** : There are no data available on the mixture itself

**Respiratory** : There are no data available on the mixture itself

#### Mutagenicity

**Conclusion/Summary** : There are no data available on the mixture itself

#### Carcinogenicity

**Conclusion/Summary** : There are no data available on the mixture itself

#### Reproductive toxicity

**Conclusion/Summary** : There are no data available on the mixture itself

#### Teratogenicity

**Conclusion/Summary** : There are no data available on the mixture itself

#### Specific target organ toxicity (single exposure)

Not available

#### Specific target organ toxicity (repeated exposure)

Not available

#### Aspiration hazard

Not available

**Information on the likely routes of exposure** – Not available

#### Potential acute health effects

**Inhalation** : No known significant effects or critical hazards.

**Ingestion** : No known significant effects or critical hazards.

**Skin contact** : No known significant effects or critical hazards.

**Eye contact** : No known significant effects or critical hazards.

#### Symptoms related to the physical chemical and toxicological characteristics

**Inhalation** : No specific data

**Ingestion** : No specific data

**Skin contact** : No specific data

**Eye contact** : No specific data

#### Delayed and immediate effects and also chronic effects from short and long term exposure

##### Short term exposure

**Potential immediate effects** : Not available

**Potential delayed effects** : Not available

### Long term exposure

**Potential immediate effects** : Not available

**Potential delayed effects** : Not available

### Potential chronic health effects

Not available

**Conclusion/Summary** : Not available

**General** : No known significant effects or critical hazards.

**Carcinogenicity** : No known significant effects or critical hazards.

**Mutagenicity** : No known significant effects or critical hazards.

**Teratogenicity** : No known significant effects or critical hazards.

**Developmental effects** : No known significant effects or critical hazards.

**Fertility effects** : No known significant effects or critical hazards.

**Other information** : Not available

There are no data available on the mixture itself. The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended

If splashed in the eyes, the liquid may cause irritation and reversible damage.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

Contains 1,2-benzisothiazol-3(2H)-1, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

---

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity:

**Conclusion/Summary** : There are no data available on the mixture itself

### 12.2 Persistence and degradability:

**Conclusion/Summary** : There are no data available on the mixture itself

### 12.3 Bioaccumulative potential

Not available

### 12.4 Mobility in soil

**Soil/water partition Coefficient (Koc)**: Not available

**Mobility** : Not available

### 12.5 Results of PBT and vPvB assessment

**PBT** : Not applicable

**vPvB** : Not applicable

**12.6 Other adverse effects** : No known significant effects or critical hazards.

---

## 13. DISPOSAL CONSIDERATIONS

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s)

### 13.1 Waste treatment methods

#### Product

**Methods of disposal**: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protections and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste**: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

#### European waste catalogue (EWC)

Waste code	Waste designation
08 01 12	Waste paint and varnish other than those mentioned in 08 01 11

#### Packaging

**Methods of disposal**: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.



Type of packaging	European waste catalogue (EWC)
Container	15 01 02 plastic packaging
	15 01 04 metallic packaging

**Special precautions:** This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

#### 14. TRANSPORT INFORMATION

	ADR/RID	ADN	IMDG	IATA
<b>14.1 UN number</b>	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.2 proper shipping name</b>	-	-	-	-
<b>14.3 Transport hazard class(es)</b>	-	-	-	-
<b>14.4 Packing group</b>	-	-	-	-
<b>14.5 environmental hazards</b>	No	No	No	No
<b>Marine pollutant substances</b>	Not applicable	Not applicable	Not applicable	Not applicable

#### Additional information

ADR/RID : None identified  
ADN : None identified  
IMDG : None identified  
IATA : None identified

**Special precautions for user:** Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:** Not applicable

#### 15. REGULATORY INFORMATION

This Safety Data Sheet is prepared voluntarily: it is not required according to Article 31 of Regulation (EC) No 1907/2006.

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**EU Regulation (EC) No. 1907/2006 (REACH)**

#### Annex XIV – List of substances subject to authorisation

##### Annex XIV

None of the components are listed.

##### Substances of very high concern

None of the components are listed

**Annex XVII – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles:** not applicable

#### Other EU regulations

**Ozone depleting substances (1005/2009/EU) :** Not listed

**VOC for Read-for-Use Mixture:** IIA/a. Interior walls and ceilings. EU limit values: 30g/l (2010) This product contains a maximum of 10g/l VOC

#### Seveso Directive

This product is not controlled under the Seveso Directive

**15.2 Chemical Safety Assessment:** No Chemical Safety Assessment has been carried out.

---

## 16. OTHER INFORMATION

---

### **Abbreviations and acronyms** :

ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.1272/2008]

DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement

PNEC = Predicted No Effect Concentration

RRN = REACH Registration Number

PBT = Persistent, Bioaccumulative and Toxic

vPvB = Very Persistent and Very Bioaccumulative

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

IMDG = International Maritime Dangerous Goods

IATA = International Air Transport Association

### **Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**

<b>Classification</b>	<b>Justification</b>
Not classified	

**Full text of abbreviated H Statements** – not applicable

**Full text of classifications [CLP/GHS]** – not applicable

### **History**

**Date of Issue/date of revision** 8<sup>th</sup> October 2019

**Date of previous issue** -

**Prepared by** – Intumescent Systems Ltd

### **Disclaimer**

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.



### Product Number: 42 HW ENVIROBAR Food-Safe Top Coat

#### **Description:**

Envirobar is an acrylic coating in white matt or satin. The standard colour is white but it can be coloured to any BS colour or tint. Envirobar is strong, robust acrylic resin coating for **INTERNAL USE ONLY**. Envirobar has been formulated to fight against harmful bacteria in Hospitals and Catering Kitchens. Proven to actively inhibit MRSA and E-Coli when used over fire rated products.

#### **Recommended Uses:**

Suitable for interior use. Suitable for use with Product 42, Product 83 and Product 92

#### **Preparation:**

Ensure all surfaces are dry, clean and free from grease. Remove any loose paint with waterproof abrasive paper. Avoid the inhalation of dust, wear a suitable face mask if dry sanding. Seal absorbent areas with a solution of Envirobar mixed and add 25% water to act as a primer coat. For further advice contact Technical on 01304 842555

#### **Application:**

Stir well before use and apply by brush or roller. Use new clean tools (brushes, rollers, etc) to ensure cleanliness. Apply liberally and evenly for a smooth finish.  
Two coats at 12m<sup>2</sup> per litre per coat.

#### **Drying Time:**

One to two hours per coat. Second coat must only be applied after initial coat has had two hours drying time.

#### **Storage:**

Protect from frost. Ensure all containers are closed shut when not in use.

#### **Cleaning:**

Remove as much paint as possible from application equipment before cleaning. Replace lid firmly. Clean equipment immediately after use with warm soapy water and rinse thoroughly. Some local authorities have special facilities for the disposal of waste coatings. Do not empty product into drains or watercourses.

**Relevant Data:**

Volume Solid	35%
Coverage	Approximately 12m <sup>2</sup> per litre depending on the nature and porosity of the surface.
Film Thickness	Wet: 85µm, Dry: 50µm.
Drying Time*	Touch dry in 1–2 hours. Re-coatable after 2 hours.
Thinner	Clean water – no more than 5%
Sizes	5 Litre.

**VOC Content:**

Low VOC content 0.3-7.99%

VOC's (Volatile Organic Compounds) contribute to atmospheric pollution.

EU limit value for this product (Cat A/a): 30g/l (2010).

This product contains max 30g/l VOC.

**Precautions:**

- Ensure good ventilation during application and drying.
- Avoid contact with skin and eyes.
- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- After contact with skin, wash immediately with plenty of soap and water or a recognised skin cleaner.
- Keep out of the reach of children.
- Safety data sheet available for professional user on request.