

TEST REPORT NUMBER: PRTH00101348 Page 1 of 3

APPLICANT: MATCERAMICA-FABRICO DE LOUÇA , S.A. DATE OF EMISSION: 06/10/2022

APARTADO 150

OUTEIRO DO SEIXO - VALE DE OURÉM

For the attention of ANA MARQUES

SAMPLE DESCRIPTION: PEDIDO 714

PO FABLE UK TEST

1 - BREAKFAST BOWLS SEMI MATTE SPECKLED WHITE G531= TAÇA CEREAL

16.5 (CARIMBO) MATÉRIA BRANC SEMI-MATE C/ PINTAS G0531

REF.: BFT-SM-G7808G0531

GRES

DATE OF RECEPTION: 03/10/2022

TEST PERFORMED BETWEEN DATES: 03/10/2022 and 06/10/2022

WORK DAYS: 3

REQUEST: Tests performed in accordance with APPLICANT TEST REQUEST

specification

NOTES: FABLE HOME GOODS

Samples

Test	1	
Leachable Lead and Cadmium	М	

M = Meet buyer's requirement; NM = does not meet buyer's requirement; NR = Not requested; NA = Not applicable; NC = No comment; SC = Still continues

- The report is made on the basis of instructions and/ or information and materials supplied. Sample information is supplied by the customer. Results and observations are only valid for the samples that were submitted.
 - Partial reproduction of this report is not allowed without written approval of Intertek Portugal.
- On declaration of compliance or not compliance with the specification, uncertainty associated to the result was not explicitly taken into account. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2 providing a level of confidence of approximately 95% and doesn't include the sampling component due it exceeds laboratory responsibility.
 - Tests marked by (*) are not included in the scope of IPAC accreditation for Intertek Portugal.
- Tests marked by (‡) were performed by an approved third-party subcontractor laboratory, and are not included in the scope of IPAC accreditation.

All services provided by Intertek Portugal are subject to the 'Terms and Conditions', available on the official website at the address http://www.intertek.pt/termos-e-condicoes/ unless there is a different written agreement, between Intertek Portugal - Intertek and the customer.

Hardlines and Chemistry Laboratory Manager albino.costa@intertek.com





TEST REPORT NUMBER: PRTH00101348 Page 2 of 3

Test Method Results Requirements

Leachable Lead and Cadmium

84/500/EEC Directive:1984 amended by 2005/31/EEC Directive: 2005

		Sample:	1	1		BS 6748:1986 Limits: Pb Cd				
Specimen	Cadmium(Cd) (mg/L)	Lead(Pb) (mg/L)				Category Category Category	II	0.8 4.0	0.07 0.3 0.1	mg/dm2 mg/l
1	<0,02	<0,2				category	111	1.5	0.1	mg/l
2	<0,02	<0,2								
3	<0,02	<0,2								
4	<0,02	<0,2								
Average	<0,02	<0,2								

Sample Capacity: 700mL Sample Category: Category II

Quantification limit:Pb:0,2 mg/L;Cd:0,02 mg/L

< = Less than

Uncertainty: Cadmium(Cd) ±20% of value; Lead(Pb) ±20% of value





TEST REPORT NUMBER: PRTH00101348 Page 3 of 3





INTERTEK PORTUGAL UNIPESSOAL, LDA.