



Philips LED
Bulb

8W-5W-2W(60W)
B22
Warm white

8718696675786

One bulb three light settings

Works with your existing switch

With a Philips SceneSwitch LED bulb, you can easily change the setting from a bright light, to a natural light, to a cozy warm glow. No dimmer or additional installation is required. All you need is your existing switch.

Save on energy

- Saves up to 80% energy

High color rendering [CRI>80]

- High color rendering (CRI > 80) for vivid colors

Auto memory

- The lamp can memorize your last setting
- Restore the lamp to the default factory setting

Simply plug and play

- No dimmer or additional installation needed
- Three light settings from 2700 K to 2500 K to 2200 K

Comfortable LED light that is easy on your eyes

- Designed for the comfort of your eyes

Distributed by:
Reduction Revolution Pty Ltd
www.reductionrevolution.com.au/LED

PHILIPS

Highlights

Auto memory (sceneswitch)



This Scene Switch lamp has a built-in memory chip which will memorize your last light setting if the switch is turned off for longer than 6 seconds. If you don't often switch between activities, the light will be in your favorite mode when you turn it on again.

High color rendering (CRI>80)



The color rendering index (CRI) is used to describe the effect of a light source on color appearance. Natural outdoor light has a CRI of 100 and is used as the standard of comparison for any other light source. The CRI of Philips LED light bulbs is always higher than 80, close to the sun's value, reflecting colors truly and naturally.

Plug and play



Delivers a variety of great light scenes straight out of the box to suit your different needs and moods. The intelligence is in the bulb itself, so no dimmer or other additional installation is required. Simply replace your bulb with this Scene Switch bulb, and you can change between different scenes at a flick of your existing wall switch. Lowest level of investment and effort required to enjoy the highest level of comfort. Now you can change the ambiance easily to suit whatever you're doing and your mood at the time.

Reset (Sceneswitch)



If multiple lamps are used and they are no longer synchronized, simply toggle the switch (turn it on and off again within 1 second) to restore the lamps to the default factory setting.

Saves up to 80% energy



Save up to 80% energy compared to your standard bulb. It pays for itself and saves you money year after year. So reduce your energy bill and start saving Now.

Three light settings

Light can have different color temperatures, indicated in units called Kelvin (K). Bulbs with a low Kelvin value produce a warm, cozy light, while those with a higher Kelvin value produce a more energizing light. These new Scene Switch bulbs allow you to switch from functional lighting to natural light and to a cozy, warm dimmed light. Light levels can change from 100% to 40% to 10%. Now you can easily customize your room for a variety of tasks or adapt it to suit your mood.

Gentle LEDs, easy on the eyes



It's easy to see how harsh lighting can strain the eyes. Too bright, and you get the glare. Too soft and you experience flicker. Now you can gently light up your world with LEDs designed to go easy on the eyes, and create the perfect ambience for your home.

Distributed by:

Reduction Revolution Pty Ltd
www.reductionrevolution.com.au/LED

Specifications

Bulb characteristics

- Shape: Bulb
- Cap/fitting: B22
- Dimmable: No
- Voltage: 220 - 240 V

Power consumption

- Wattage: 8 - 5 - 2 W
- Wattage equivalent: 60 W
- Light output [lumen value]: 806-320-80

Light characteristics

- EyeComfort: Eye Comfort
- Beam angle: 200 degree
- Color: Warm White
- Color temperature: 2700 / 2500 / 2200 K
- Light effect/finish: Warm White
- Color rendering index (CRI): 80
- Starting time: <0.5 s
- Warm-up time to 60% light: Instant full light
- Application: General light

Durability

- Lifetime of lamp: 15000 hour(s)
- Number of switch cycles: 100000
- Lumen maintenance factor: 0.7
- Average life (at 2.7 hrs/day): 15 year(s)

Bulb dimensions

- Height: 111 mm
- Width: 61 mm

Other characteristics

- Mercury content: 0 mg
- Power factor: 0.5
- Lamp current: 100 mA
- Range: SceneSwitch

Rated values

- Rated power: 8-5-2 W
- Rated luminous flux: 806-320-80 lumen
- Rated lifetime: 15000 hour(s)
- Rated beam angle: 200 degree

Distributed by:

Reduction Revolution Pty Ltd
www.reductionrevolution.com.au/LED



Issue date 2018-10-02

Version: 1.0.1

12 NC: 9290 012 36619

© 2018 Philips Lighting Holding B.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Philips Lighting Holding B.V. or their respective owners.

www.philips.com

* Designed for the comfort of your eyes. Visit www.philips.com/eyecomfort for flicker, strobe and other criteria and product details.