
XBO R 100W/45C OFR



Product features and benefits

- High luminance / radiance with intense point source
- Broad, continuous spectral distribution
- High color rendering > 95
- High arc stability
- DC operation

Areas of application

- Endoscopy
- Microscopy
- Surgical Headlamps
- Fiber Illumination
- Solar Simulation
- Imaging & scanning

Product datasheet

Technical data

General product information

Product Number	69191
Product Name	XBOR100W45COFR 14V 2/CS 1/SKU
Ordering Abbreviation	XBO R 100W/45C OFR
Brand Name	OSRAM
Family Brand Name	XBO
General Description	100 watt, xenon short arc, with reflector
Application	Lightguide / Boroscopy, Fiber Optic, Minimal Invasive Surgery, Endoscopy
Product Remark	<ul style="list-style-type: none">- C=Base with Cable- OFR=Ozone Free- p (Operating Position) = Horizontal- This lamp has positive pressure even when cold. Please read safety/warning instructions before using this lamp.- The focus lies 45mm in front of the mounting rim (working distance).

Electrical data

Nominal Wattage	100 W
Current (A)	7.0 A
Type of Current	DC

Light technical data

Luminous Area (mm)	0.4 x .09 mm
Working Distance a (mm)	45 mm
Color Temperature	6000 K
Color Rendering Index	98
Average Rated Life - Horizontal (hr)	500 hr

Physical attributes

Base	Leads with AMP 350809-1 connec
Bulb Shape	KO176
Maximum Overall Length (mm)	83 mm
Length l1 (mm)	83 mm
Length l1 max. (mm)	83 mm
Length l2 (mm)	75 mm
Length l2 max. (mm)	75 mm
Diameter d (in)	2.520 in

Product datasheet

Diameter d (mm)	64.00 mm
Reflector Coating	64.00

Additional product data

Operating Position	p 15
Maximum Base Temperature (°C)	230 C
Forced Cooling	Required
Hot Restart	Yes
Class	C (gas)
Lamp Type	W/REFLECTOR

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
69191	4050300367767	Folding box (SKU)	1	3.4 in x 3.4 in x 4.1 in	0.3 lb
69191	4050300367774	Shipping box (Case)	2	7.3 in x 4.8 in x 3.9 in	0.8 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.