

Brannan SDS:	003.0
Issue Date:	March 2017
Revision: 2	Page: 1 of 11

SDS for Odourless Kerosene

1. Product and Company Identification

1.1 Supplier Identification

 S. Brannan & Sons Ltd
 Leconfield Ind. Est.
 Cleator Moor
 Cumbria
 Contact e-mail: sales@brannan.co.uk
 Emergency Telephone Number: +44 (0)1946 816600

1.2 Product Identifier

Trade Name	Odourless Kerosene	
Substance Name	Distillates (petroleum), hydrotreated light	
CAS-No	64742-47-8	
EC-No	265-149-8	

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Regulation (EC) No 1272/2008			
Hazard Class Hazard Category Target Organs Hazard Statement		Hazard Statement	
Aspiration hazard	Category 1		H304

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Directive 67/548/EEC or 1999/45/EC		
Hazard Symbol / Category of Danger Risk Phases		
Harmful (Xn)	R65	
	T66	

For the full text of the R-phrases mentioned in this Section, see Section 16.







www.brannan.co.uk

Brannan SDS:	003.0
Issue Date:	March 2017
Revision: 2	Page: 2 of 11

Most important adverse effects

Human Health	See section 11 for toxicological information. No further information available.	
Physical and Chemical	See section 9 for physicochemical information. No further information available.	
Hazards		
Potential Environmental	See section 12 for environmental information. No further information available.	
Effects		

2.2 Label Elements

Labelling according to Regulation (EC) No 1272/2008

Hazard Symbols		
Signal Word	Danger	
Hazard Statement	H304	May be fatal if swallowed and enters airway
Precautionary Statemen	ts	
Response	P301 + P310	IF SWALLOWED: Immediately call a POISON CENTRE or doctor/
		physician.
	P331	DO NOT induce vomit.
Storage	P405	Store locked up.
Disposal	P501	Dispose of contents/container to an approved waste disposal plant.

Additional Labelling

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH210 Safety data sheet available on request.

Hazardous components which must be listed on the label:

II. Distillates (petroleum), hydrotreated light.

2.3 Other Hazards

No other information is available.

3. Composition, Information on Ingredients

3.1 Substances

Chemical Name	Identification Number	Amount [%]
Distillates (petroleum)	CAS-No: 649-422-00-2	<=100
hydrotreated light	EC-No: 265-149-8	<=100





Brannan SDS:	003.0
Issue Date:	March 2017
Revision: 2	Page: 3 of 11

4. First Aid Measures

4.1 Description of First Aid Measurers

General Advice	Take off all contaminated clothing immediately	
Skin Contact	Remove contaminated clothing and shoes immediately. Wash affected area with soap or	
	mild detergent, and large amounts of water. In cases of burns, cover lightly with sterile,	
	dry dressing. Get medical attention immediately.	
Eye Contact	Immediately flush eyes thoroughly with large amounts of water for 15-20 minutes.	
	Hold eyelids open during flushing. Get medical attention immediately.	
Inhalation	In case of accident by inhalation: remove casualty to fresh air and keep at rest. If breathing	
	is irregular or stopped, administer artification respiration. If unconscious, place in recovery	
	position and seek medical advice.	
Ingestion	Clean mouth with water and drink plenty of water afterwards.	
	If swallowed, do not induce vomiting - seek medial advice.	

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	No further information available
Effects	No further information available

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically. No further information available.		
	Treatment	Treat symptomatically. No further information available.

5. Fire Fighting Measures

5.1 Extinguishing Media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing Media	
Unsuitable	High volume water jet.
Extinguishing Media	

5.2 Special Hazard arising from the Substance or Mixture

Specific Hazards during	Flammable. Heating may product combustible vapour which can form explosive
Fire Fighting	mixture with air.

5.3 Advise for Fire Fighters

Fire-Fighters' Special	In the event of fire, wear self-contained breathing apparatus. Wear appropriate body
Protective Equipment	protection (full protective suit)
Further Information	Cool closed containers exposed to fire with water spray. Fire residues and contaminated fire
	extinguishing water must be disposed of in accordance with local regulations.





 Brannan SDS:
 003.0

 Issue Date:
 March 2017

 Revision:
 2
 Page: 4 of 11

6. Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions	Use personal protective equipment. Keep people away from and upwind of spill/leak.
	Avoid contact with skin and eyes.

6.2 Environmental Precautions

Environmental	Do not flush into surface water or sanitary sewer system.
Precautions	Avoid subsoil penetration.

6.3 Methods and Materials for Containment and Cleaning Up

Methods and Materials	Contain spillage, and then collect with non-combustible absorbent material, (eg sand, earth,
for containment and	diatomaceous earth, vermiculite) and place in container for disposal according to local /
cleaning up	national regulations (see section 13). Ensure adequate ventilation. This material and its
	container must be disposed of as hazardous waste.

6.4 Reference to other sections

For personal protection, see section 8.

7. Handling & Storage

7.1 Precautions for Safe Handling

Advice on Safe	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with
Handling	the skin and the eyes. Keep container tightly closed. Handle and open container with care.
	Provide sufficient air exchange and/or exhaust in work rooms. Emergency eye wash fountains
	and emergency showers should be available in the immediate vicinity.
Hygiene Measures	Take off all contaminated clothing immediately. Wash hands before breaks and at the end of
	the workday. Avoid contact with the skin and the eyes. Keep away from food, drink and
	animal feedingstuff. Smoking, eating and drinking should be prohibited in the application area.
	Do not breathe gas/fumes/vapour/spray.
1	

7.2 Conditions for Safe Storage, including any incompatibilities

Requirements for	Store in cool place. Keep in an area equipped with solvent resistant flooring. Suitable
Storage areas and	materials for containers: Stainless steel polyethylene containers Polypropylene polyester
Containers	Teflon. Unsuitable materials for containers: butyl-rubber ethylene propylene diene rubber
	natural rubber polystyrene.
Advice on Protection	Keep away from sources of ignition - No smoking. Take measures to prevent the build up
against Fire and	of electrostatic charge.
Explosives	







 Brannan SDS:
 003.0

 Issue Date:
 March 2017

 Revision:
 2
 Page: 5 of 11

Further Information on	Keep tightly closed in a dry and cool place. Keep away from heat.
Storage Conditions	Keep away from direct sunlight.
Advice on Common	Incompatible with oxidizing agents. Keep away from combustible material.
Storage	

7.3 Specific end uses

	Specific uses	No information available.
--	---------------	---------------------------

8. Exposure Controls / Personal Protection

8.1 Control Parameters - Other OELs

Additional Information	Contains no substances with occupational exposure limit values.
------------------------	---

8.2 Exposure Controls

Engineering Measures	Refer to protective measures listed in sections 7 and 8.
Personal Protective Equip	oment
Respiratory Protection	In case of insufficient ventillation, wear suitable respiratory equipment.
	Filter type A for organic gases and vapours.
Hand Protection	Wear suitable gloves.
	Selection of the glove material on consideration of the penetration times, rates of diffusion
	and the degradation. The glove material has to be impermeable and resistant to the
	product / the substance / the preparation. The choice of an appropriate glove does not only
	depend on its material but also on other quality features and is different from one producer
	to the other.
	The exact break through time has be to found out by the manufactuer of the protective
	gloves and has to be observed.
	Material: Nitrile rubber
	Gloves: >= 8 h
	Glove thickness: 0.5mm
Eye Protection	Tightly fitting safety goggles
Skin and Body Protection	Impervious clothing
Environmental Exposure	Controls
General Advice	Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration.
	· · · · · · · · · · · · · · · · · · ·

9. Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Form	Liquid - Clean
Colour	Colourless







Brannan SDS: 003.0 Issue Date: March 2017 Revision: 2 Page: 6 of 11

Odour	Hydrocarbon-like
Odour Threshold	Currently we do not have any information from our supplier about this.
рН	Currently we do not have any information from our supplier about this.
Melting Point/Range	< -20°C
Boiling Point/Range	180 - 270°C
Flash Point	> 70°C
	Method: ASTM D93
Evaporation Rate	Currently we do not have any information from our supplier about this.
Flammability (solid, gas)	Currently we do not have any information from our supplier about this.
Upper Explosion Limit	7.0% (V)
Lower Explosion Limit	0.6% (V)
Vapour Pressure	0.30 hPa
	20°C
Relative Vapour Density	Currently we do not have any information from our supplier about this.
Density	ca. 0.771 - 0.871 g/cm3
	15°C
Water Solubility	< 0.01 g/l
	20°C
	Practically insoluble
Partition Coefficient	Currently we do not have any information from our supplier about this.
n-octanol/water	
Ignition Temperature	> 200°C
Thermal Decomposition	Currently we do not have any information from our supplier about this.
Viscosity, Kinematic	Currently we do not have any information from our supplier about this.
Explosivity	Currently we do not have any information from our supplier about this.
Oxidizing Properties	Currently we do not have any information from our supplier about this.
	· · · · · · · · · · · · · · · · · · ·

10. Stability and Reactivity

10.1 Reactivity

	Advice	No information available.
--	--------	---------------------------

10.2 Chemical Stability

Advice	Stable under recommended storage conditions

10.3 Possibility of Hazardous Reations

Hazardous Reactions None known







Brannan SDS:	003.0
Issue Date:	March 2017
Revision: 2	Page: 7 of 11

10.4 Conditions to Avoid

	Conditions to Avoid	Heat, flames and sparks. Take precautionary measures against static discharges
--	---------------------	--

10.5 Incompatible Materials

Materials to Avoid	Incompatible with oxidising agents. Strong acids.

10.6 Hazardous Decomposition Products

Hazardous	None known
Decomposition Products	

11. Toxicological Information

11.1 Information on Toxicological Effects

Product: Distillate	es (petroleum), hydrotreated light	
Acute Toxicity		
Oral		
Remarks	Ingestion may result in vomiting, gastric pain and symptoms like inhalation.	
	Already after ingestion or vomiting of small quantities may cause cough and possibly	
	difficulty in breating. Chemical pneumonia may occus in the course of a day.	
	Irritation	
Skin		
Remarks	Prolonged skin contact may defat the skin and produce dermititis.	
Eyes		
Result	Irritation to eyes.	
Sensitisation		
Remarks	Did not cause sensitization on laboratory animals.	

Component: D	Distillates (petroleum), hydrotreated light	CAS-No. 64742-47-8
	Acute Toxicity	
	Oral	
Value Type	LD50	
Value	> 5,000 mg/kg	
Species	Rat	
	Inhalation	
Value Type	LD50	
Value	> 5.2 mg/l	
Exposure Time	e 4 h	
Species	Rat	







Brannan SDS:	003.0
Issue Date:	March 2017
Revision: 2	Page: 8 of 11

Dermal		
Value Type	LD50	
Value	> 2,000 mg/kg	
Species	Rabbit	
	Irritation	
Skin		
Species	Rabbit	
Result	Mild skin irritation	
Method	OECD Test Guidelines 404	
Sensitisation		
Species	Guinea pig	
Result	Not sensitizing	
Method	Buehler Test	

12. Ecological Information

12.1 Toxicity

Component: Distillat	omponent: Distillates (petroleum), hydrotreated light CAS-No. 64742-47-8	
	Acute Toxicity	
	Fish	
Species	Pimephales promelas	
Exposure Time	96 h	
Value Type	LC50	
Value	45 mg/l	
	Algae	
Species	Pseudokirchneriella subcapitata	
Exposure Time	96 h	
Value Type	LC50	
Value	4.2 mg/l	

12.2 Persistence and Degradability

Product: Distillates (petroleum), hydrotreated light	
Persistence and Degradability	
Biodegradability	
Remarks	Readily biodegradable







 Brannan SDS:
 003.0

 Issue Date:
 March 2017

 Revision:
 2
 Page: 9 of 11

Component: Distillates (petroleum), hydrotreated light CAS-No. 64742		CAS-No. 64742-47-8
	Persistence and Degradability	
Biodegradability		
Biodegradation	68%	
Method	OECD 301 F	
Remarks	Biodegradable	

12.3 Bioaccumulative Potential

Product: Distillates (petroleum), hydrotreated light	
Bioaccumulation	
Remarks	The product evaporated readily.
	This product is not considered to be persistant, bioaccumulating nor toxic (PBT).
	This substance is not considered to be very persistent nor very bioaccumulating (vPvB)

12.4 Mobility in Soil

12.5 Results of PBT and vPvB Assessment

Product: Distillates (petroleum), hydrotreated light	
Additional Ecological Information	
Remarks	Do not flush into surface water or sanitary sewer system.
	Avoid subsoil penetration.

13. Disposal Considerations

13.1 Waste Treatment Methods

Product	Disposal together with normal waste is not allowed. Special disposal required according to
	local regulations. Do not let product enter drains. Dispose of as special waste in compliance
	with local and national regulations.
Contaminated Packaging	In accordance with local and national regulations. Dispose of as unused product.
European Waste	Waste codes should be assigned by the user based on the application for which the
Catalogue Number	product was used.

14. Transport information

Not dangerous goods

14.1 UN Number

Not applicable





Brannan SDS:	003.0
Issue Date:	March 2017
Revision: 2	Page: 10 of 11

14.2 UN Proper Shipping Name Not applicable

14.3 Transport Hazard Class(es)

Not applicable

14.4 Packaging Group

Not applicable

14.5 Environmental Hazards

Not applicable

14.6 Special Precautions for User

Not applicable

14.7 Transport in Bulk according to Annex II of MARPOL 73/78 and the IBC Code

IMDG	Not applicable

15. Regulatory Information

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Other Regulations	Occupational Restrictions: Take note of Dir 92/85/EEC on the safety and health of
	pregnant workers at work and of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

Currently we do not have any information from our supplier about this.

16. Other Information

Full text of R-phrases referred to under sections 2 and 3.

R65	Harmful: may cause lung damage if swallowed
R66	Repeated exposure may cause skin dryness or cracking

Full text of H-phrases referred to under sections 2 and 3.

H304	May be fatal if swallowed and enters airways







Brannan SDS:	003.0
Issue Date:	March 2017
Revision: 2	Page: 11 of 11

Further Information

Other InformationRestricted to professional users.
Attention - Avoid exposure - obtain special instructions before use.
The information provided in this Safety Data Sheet is correct to our knowledge at the date
of its revision. The information given only describes the product with regard to safety
arrangements and is not to be considered as a warranty or quality specification and does
not constitute a legal relationship. The information contained in this Safety Data Sheet relates
only to the specific material designated and may not be valid for such material used in
combination with any other material or in any process, unless specified in the text.

It should be noted that this MSDA considers the risks associated with bulk material. The volume of this material in thermometers is very minimal. The risks from a broken thermometer should be considered sensibly.

II Inducates updated section.



