



# Delock USB Type-C<sup>™</sup> Card Reader for SD Express (SD 7.1) memory cards

## Description

The card reader by Delock can be used for reading and writing **SD Express memory cards**. The card reader can be connected to a PC or laptop via the **USB Type-C<sup>TM</sup>** interface.

## SD Express slot

The SD Express slot allows to read and write SD Express memory cards. **SD, SDHC and SDXC** memory cards with UHS-I and UHS-II can also be used.



## ltem no. 91006

EAN: 4043619910069

Country of origin: Taiwan, Republic of China

Package: Retail Box

## Specification

#### Connectors:

- 1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C<sup>™</sup> male 1 x SD Express slot
- Supports NVM Express (NVMe)
- Supports S.M.A.R.T.
- Data transfer rate up to 10 Gbps
- Supports SD 3.0 (UHS-I), SD 4.0 (UHS-II), SD 5.1 (UHS-II V90), SD 7.1
- Supports UASP
- Bootable
- · Housing material: aluminium
- Dimensions without cable (LxWxH): ca. 45 x 41 x 9 mm
- Colour: grey
- Plug & Play

## System requirements

- Android 10.0 or above
- Chrome OS
- Linux Kernel 5.11 or above
- Mac OS 11.2.3 or above
- Windows 8.1/8.1-64/10/10-64/11
- iPad Air (4th Generation) or above
- iPad Pro (3rd Generation) or above
- Surface Pro 7
- PC or laptop with a free USB Type-C<sup>™</sup> or Thunderbolt<sup>™</sup> 3 port

## Package content

- Card reader USB Type-C<sup>™</sup> to SD Express
- Cable USB-C<sup>™</sup> male to USB-C<sup>™</sup> male, length ca. 30 cm
- User manual





Images













Conorol	
General	
Function:	NVM Express (NVMe)
	Hot Plug
	bootable
	S.M.A.R.T.
Supported operating system:	Chrome OS
	Surface Pro 7
	Windows 10 32-bit
	Windows 10 64-bit
	Windows 8.1 32-bit
	Windows 8.1 64-bit
	Android 10.0 or above
	iPad Pro (3rd Generation) or above
	iPad Air (4th Generation) or above
	Mac OS 11.2.3 or above
	Windows 11
	Linux Kernel 5.11 or above
Slot:	PCIe
Supported memory card:	SD
	SDHC
	SDXC
	SD UHS-I
	SD UHS-II
	SD 3.0 UHS-I
	SDHC Ultra
	SDHC UHS-I
	SDHC UHS-II
	SDXC UHS-I
	SDXC UHS-II
	SD Express
Interface	
Connector 1:	1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ male
Connector 2:	1 x SD Express slot
Technical characteristics	
Data transfer rate:	10 Gbps
Physical characteristics	
Housing material:	Aluminium
Cable length:	30 cm
Length:	45 mm
Width:	41 mm
Height:	9 mm
Colour:	
	grey