

SAFETY DATA SHEET

According to HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

Section 1. Identification of the material and the supplier

Product:

D-Block Extreme for the control of rodents

Product Use:

Vertebrate Toxic Agent for use as per label instructions.

Restriction of Use:

Refer to Section 15

New Zealand Supplier:

Connovation Limited

Address:

36 B Sir William Drive East Tamaki, Auckland

PO Box 58613

Botany, Auckland, 2163

Telephone:

+64 9 273 4333 +64 9 374 4334

Fax: Emergency No:

0800 764 766 (National Poison Centre)

Date of SDS Preparation:

19 April 2023

Section 2.

Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: HSR001596

Pictograms



Signal Word: Warning

GHS Classification and Category	Hazard Code	Hazard Statement
Specific target organ toxicity – repeated exposure Cat. 2	H373	May cause damage to organs (blood and hematopoietic system) through prolonged or repeated exposure.
Designed for biocidal action		Designed for biocidal action.

Prevention Code	Prevention Statement	
P103	Read carefully and follow all instructions.	
P260	Do not breathe dust.	

Response Code	Response Statement	
P314	Get medical advice/attention if you feel unwell.	

Storage Code	Storage Statement
None allocated	

Product Name: D-Block Extreme Date of SDS: 19 April 2023 Prepared by: Technical Compliance Consultants (NZ) Ltd

Tel: 64 9 475 5240 www.techcomp.co.nz

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Wt%	CAS NUMBER.
Diphacinone	0.005	82-66-6
Other ingredients	>99	Proprietary

Section 4.	
Section 4.	First Aid Massurae
DOGGIOII TI	First Aid Measures

Routes of Exposure:

If in Eves

Flood eye gently with clean fresh running water. Continue rinsing for at least 15 minutes. Take care not to rinse contaminated water into a non-affected eye. Remove contact lenses, if present and easy to do after first 5 minutes then continue rinsing. Use anti-histamine eye drops. Obtain medical advice if irritation occurs.

If on Skin

Remove any contaminated clothing. Wash affected area thoroughly with running water to ensure all product is removed.

If Swallowed

Rinse mouth thoroughly with water. Do NOT induce vomiting. Seek

medical advice. Do not give anything by mouth to an unconscious person.

If Inhaled

Not expected to be a route of exposure.

Most important symptoms and effects, both acute and delayed

Symptoms:

May cause damage to organs (blood and hematopoietic system) through

prolonged or repeated exposure.

Notes to Doctor:

Product contains Diphacinone, a compound that affects the blood and

hematopoietic system.

Section 5. Fire Fighting Measures

Hazard Type	Non Flammable
Hazards from products	Avoid breathing smoke.
Suitable Extinguishing media	Water spray, foam, CO2 or dry chemical appropriate to surrounding materials.
Precautions for firefighters and special protective clothing	Wear self-contained breathing apparatus and personal protection clothing (gas tight suit, helmet).
HAZCHEM CODE	None allocated

Section 6. Accidental Release Measures

Wear protective gear as detailed in Section 8. Evacuate all unnecessary personnel.

Do not allow to contaminate watercourses or the ground.

Contain spill. Keep dry. Sweep up and transfer to suitable labeled container for disposal. In event of major spill, inform Fire Service via 111 and then local Health Protection Officer at the Public Health Unit or hospital. Dispose of as hazardous waste to an approved waste management company in accordance with local regulations.

Product Name: D-Block Extreme Prepared by: Technical Compliance Consultants (NZ) Ltd
Date of SDS: 19 April 2023 Tel: 64 9 475 5240 www.techcomp.co.nz

Page 2

Section 7.

Handling and Storage

Precautions for Handling:

- Read carefully and follow all instructions.
- Do not breathe dust.
- · Use bait stations. Refer to product label.
- Wear gloves when handling this product.
- Wash protective clothing and equipment daily after work and separate to household laundry. Ensure insides of gloves are dry before re-use.
- Do not handle or consume food, drink or smoke after handling and before meals, rest breaks, smoking.
- · Wash hands and any exposed skin thoroughly with soap and water, or wipes.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Store in tightly closed original container in a cool dry place out of reach
 of children and pets and away from any food, drink and animal foodstuffs.

Section 8

Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance

TWA ppm mg/m³ STEL

ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

Engineering Controls

None set.

Personal Protective Equipment



Eyes	Not required.	
Hands Wear non porous impervious rubber or neoprene gloves. Wear overa boots.		
Respiratory	Respiratory Not specific recommendation. Not expected as exposure risk.	
General	Wash hands after use and before eating.	

Section 9	Physical and Chemical Properties

Appearance	Grainy Block
Colour	Green
Odour	Not available
Odour Threshold	Not available
рН	Not available
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not flammable

Product Name: D-Block Extreme Date of SDS: 19 April 2023 Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz

Upper and Lower Explosive Limits	Not available
Vapour Pressure	Not available
Vapour Density	Not available
Specific Gravity	Not available
Water Solubility	Not available
Partition Coefficient:	Not available
Auto-ignition	Not available
Temperature	
Decomposition	Not available
Temperature	
Kinematic Viscosity	Not available
Particle Characteristics	Not available

Section 10. Stability and Reactivity

Stability of Substance	ubstance This product is stable under normal conditions.	
ossibility of hazardous eactions Not available		
Conditions to Avoid	No data available.	
Incompatible Materials No data available.		
Hazardous Decomposition Products	No specific hazardous compounds identified.	

Section 11 Toxicological Information	Section 11	Toxicological Information	
--------------------------------------	------------	---------------------------	--

Acute Effects:

Swallowed	Not classified. Diphacinone ingested in large amounts may not show symptoms until several days later. Symptoms may include bloody discharge from nose, gums and eyes, loss of fluids, bloody stools and urine, coughing up blood, anaemia and bruising. Initial symptoms may also include back pain and pallor.	
Dermal	Not classified.	
Inhalation	Not classified.	
Eye	Not classified. Grainy components in the paste may result in irritation and redness if they contaminate the eye.	
Skin	Not classified. Diphacinone can be absorbed through the skin so prolonged or repeated exposure may result in symptoms as described for ingestion.	

Chronic Effects:

Carcinogenicity Not applicable.	
Reproductive Toxicity Not applicable.	
Germ Cell Mutagenicity Not applicable.	
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Diphacinone may cause damage to organs (blood and hematopoietic system) through prolonged or repeated exposure.

Section 12. Ecotoxicological Information

Designed for biocidal action.

Ecotoxicity

Product Name: D-Block Extreme Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 19 April 2023 Tel: 64 9 475 5240 www.techcomp.co.nz

Product is a Vertebrate Toxic Agent (VTA) so there is potential for harm to non-target terrestrial vertebrates. Avoid exposure to non-target species including domestic pets. If poisoning is suspected of domestic animals or livestock, consult a veterinarian immediately.

Persistence and degradability	No specific product information available. However no components have been identified as being persistent in the environment. Diphacinone will degrade when exposed to light, heat or soil microorganisms.	
Bioaccumulation	No data available.	
Mobility in Soil	No data available.	
Other adverse effects Environmental Exposure Standards No EEL has for this substance.		

Section 13. Disposal Considerations

Disposal Method:

Dispose of waste in accordance with Regional Authority or local Council bylaws. Dispose of empty containers safely. Crush and dispose of clean dry containers by burying to a depth of 60 cm with biologically active organic matter or in an approved landfill. Do not use empty containers for storing other products. Incineration of waste material is also possible in suitably approved and located facilities.

Precautions or methods to avoid: Avoid unintended release to the environment. Do not use empty containers for storing other products.

Section 14 Transport Information

his product is NOT classified as a Dangerous Good for transport in NZ; NZS 5433:2020

Section 15 Regulatory Information

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code: HSR001596

Refer to www.epa.govt.co.nz for full control document

HSW (HS) Regulations 2017 and EPA Notices		Trigger Quantity
Certified Handler		Not required
Location Certificate		Not required
Tracking Trigger Quantities		Not required
Signage Trigger Quantities		Not required
Emergency Response Plan		Not required
Secondary Containment		Not required
Restrictions of Use		
77A - Permissions - requirements relating to permissions from the Authority under section 95A of the HSNO Act 1996 77A - Vertebrate toxic agent - formulation change notification	No person may apply or otherwise use this substance on land administered or managed by the Department of Conservation unless the person first obtains a Permission under section 95A of the Act from the Authority. Variation: Any changes to the composition or proposed use of this substance must be notified to the Authority in writing before the substance is used. The notification should include the following information, as applicable:	
	(a) the name of	of substance and HSNO approval number;

Product Name: D-Block Extreme Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 19 April 2023 Tel: 64 9 475 5240 www.techcomp.co.nz

- (b) details of the original formulation;
- (c) details of the revised formulation clearly identifying the changed ingredients, their function in the bait, and their concentration and CAS number if appropriate;
- (d) the physical form, if different from the original;
- (e) bait colour;
- (f) changes in bait size;
- (g) the intended use(s) of the substance (to include target species, method(s) of release);
- (h) change in food bait where the substance requires mixing with bait prior to use;
- (i) the physical properties of the substance (for example, flashpoint, pH) if different from the original;
- (j) the impurity profile and source of the 'active' ingredient, if different from the original;
- (k) any information on the effect that the formulation change may have on the risk profile of the substance, including the results of any palatability or field trials undertaken on both target and non-target species.

Property Controls

HPC Notice Part 4 Subpart B - Use of ecotoxic substances in any place

Variation:

Clauses 53, 56 and 57 of the Hazardous Property Controls Notice apply to this substance as if it is an agrichemical with the hazard classification hazardous to terrestrial vertebrates.

In accordance with clause 56(1)(c) of the Hazardous Property Controls Notice, the Authority has specified that this substance must only be applied by ground-based application methods.

Application means dropping, spreading, spraying, laying as bait, dusting, sprinkling, wiping, placing, or pouring the substance on ground or vegetation, and apply has a corresponding meaning.

Contained ground-based application means application of a hazardous substance—

- (a) in a bait station, or bait bag, or other container that is fixed to an object; or
- (b) so that it is contained in some other way, such as in a pipe or burrow.

Ground-based application means application from the ground, and includes contained ground-based application.

Product Name: D-Block Extreme Date of SDS: 19 April 2023 Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz

Page 6

ACVM Act and Regulations	
ACVM Approval No	V009618
See www.foodsafety.govt.nz for registration	
controls	

Section 16	All 7	-
Section To	Other Information	

Glossary

Category Category

EC50 Median effective concentration.
EEL Environmental Exposure Limit.
EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC50 Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017

2. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 edition.

3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).

4. Transport of Dangerous goods on land NZS 5433:2020

5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date:

19 April 2023

Review Date:

19 April 2028

Product Name: D-Block Extreme Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 19 April 2023 Tel: 64 9 475 5240 www.techcomp.co.nz

Page 7