



# SIDEKICK SLINKER



**USER MANUAL**

## Index

Introduction .....	2
Parts Description .....	3
Assembly Instructions .....	4-8
Seat Post Battery Lock .....	9
Handlebar Components .....	10
Riding Your Alter Ego Bike .....	11
Battery Charging .....	12
Charging Tips .....	13
Additional Charging Info .....	14
Basic Maintenance .....	15
Extending Your Range .....	16
Safe Usage .....	17-19
Useful Tips and Warnings .....	20
For Parents & Guardians .....	21
Warranty Information .....	23



# INTRODUCTION


## *Welcome!*

Thank you for purchasing an Electric Bike from Alter Ego. We take pride in bringing you a quality product that will offer you years of enjoyment.

Alter Ego Electric Bikes are lithium ion battery powered, and feature zero emissions and overall advanced performance. Alter Ego Electric Bikes offer a safe and fun experience for the rider, while also protecting the environment.

### **Using this manual**

This manual contains details of the product, it's equipment, and information on it's operation and maintenance. Read it carefully and familiarize yourself with the Electric Bike, before using it, in order to ensure safe use and prevent accidents or injury. Be sure to retain this manual as reference for product knowledge and safe riding.



The manual includes cautions concerning the safe operation, and consequences if safe operation is not performed, in respect to operation and maintenance of this product. All information in the manual should be carefully studied, and if you have any questions, you should contact Alter Ego Electric Bikes, toll free, at [1-888-561-5330](tel:1-888-561-5330). The notes, warnings, and cautions included within the dotted red boxes, as shown to the left, should be given special care when reviewing, as they are directly related to hazardous or dangerous situations, if not avoided.

While this manual acts as a guide for proper use, it is impossible to anticipate every situation or condition which can occur while riding. This manual makes no representation about the safe use of the Electric Bikes under all possible conditions. There are risks associated with the use of a bicycle which cannot be predicted or avoided, and which are the sole responsibility of the rider. Please save this manual, along with any other documents that were included with your Electric Bike, for future reference, however, all content in this manual is subject to change or withdrawal without notice. Alter Ego makes every effort to ensure the accuracy of this document and assumes no responsibility or liability for any errors or inaccuracies that may appear herein.

# PARTS DESCRIPTION

3.

COLOR OPTIONS: ● Super Blue ● Matte Red ○ Matte White ● Matte Black

1 MXUS 500W Brushless Geared Rear Hub

2 36V Lithium Ion Battery (Seat Post)

3 160mm JAK Mechanical disc brakes

4 20" Alloy Spoked Wheels

5 20" x 2.4" All Terrain Tires

6 Folding pedals

7 Shimano Tourney 7-speed Derailleur

8 Kunteng LCD display

9 Adjustable, foldable Stem

10 Battery charging port

11 Front LED headlight

12 Thumb Throttle

13 Speed Sensor


14 KMC rust-resistant chain

15 Aviation Grade 6061 Aluminum Alloy foldable frame













# 4. ASSEMBLY INSTRUCTIONS

## Parts List



## Parts List (continued...)

A-Bolt 	B-Bolt 	C-Bolt 	
E-Bolt 	D-Bolt 	Large Washer 	Acorn Nut 
Small Washer 	Bracket 	Bolt Plate 	

**NOTE:** Hardware provided in your box will vary, depending upon which accessories were purchased. Unnecessary hardware will NOT be included.



## 6. ASSEMBLY INSTRUCTIONS

### Handlebar & Stem



Open the height adjustment clamp on the top of the stem (stem is folded down in transport). Slide the handlebar tube into the folded stem, being sure to index the notch in the tube. Tighten the clamp.



Raise the handlebar to the upright position and secure in place by raising up the locking lever.

**NOTE:** Locking Lever must first be in down position when straightening up the stem, and then raised up to tighten.



Secure the locking lever by rotating the locking ring until it locks around the outside edge of the locking lever.

### Attaching Front Rack & Headlight




Mount the **Front Rack** by inserting three **C-Bolts**, fitted with **Large Washers**, through the **Front Rack** bracket holes, and screwing into the bolt holes on the front of the bike.



Attach the **Headlight** to the **Front Rack** by inserting an **E-Bolt** through the **Headlight** bracket and the **Front Rack** mounting hole, and affixing a **Large Washer** and **Acorn Nut** to the end of the bolt. Tighten with tools provided.



## Pedal Assembly



Unwrap the pedals, and take note of the indication of left (L) and right (R) on the threaded end. Left side pedal screws in counterclockwise. Right pedal screws in clockwise.

**NOTE:** It is recommended that you brush the pedal screw threads with an Anti-Seize lubricator.



## Attaching the Front Fender & Headlight



To attach the **Front Fender**, you will first need to attach the fender support to the fender itself. Align the **Front Fender Support** between the two holes on the fender. Slide two **D-Bolts** through a **Bracket**, and then through holes in fender.



Slide **Bolt Plate** behind fender, aligning with fender holes, and hold in place as you screw bolts into plate. Tighten with appropriate hex key, provided.



Attach the fender bracket to the back side of the top arch of the front fork. Use a **E-Bolt** and **Large Washer**. The **Headlight** can be mounted in this position, along with the fender. If a **Front Rack** is being installed, the Headlight will be mounted to the front of that rack.



Use **A-Bolts** and **Small Washers** to affix the fender support arms to the sides of the front fork, as shown.



## 8. ASSEMBLY INSTRUCTIONS

### Attaching the Rear Fender & Luggage Rack



The **Rear Fender & Luggage Rack** are a pre-assembled set. Attaching it to the bike requires only 3 bolts. Position the set above the rear wheel, lining up the support arms with the threaded holes on both sides of the bike frame (located directly above the axle nuts). Use two **B-Bolts** and **Small Washers** to attach the support arms.



Use a **C-Bolt** and **Small Washer** to affix the front bracket of the **Rear Fender** to the threaded hole on the bike frame, as shown.

### Seat Post Battery



The Battery is contained within the seat post of your Sidekick Trail. To connect the battery to the bike, screw the end of the coiled cord, protruding from the bottom of the seat post, onto the connection on the underside of the bicycle frame.



## Seat post Lock



The levers on the top of the Seat Post tube are used to adjust the seating position. The top lever also has a lock incorporated into it, to protect your battery from theft. To adjust the seat height, simply open the levers, slide seat post up or down, and close levers.



To lock the top lever in place, simply press down the pin on the top of the lever (as shown).



To unlock, insert the key provided, indexing the tab on the key end with the notch in the key hole. Turn counter-clockwise a quarter turn, and back to starting position. Remove key. You will know the lever is unlocked when you see the pin has popped back up.




There is a wrench tool included on your key ring. This is used to adjust the tension on the levers, in case either of the levers is too loose or too tight. To adjust, first open the lever. Insert the wrench end in the back side of the hinge, and turn to tighten or loosen.



10.

# HANDLEBAR COMPONENTS



For more detailed information regarding the use of the Intelligent LCD Display, Please refer to the manual entitled "LCD Display Manual". Your bike may be equipped with a different model.

## Important tips while riding

1. In order to reduce battery power consumption, increase control, and extend the lifespan of the motor, use the pedals during startups and uphill climbs.
2. Do not twist the throttle too fast. Then accelerate slowly, reducing battery power consumption, and risk of damage to the electrical system.
3. To increase security and reduce battery power consumption, it is advised to avoid sudden stops and startups by using the pedals.
4. While driving, avoid using the throttle as you brake, as this may damage the motor.

---

## Important tips when parking

1. When pushing the vehicle manually, turn off the power, to avoid accidental acceleration, and accidents.
2. It is recommended to park indoors.
3. In a public place, the bike must be parked in accordance with local traffic rules.
4. Do not forget to switch off the power.



## 12. BATTERY CHARGING

### Battery Charging

1. The battery can be recharged on or off the bike.
  2. Remove the battery by unscrewing the coiled cable (on the base of the seat post) from the bike frame. Then loosen the seat clamp and slide the seat post out of the frame.
  3. The charger will automatically stop once the battery pack is full.
  4. Always charge in dry conditions, and indoors, away from direct sunlight.
  5. Check charger cables, charger, and battery, for damage, before beginning each charge.
  6. Do not store the battery for long periods of time without expelling and recharging. Lack of use could shorten the life of the battery.
- 

### When the battery is removed

1. When the battery is removed, do not touch the metal contacts, especially with wet hands or metallic objects.
2. Place the charger in a flat, secure place, and connect the outlet plug to the socket in the battery box.
3. Connect the input plug (110V/220V wall terminal) to the power outlet, and the charging will start.
4. After the charging has finished, first, unplug the input plug (110V/220V wall terminal), and then the output plug (socket in the battery box).



## Charging tips

1. Keep the charger in a safe place, away from children.
2. Do not charge the battery with any other charger than that which was provided with the bike.
3. The charger works with 110V/220V.
4. Do not tamper with, or open, the charger unit.
5. Avoid charger contact with liquids and/or metal objects.
6. Always be sure the charger is safely stored/placed to avoid possible damage from a fall/impact.
7. When in use, the charger should not be covered, to prevent overheating, damage, or fire.
8. The charger is for indoor use only. Please keep it in a dry and well ventilated area.
9. If you notice a strange smell coming from the charger, or it is hot to the touch, stop charging **IMMEDIATELY** and contact Alter Ego Electric Bikes.



## 14. ADDITIONAL CHARGING INFO

### When the battery is charging on the bike

1. The battery can be charged on or off the bike.
2. Plug the output lead of the charger into the socket of the battery case.
3. Plug the AC power input plug into the 110V/220V household power socket to start charging.
4. After charging, unplug from the wall outlet first, and then from the bike charger socket.

NOTE: Always charge your battery at temperatures between 50 and 80 degrees Fahrenheit (10 and 27 degrees Celsius), and ensure battery is not damaged before charging.

---

### Duration of charging

1. When the battery is charged for the first time, it should be allowed to charge for 8-10 hours.
2. When the charger is plugged in, the indication light on the charger will be red, showing that the power is connected.
3. When the indication light on the charger turns green, it means that the battery is fully charged. At this point it will switch to trickle charge mode in order to ensure that over-charging will not occur. It takes 2-8 hours for normal charging.
4. Place the charger in a flat, secure place, and connect the outlet plug to the socket in the battery box.
5. Charging should not be more than 24 hours, in order to preserve the lifespan of the battery.



## Basic maintenance checklist

To ensure safe riding conditions, you must properly maintain your bike. You should follow the basic maintenance checklist below, and see your certified local bike shop seasonally, to ensure your bike is safe for use.

1. Normal operation of the light, brake, and power cut system.
  2. Tire pressure.
  3. Condition of tires.
  4. Tightening and correct operation of both wheels, frame, and front fork.
  5. Battery charging level.
  6. Braking system adjustment and correct operation.
  7. Gearshift correct operation.
  8. Bell and reflector conditions and correct operation.
- 

## Maintenance and cleaning tips

1. Do not wash with high pressure jets, to prevent water infiltration into the electrical system.
2. Dirt on painted surfaces should be removed with a neutral product, then wiped with a dry cloth.
3. Lubricate the bike (chain, pedal spindle, brake and derailleur cables, derailleur assemblies), with suitable lubricant, after washing.
4. Do not apply lubricant on the brakes, brake levers, rims, tires, battery, and controller.
5. If you do not use the bike for long periods of time, charge the battery at least once a month to avoid reducing it's lifespan.





## EXTENDING YOUR RANGE

### Saving battery power and extending your range

Frequent braking and starting, riding uphill, riding against strong wind, starting from a standstill, riding on rough or muddy roads, and carrying more than one person or heavy loads, will consume extra battery power and shorten the range. Here are a few tips for prolonging the life of the battery in these conditions:

1. Frequent braking: try to look ahead and coast, rather than stop and go frequently.
2. Riding uphill, or against a strong wind: pedal to supplement the battery power.
3. When starting from a standstill: use the pedals to help bring you up to speed.
4. When the battery meter indicates that the voltage is low, switch to manual power and avoid using the battery to preserve battery power.
5. If the battery is being stored, remove the battery from the bicycle and recharge it once a month.



When operating any bicycle, you expose yourself to some degree of risk; an electric bicycle is no exception. In order to ensure the best, and safest, riding experience, it is wise to learn all you can about product safety precautions, and determine to operate the bicycle in a safe manner.

The Alter Ego Sidekick Trail is a stylish way to meet your short-distance travel needs. Check your local laws and regulations in regards to the lawful operation of an electric bicycle, and be sure to obey them.

### **Safety warnings:**

- Warning! Brakes will heat up while riding. Do not touch the brakes after use.
- Do not ride in crowded areas.
- Always pay attention to your own, and others', safety when riding.
- Use the electric bicycle for it's intended purpose only.
- Do not attempt to modify the Electric bicycle.
- Do not allow hands, feet, hair, or any other such body parts to touch rotating parts, such as wheels, brakes, motor, while riding.
- Please proceed with caution when riding on wet pavement and/or uneven road.
- Please refer to the user manual for information regarding the electric system specifications and services.
- It is not recommended to ride in dark places at night.



## SAFE USAGE

### Safety warnings (continued...)

- It is not recommended to ride on snow and/or ice.
- It is recommended to ride on flat, hard, dry, and clean cement or asphalt roads.
- Please avoid riding on water, sand, gravel, broken pavement, and rainy weather (which affects the brakes and visibility).
- Always wear helmet, gloves, kneepads, elbow pads, and any other safety equipment, to ensure maximum safety while riding.
- Always look the bike over, to check for maintenance issues or loose and/or broken parts, before riding.
- It is not recommended to climb or descend a grade of more than 15 degrees.
- User should stay aware of the performance of the brakes. Always begin braking earlier when riding downhill, or on slippery surfaces.
- User should avoid rapid acceleration or deceleration, so avoid excessively thrusting the body backward or forward.
- When battery power is running low, please operate the bike in low speed, and charge the bike as soon as possible.
- If you find yourself at risk of falling off the bike, focus on protecting yourself before the bike! Adhere to the “human safety priority” principle.
- Do not put your hands in your pockets while riding.
- Take initiative to understand, and comply with, local traffic laws and regulations in regards to electric bicycles in your area.
- Pay attention to the surrounding people and objects to avoid collision.



## Safety warnings (continued...)

- Always operate at a safe speed for yourself, and for those around you.
- Respect the right of way of pedestrians. Do not frighten them, or risk running into them. Slow down and alert any pedestrians of your presence using your bell.
- Keep a safe distance from other bicycle riders. Do not ride side by side unless there is sufficient room to allow for pedestrians, and/or other traffic, to get around you.
- Do not ride in poor lighting conditions. If you must, slow down and exercise additional caution.
- Please avoid riding backwards as it is very dangerous. If you absolutely must move backwards to move out of the way of another vehicle or rider, limit yourself to walking the bike backwards only a couple of steps.

## Active safety protection measures

- Before using, make sure that all locking parts are locked in place. (Follow the instructions to install, to avoid causing injury.)
- Check that all screws and nuts are tight before use, to avoid injury.
- Make sure tires are in good shape, are not worn down, and are inflated appropriately.
- Check that the axle protective cover, and all other protective equipment, are in correct position before use.



# USEFUL TIPS AND WARNINGS

## Useful tips

1. This user manual should be used only to reference use and functions, but should not be used as a reference for inspection.
2. The images shown may differ from the actual model purchased.
3. We reserve the right to change the model without prior notice.
4. The bicycle has a top speed limiter. For safety purposes, the removal of the top speed limiter is strictly prohibited.
5. Ensure pre-ride checks are performed before each and every ride.
6. Only allow others to ride who have been adequately trained on the use and operation of this product.

## General warning

Like any sport, bicycling involves risk of injury and damage. By choosing to ride a bicycle, you assume the responsibility for that risk, so you need to know, and to practice, the rules of safe and responsible riding, and of proper use and maintenance. Proper use and maintenance of your bicycle reduces risk of injury. Your bicycle is designed for use by persons 16 years old and above. Riders must have the physical coordination, reaction time, and mental capacity, to ride and mag age traffic, road conditions, sudden situations, and also respect the laws governing bicycle use where they ride, regardless of age. If you have an impairment or disability, such as a visual impairment, hearing impairment, physical impairment, cognitive/language impairment, or a seizure disorder, consult your physician before riding any bicycle.



Your electric bicycle is for use by persons 16 years old and older only. Do not let a child younger than 16 years old ride the bicycle.

## Note on helmets

Make sure that your child always wears an approved bicycle helmet when riding; but also make sure that your child understands that a bicycle helmet is for bicycling only, and must be removed when not riding. A helmet must not be worn while playing, in play areas, on playground equipment, while climbing trees, or at any time while not riding a bicycle. Failure to follow this warning could result in serious injury or death.

## Additional notes for parents

As a parent or guardian, you are responsible for the activities and safety of your child, and that includes making sure that the bicycle is properly fitted to the child; that it is in good repair and safe operating conditions; that you and your child have learned and understand the safe operation of the bicycle; and that you and your child have learned, understand, and obey, not only the applicable local motor vehicle, bicycle, and traffic laws, but also the common sense rules of safe and responsible bicycling. As a parent, you should read this manual, as well as review it's warnings and the bicycle's functions and operating procedures with your child, before letting your child ride the bicycle.



22.

## WARRANTY INFORMATION

For warranty information, and to register your product, please visit [www.alteregobikes.com](http://www.alteregobikes.com).

**WARNING: IT IS STRONGLY ADVISED THAT YOUR BIKE BE ASSEMBLED AND TUNED BY A PROFESSIONAL BIKE MECHANIC, TO ENSURE OPTIMAL SAFETY AND PERFORMANCE.**





#RIDEITLOVEIT