

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

FORMULATED FOR:

Loveland Products, Inc.
P.O. Box 1286 • Greeley, CO 80632-1286

24-Hour Emergency Phone: 1-800-424-9300
Medical Emergencies: 1-800-301-7976
U.S. Coast Guard National Response Center: 1-800-424-8802

PRODUCT NAME: PERMETHRIN
CHEMICAL NAME: Permethrin: (3-Phenoxyphenyl) methyl (±) cis-trans-3- (2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate*
CHEMICAL FAMILY: Pyrethroid Insecticide
EPA REG. NO.: 34704-873
MSDS Number: 000873-05-LPI **MSDS Revisions:** New **Date Of Issue:** 03/11/05 **Supersedes:** New

2. HAZARDS IDENTIFICATION SUMMARY

KEEP OUT OF REACH OF CHILDREN – CAUTION - AVISO – Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle (If you do not understand the label, find someone to explain it to you in detail.) Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

This product is amber liquid with an aromatic solvent odor.

3. COMPOSITION, INFORMATION ON INGREDIENTS

| <u>Chemical Ingredients:</u> | <u>Percentage by Weight:</u> | <u>CAS No.</u> | <u>TLV (Units)</u> |
|--|------------------------------|----------------|--------------------|
| Permethrin | 38.40 | 52645-53-1 | not listed |
| Inert ingredients, including: Aromatic Hydrocarbons | 61.60 | 64742-95-6 | not listed |

4. FIRST AID MEASURES

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, the give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Vomiting should be supervised by a physician or the professional staff because of the possible pulmonary damages by aspiration of the solvent.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-301-7976. Have the product label or container with you when calling a poison control center or doctor, or going for treatment.

5. FIRE FIGHTING MEASURES

FLASH POINT (°F/Test Method): 108°F/42.2°C (CC)

FLAMMABLE LIMITS (LFL & UFL): None established

EXTINGUISHING MEDIA: Foam, CO₂, or dry chemical. Soft stream water fog only if necessary.

HAZARDOUS COMBUSTION PRODUCTS: Carbon monoxide and/or carbon dioxide. Chlorine and hydrogen chloride may be formed.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus with full protective clothing. Fight fire from upwind and keep all non-essential personnel downwind and out of area.

UNUSUAL FIRE AND EXPLOSION HAZARDS: If water is used to fight fire and cool the containers, contain run-off by diking to prevent contamination of water supplies. Containers in fire may burst or explode from excessive heat. Vapors may travel a considerable distance to source of ignition and flash back along vapor trail.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

For small spills, absorb with an absorbent material such as pet litter. Sweep up and transfer to containers for possible land application according to label use or for proper disposal. Wash the spill with water containing a strong detergent, absorb with pet litter or other absorbent material, sweep up and place in a chemical container and handle in an approved manner. Check local, state and federal regulations for proper disposal. Flush the area with water to remove any residue. For large spills: contain liquid by diking the area, keep product out of water supplies. Large spills that soak into ground should be dug up to a depth of 1 to 2 inches, placed in drums and disposed of in accordance with instructions provide under DISPOSAL, section 13 of this MSDS. Any recovered spilled liquid should be similarly collected and disposed of.

CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

7. HANDLING AND STORAGE

HANDLING: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STORAGE: Do not store below 10°F/-12.2°C. Do not use or store near heat or open flame. Keep out of reach of children and animals. Store in original containers only. Store in a cool dry place and avoid excessive heat. Carefully open containers. After partial use, replace lids and close tightly. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Not normally required.

RESPIRATORY PROTECTION: Not normally required; if vapors or mists become excessive, wear a NIOSH approved pesticide respirator with cartridges for pesticide vapors.

EYE PROTECTION: Chemical goggles or shielded safety glasses.

SKIN PROTECTION: Wear protective clothing: long-sleeved shirts and pants, shoes plus socks. Wear rubber or chemical-resistant gloves.

| | OSHA PEL 8 hr TWA | ACGIH TLV-TWA |
|------------------------|------------------------------|-----------------------|
| Xylene (mixed isomers) | 435 mg/m ³ | 434 mg/m ³ |
| Ethyl benzene | 435 mg/m ³ | 434 mg/m ³ |
| Trimethylbenzene | not listed | 123 mg/m ³ |
| Cumene | 245 mg/m ³ (Skin) | 246 mg/m ³ |

Personal Protective Equipment (PPE): Applicators and other handlers must wear: long sleeved shirt and long pants, chemical-resistant gloves, such as barrier laminate or Viton®, and shoes plus socks. Follow manufacturer's instructions for cleaning and maintaining PPE. If no instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Amber liquid with an aromatic solvent odor.

SPECIFIC GRAVITY (Water = 1): 1.002 g/ml

VAPOR PRESSURE: Not applicable

PERCENT VOLATILE (by volume): Not applicable

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

BULK DENSITY: 8.36 lbs/gal.

BOILING POINT: Not established

EVAPORATION RATE: Not applicable

SOLUBILITY: Emulsifiable

pH: 5.0-5.6 (1% solution)

10. STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Not established.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide and/or carbon dioxide, chlorine and hydrogen chloride may be formed in a fire situation.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Excessive heat and fire.

11. TOXICOLOGICAL INFORMATION

Acute Oral LD₅₀ (rat): 1,030 mg/kg

Eye Irritation (rabbit): Moderate eye irritant

Inhalation LC₅₀ (rat): 25.7 mg/L (4 hr).

Carcinogenic Potential: Ethyl benzene is listed as a Class 2B carcinogen (limited evidence for carcinogenicity in humans) by the International Agency for Research on Cancer (IARC). Ethyl benzene was found to be possibly carcinogenic to humans by NTP. Not listed by OSHA or ACGIH.

Acute Dermal LD₅₀ (rabbit): >2000 mg/kg

Skin Irritation (rabbit): Not established

Skin Sensitization (guinea pig): Not established.

12. ECOLOGICAL INFORMATION

This pesticide is extremely toxic to fish and aquatic invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from target areas. Do not contaminate water by cleaning equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow to drift to blooming crops if bees are visiting the treatment area.

13. DISPOSAL CONSIDERATIONS

Metal containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local regulations. Plastic Jugs: Triple rinse (or equivalent), then offer for recycling at an ACRC site (go to <http://www.acrecycle.org/> for locations) or by reconditioning, or dispose of in a sanitary landfill, or, incineration, or, if allowed by state and local regulations, by burning. If burned, stay out of smoke. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law.

14. TRANSPORT INFORMATION

DOT Shipping Description: LESS THAN 119 GALLONS NOT REGULATED BY USDOT FOR SURFACE (GROUND) TRANSPORTATION.
U.S. Surface Freight Classification: INSECTICIDES OR FUNGICIDES, INSECT OR ANIMAL REPELLENTS, NOI, OTHER THAN POISON (NMFC 102120; CLASS: 60)

Consult appropriate ICAO/IATA and IMDG regulations for shipment requirements in the Air and Maritime shipping modes. Packaging and classification for these modes of transportation are more stringent.

15. REGULATORY INFORMATION

| | | | | | |
|--|--------------|------|----------|------|--------------|
| NFPA & HMIS Hazard Ratings: | | NFPA | | HMIS | |
| 2 | Health | 0 | Least | 2 | Health |
| 2 | Flammability | 1 | Slight | 2 | Flammability |
| 1 | Instability | 2 | Moderate | 1 | Reactivity |
| | | 3 | High | H | PPE |
| | | 4 | Severe | | |

SARA Hazard Notification/Reporting

| | | | | | | |
|--|-----------|----------|----------|----------|----------------------------|----------|
| SARA Title III Hazard Category: | Immediate | <u>Y</u> | Fire | <u>Y</u> | Sudden Release of Pressure | <u>N</u> |
| | Delayed | <u>Y</u> | Reactive | <u>N</u> | | |

Reportable Quantity (RQ) under U.S. CERCLA: Xylene (mixed isomers) (CAS: 1330-20-7) 100 pounds; Cumene (CAS: 98-82-8) 5000 pounds; Ethylbenzene (CAS: 100-41-1) 1000 pounds

SARA, Title III, Section 313: Permethrin (CAS: 52645-53-1) 38.40%; 1,2-4 Trimethylbenzene (CAS: 95-63-6): <17.0%; Xylene (mixed isomers) (CAS: 1330-20-7) < 2.0%; Cumene (CAS: 98-82-8) < 1.0%; Ethylbenzene (CAS: 100-41-1) <1.0%

RCRA Waste Code: Not listed.

CA Proposition 65: Not listed.

16. OTHER INFORMATION

MSDS STATUS: New

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental/ Regulatory Services

@Viton is a registered trademark of DUPONT DOW ELASTOMERS L.L.C.

This product is a Restricted Use Pesticide (Toxic to Fish and Aquatic Organisms)

U.S. Patent No. 4,024,163

**cis/trans ratio: Max. 55% (±) cis and min. 45% trans*

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and Loveland Products, Inc. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.