



SAFETY DATA SHEET

Issue Date 12-July-2023

Revision Date N/A

Version 1

1. IDENTIFICATION

Product identifier

Product Name SC-POXY - Part B

Recommended use of the chemical and restrictions on use

Recommended Use Concrete Coating

Uses advised against No Data

Details of the supplier of the safety data sheet

Distributor Address

Tooling Pros. – 637 Landis Ave. Bridgeton, NJ 08302 PH: 856-455-6777

Emergency telephone number

Company Phone Number 856-455-6777

24 Hour Emergency Phone Number 800-535-5053 (United States & Canada), International Call: 1-352-323-3500

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 2
Acute toxicity - Inhalation (Vapors)	Category 4
Skin corrosion/irritation	Category 1B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Reproductive toxicity	Category 2
Hazardous to the Aquatic Environment - Short Term (Acute) Hazard Category 2	
Hazardous to the Aquatic Environment - Long Term (Chronic) Hazard Category 2	

Label elements

Emergency Overview

Danger!

Hazard statements

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H332 Harmful if inhaled.
H361 Suspected of damaging fertility or the unborn child.
H401 Toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.



Appearance Colorless to yellowish.

Physical state liquid

Odor Slight

Precautionary Statements - Prevention

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331+P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

P302+P352 If on skin: Wash with soap and water.

P303+P361+P353+P310 IF ON SKIN (or hair): Remove (Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.

P304+P340+P310 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.

P305+P351 +P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

P308+P313 If exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see supplemental first aid instructions on this label).

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

P405 Store locked up.

P501 Dispose of contents and container as instructed in Section 13.

Precautionary Statements - Response

Collect spillage

Call a POISON CENTER or doctor/physician if you feel unwell

IF IN EYES

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN:

IF ON CLOTHING

Immediately call a POISON CENTER or doctor/physician

Remove/Take off immediately all contaminated clothing

Wash contaminated clothing before reuse

If skin irritation occurs: Get medical advice/attention

IF INHALED

Immediately call a POISON CENTER or doctor/physician

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED

Rinse mouth

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Absorb spillage to prevent material damage

Collect spillage

Precautionary Statements - Storage

Store in well-ventilated place. Keep Cool. Keep container tightly closed. Store locked up.
Store in corrosive resistant/ .? container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local/regional/national regulations.

Hazards not otherwise classified (HNOC)**Other Information****3. COMPOSITION/INFORMATION ON INGREDIENTS****Substance**

Chemical Name	CAS No.	Weight-%	Trade Secret
(propylene glycol) bis(2-aminopropyl ether)	9046-10-0	70 - 90	*
1,3-Cyclohexanedimethanamine	2579-20-6	7 - 15	*
Benzyl alcohol	100-51-6	7 - 15	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES**Description of first aid measures****General advice**

Move out of the dangerous area. Consult a physician. Provide this Safety Data Sheet to the doctor in attendance. First responders should wear gloves and protection.

Eye contact

Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CONTROL CENTER or seek medical attention.

Skin contact

Immediately call a POISON CONTROL CENTER or seek medical attention.
Avoid direct contact and wear chemical protective clothing, if necessary. Immediately take off all contaminated clothing.
Wash with plenty of water/ soap and rinse thoroughly until medical aid is available. Gently blot or brush away excess product.
Wash contaminated clothing before re-use or discard.

Inhalation

Immediately call a POISON CONTROL CENTER or seek medical attention.
Take precautions to ensure your own safety.
Remove source of exposure or move person to fresh air and keep comfortable for breathing. If breathing has stopped, trained personnel should begin rescue breathing.
Avoid mouth-to-mouth contact by using a barrier device.
If the heart has stopped, immediately start cardiopulmonary resuscitation (CPR).

Ingestion

Immediately call a POISON CONTROL CENTER or seek medical attention.
Rinse mouth and do not induce vomiting.
If breathing has stopped, trained personnel should begin rescue breathing. Avoid mouth-to-mouth contact by using supplied air/ barrier device.
If the heart has stopped, immediately start cardiopulmonary resuscitation (CPR).

Most important symptoms and effects, both acute and delayed**Symptoms**

Eye, Skin, and Respiratory Irritation.

Indication of any immediate medical attention and special treatment needed**Note to physicians**

Treat symptomatically. For additional information, see Safety Data Sheet.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use Water (fog only), dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

Unsuitable extinguishing media Do not use water stream, as this may spread fire.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous combustion products Carbon dioxide (CO₂). Carbon monoxide.

Explosion data

Sensitivity to Mechanical Impact Not available.

Sensitivity to Static Discharge May be ignited by friction, heat, sparks or flames.

Protective equipment and precautions for firefighters

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear recommended personal protective equipment. Ensure adequate ventilation. Ensure air handling systems are operational.

Environmental precautions

Environmental precautions Should not be released into the environment. Prevent from reaching drains, sewer or waterway.

Methods and material for containment and cleaning up

Methods for containment & Clean-up Wear protective eye wear, gloves and clothing.
Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders).
Dispose of contents/ container in accordance with local regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use appropriate personal protective equipment (see Section 8).
Use only with adequate ventilation.
Avoid breathing mist or vapor.
Do not eat, drink, smoke or use personal products when handling chemical substances.
Wash thoroughly after handling.
Do not swallow.
Do not get in eyes, on skin, or on clothing.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, well-ventilated area. Protect from freezing and physical damage. Keep container tightly sealed.
Hold bulk storage under a nitrogen blanket.

Incompatible materials Keep away from strong oxidizing agents, heat or flames. Store in steel or poly containers.

Do not store near acids. Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines Benzyl Alcohol, CAS Number 100-51-6, TWA 10.00 ppm, USA. Workplace Environmental Exposure Levels (WEEL).

Appropriate engineering controls

Engineering Controls Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear chemical splash goggles and face shield when eye and face contact is possible due to splashing or spraying of material.

Skin and body protection Select glove material impermeable and resistant to the substance. Suitable gloves can be recommended by supplier.

Respiratory protection Respiratory protection should be worn when there is a potential to exceed the exposure limit, applicable exposure limit requirements or guidelines, use a NIOSH-approved respirator.

General Hygiene Considerations Wash hands before breaks and at the end of work. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reusing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	liquid	Odor	Slight
Appearance	Colorless to yellowish.	Odor threshold	No data available
Color	Transparent Liquid - May have slight color due to performance additives.		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not Relevant	
Melting point / freezing point	Not Available	
Boiling point / boiling range	Not Applicable	
Flash point	212 °F	CC (closed cup)
Evaporation rate	Not Available	
Flammability (solid, gas)	Not Relevant	
Flammability Limit in Air		
Upper flammability limit:	No data	
Lower flammability limit:	No data	
Vapor pressure	Not Available	
Vapor density	Not Available	
Relative density	.99 @ 70 Degrees F	
Water solubility	Insoluble in water	
Solubility in other solvents	Not Available	
Partition coefficient	Not Available	
Autoignition temperature	Not Available	
Decomposition temperature	Not Available	
Kinematic viscosity	Not Available	

Dynamic viscosity	Not Available
Explosive properties	Not Available
Oxidizing properties	Not Available

Other Information

Softening point	Not Relevant
Molecular weight	Not Available
VOC Content (%)	< 50 g/L (Mixed A&B)
Density	Not Available
Bulk density	Not Available

10. STABILITY AND REACTIVITY

Reactivity

Does not react under normal conditions of use and storage.

Chemical stability

Stable under normal conditions of use and storage.

Possibility of Hazardous Reactions

None under normal conditions of use and storage.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents. Strong alkali. Strong acids. Peroxides and other radical forming substances.

Hazardous Decomposition Products

Carbon monoxide, carbon dioxide, Nitrogen oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact, skin contact, inhalation & ingestion

Product Information

Eyes	Acute – Severe irritant. May cause burns. Vapor may cause lacrimation and reversible corneal edema. Chronic – Conjunctivitis or corneal damage.
Skin Contact	Acute – Undiluted product quickly causes irritation. May cause chemical burns. Chronic – May cause allergic reaction/sensitization. Defatting of skin, rash and irritation.
Skin Absorption	Acute – Not Determined Chronic – Not Determined
Inhalation	Acute – Vapors may cause damage to contacted tissue and produce scarring. Chronic – Repeated and/or prolonged exposures can cause tightness of chest, shortness of breath and cough.
Ingestion	Acute – May cause irritation and bleeding of the gastrointestinal tract Chronic – Scarring of the affected tissues may occur
Acute Toxicity	No data on the product itself

Acute Oral Toxicity Components

(propyl glycol) bis(2-aminopropyl) LD50: 2885 mg/kg - Species: Rat

ether)
 1,3 Cyclohexanamine LD50: 700 mg/kg - Species: Rat
 Benzyl Alcohol LD50: 1230 mg/kg - Species: Rat

Acute Dermal Toxicity**Components**

(propyl glycol) bis(2-aminopropyl ether) LD50: 2980 mg/kg - Species: Rabbit
 1,3 Cyclohexanamine LD50: 1700 mg/kg - Species: Rabbit
 Benzyl Alcohol LD50: 2000 mg/kg - Species: Rabbit

Acute Inhalation Toxicity**Components**

(propyl glycol) bis(2-aminopropyl ether) LC50: (4 HR): > 0.74 mg/l - Species: Rat
 Benzyl Alcohol LC50: (4 HR): > 4.178 mg/l - Species: Rat
 OECD TEST GUIDELINE 403

Skin Corrosion/Irritation

DOT Skin Corrosion Study: Corrosive in all rabbits at 3 minutes exposure

Serious Eye Damage/Eye Irritation

Severe eye irritation

Sensitization

Buehler skin sensitization (Guinea pigs): No evidence of sensitization at 5%

For Respiratory Sensitization

Not determined

Specific Target Organ Systemic Toxicity (Single Exposure)

Not determined

Specific Target Organ Systemic Toxicity (Repeated Exposure)

Not determined

Carcinogenic Data

NTP: None
 OSHA: None
 IARC: None
 Teratogenicity: No
 Mutagenicity: No
 Embryotoxicity: No
 Synergistic Material: No

12. ECOLOGICAL INFORMATION**Toxicity****Aquatic Toxicity**

No data on the product itself

Acute Toxicity to Fish – Components

(propyl glycol) bis(2-aminopropyl ether) LC50: (96 HRS) 772 mg/l - Species: Fish
 1,3 Cyclohexanamine LC50: (96 HRS) 130 mg/l - Species: Golden Orfe
 Benzyl Alcohol LC50: (96 HRS) 460 mg/l - Species: Fathead Minnow

Acute Toxicity to Aquatic Invertebrates – Components

(propyl glycol) bis(2-aminopropyl ether) EC50: (48 HRS) 80 mg/l - Species: Daphnia Magna
 1,3 Cyclohexanamine EC50: (72 HRS) 33.1 mg/l - Species: Daphnia Magna
 Benzyl Alcohol EC50: (72 HRS) 12 mg/l - Species: Daphnia Magna

Acute Toxicity to Algae/Aquatic Plants – Components

(propyl glycol) bis(2-aminopropyl ether)	EC50: (72 HRS) 15 mg/l - Species: Fresh Water Algae
1,3 Cyclohexanamine	EC50: (72 HRS) 56.7 mg/l - Species: Fresh Water Algae
Benzyl Alcohol	EC50: (72 HRS) 700 mg/l - Species: Fresh Water Algae

Toxicity to Bacteria – Components

(propyl glycol) bis(2-aminopropyl ether)	EC50: 310 mg/l - Species: Activated Sludge
1,3 Cyclohexanamine	EC50: > 1000 mg/l - Species: Activated Sludge

**Chronic Aquatic Toxicity
Chronic Toxicity to Aquatic Invertebrates**

Long lasting adverse effects to aquatic organisms

Persistence and Degradability

Biodegradability	Not Biodegradable
Biodegradation	0%
Exposure Time	28 days
Method	OECD Test guideline 301B or equivalent

Bioaccumulative Potential

Bioaccumulation	
Partition Coefficient: N-Octanol/Water (LOG Pow)	1.34

Mobility in Soil	Not determined
-------------------------	----------------

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Relevant Information	It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory agencies.
-----------------------------	---

14. TRANSPORT INFORMATION

DOT

UN/ID no.	2735
Proper shipping name	Amines, liquid, corrosive, n.o.s. (Cyclohexanedimethanamine)
Hazard Class	8
Packing Group	III

IATA

UN/ID no.	2735
Proper shipping name	Amines, liquid, corrosive, n.o.s. (Cyclohexanedimethanamine)
Hazard Class	8
Packing Group	III

IMDG

UN/ID no.	2735
Proper shipping name	Amines, liquid, corrosive, n.o.s. (Cyclohexanedimethanamine)
Hazard Class	8
Packing Group	III

15. REGULATORY INFORMATION

Proposition 65 (California)

Chemicals known to cause cancer: None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed.

Chemicals known to cause developmental toxicity: None of the ingredients are listed.

Canada

Canadian Domestic Substance List (DSL) One or more ingredients are not listed.

Australia

Australian Inventory of Chemical Substances (AICS) One or more ingredients are not listed.

China

Inventory of Existing Chemical Substances in China (IECSC) All ingredients are listed.

Japan

Inventory of Existing and New Chemical Substances (ENCS) One or more ingredients are not listed.

Korea

Existing Chemicals List (ECL) All ingredients are listed.

New Zealand

New Zealand Inventory of Chemicals (NZOIC) One or more ingredients are not listed.

Philippines

Philippine Inventory of Chemicals and Chemical Substances (PICCS) One or more ingredients are not listed.

Taiwan

Taiwan Chemical Substance Inventory (TSCI) All ingredients are listed.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards 3	Flammability 1	Instability 0	Physical and Chemical Properties -
<u>HMIS</u>	Health hazards 3	Flammability 1	Physical hazards 0	Personal protection X
Issue Date	12-July-2023			
Revision Date	N/A			
Revision Note				

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet