

Trade name: Flashfix Light Cured Adhesive

Version: 1 / US

Date revised: 11.08.2020

Replaces Version: - / US

Print date: 24.06.21

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Flashfix Light Cured Adhesive

1.2. Relevant identified uses of the substance or mixture and uses advised against **Identified Uses**

PC1 Adhesives, sealants

1.3. Details of the supplier of the safety data sheet

Address

Applied Specialized Technologies, LLC

7 Avis Drive, Unit B

Latham, NY 12110

Telephone no. 518-608-1486

E-mail address of info@specteck.com

person responsible
for this SDS

1.4. Emergency telephone number

For emergencies involving a spill, leak, fire, exposure or accident, contact INFOTRAC (1-800) 535-5053.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to OSHA Hazard Communication Standard 29 CFR 1910:1200

Classification according to OSHA Hazard Communication Standard 29 CFR 1910:1200

Acute Tox. 5	H303
Skin Irrit. 2	H315
Eye Irrit. 2	H319
Skin Sens. 1	H317
Repr. 1B	H360Df

2.2. Label elements

Labelling according to OSHA Hazard Communication Standard 29 CFR 1910:1200

Hazard pictograms



Signal word

Danger

Hazard statements

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H360Df	May damage the unborn child. Suspected of damaging fertility.

Precautionary statements

Prevention

P201 Obtain special instructions before use.

Trade name: Flashfix Light Cured Adhesive

Version: 1 / US

Date revised: 11.08.2020

Replaces Version: - / US

Print date: 24.06.21

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P264.1 Wash hands thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P312 Call a POISON CENTER/doctor/ if you feel unwell.
P332 If skin irritation occurs:
P333 If skin irritation or rash occurs:
P337 If eye irritation persists:
P362+P364 Take off contaminated clothing and wash it before reuse.

Storage/Disposal

P405 Store locked up.
P501.1 Dispose of contents/container to industrial incineration plant.

2.3. Other hazards

No special hazards have to be mentioned.

SECTION 3: Composition/information on ingredients

Hazardous ingredients according to OSHA Hazard Communication Standard 29 CFR 1910:1200

Tetrahydrofurfuryl Acrylate

CAS No. 2399-48-6
Concentration >= 10 < 22 %

1,1,1-Trihydroxymethylpropyltriacylate

CAS No. 15625-89-5
Concentration >= 10 < 25 %

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note D

DSD Directive 67/548/EEC, Annex I, Note D

(5-ethyl-1,3-dioxan-5-yl)methyl acrylate

CAS No. 66492-51-1
Concentration >= 1 < 10 %

2-Hydroxy-2-methylpropiophenone

CAS No. 7473-98-5
Concentration >= 1 < 1.1 %

Diphenyl(2,4,6 trimethylbenzoyl)phosphine oxide

CAS No. 75980-60-8
Concentration >= 1 < 3 %

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, soaked clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid. In any case show the physician the Safety Data Sheet.

Trade name: Flashfix Light Cured Adhesive

Version: 1 / US

Date revised: 11.08.2020

Replaces Version: - / US

Print date: 24.06.21

After inhalation

Ensure supply of fresh air. Remove affected person from danger area. When vapours are intensively inhaled, seek medical help immediately.

After skin contact

Wash off immediately with soap and water. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

After ingestion

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry powder, Foam, Carbon dioxide

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations. Observe manufacturer's / distributor's instructions.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Clean contaminated floors and objects thoroughly with water and

Trade name: Flashfix Light Cured Adhesive

Version: 1 / US

Date revised: 11.08.2020

Replaces Version: - / US

Print date: 24.06.21

detergents, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Provide good ventilation of working area (local exhaust ventilation if necessary). Observe the usual precautions for handling chemicals. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Provide solvent-resistant and impermeable floor.

Hints on storage assembly

Do not store together with foodstuffs.

Further information on storage conditions

Protect from heat and direct sunlight. Keep container tightly closed and dry in a cool, well-ventilated place. Keep locked up and out of the reach of children.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

Contains no substances with occupational exposure limit values.

8.2. Exposure controls

General protective and hygiene measures

Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

Use NIOSH approved respirator if there is potential to exceed exposure limits. If this material is handled at elevated temperatures, or under mist-forming conditions without engineering controls, a NIOSH approved respirator must be used.

Hand protection

Chemical resistant gloves

Use Short-term hand contact

Appropriate Material nitrile

Material thickness \geq 0,4

Breakthrough time $>$ 480

Eye protection

Safety glasses with side protection shield; Face shield

Body protection

Clothing as usual in the chemical industry. Protective shoes

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Trade name: Flashfix Light Cured Adhesive

Version: 1 / US

Date revised: 11.08.2020

Replaces Version: - / US

Print date: 24.06.21

Form	Liquid, slightly viscous
Colour	colourless
Odour	characteristic
Odour threshold	
Remarks	not determined
pH value	
Remarks	not determined
Melting point	
Remarks	not determined
Freezing point	
Remarks	not determined
Initial boiling point and boiling range	
Remarks	not determined
Flash point	
Value	> 100 °C
Evaporation rate (ether = 1) :	
Remarks	not determined
Flammability (solid, gas)	
	not determined
Upper/lower flammability or explosive limits	
Remarks	not determined
Vapour pressure	
Remarks	not determined
Vapour density	
Remarks	not determined
Density	
Remarks	not determined
Solubility in water	
Remarks	not determined
Solubility(ies)	
Remarks	not determined
Partition coefficient: n-octanol/water	
Remarks	not determined
Ignition temperature	
Remarks	not determined
Decomposition temperature	
Remarks	not determined
Viscosity	
Remarks	not determined
Explosive properties	
evaluation	not determined
Oxidising properties	
Remarks	not determined

9.2. Other information

Other information

None known

Trade name: Flashfix Light Cured Adhesive

Version: 1 / US

Date revised: 11.08.2020

Replaces Version: - / US

Print date: 24.06.21

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

Decomposition temperature

Remarks not determined

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Toxic gases/vapours, Irritant gases/vapours

SECTION 11: Toxicological information

11.1. Information on toxicological effects

National Toxicology Program (NTP)

The product does not contain any listed components.

International Agency for research on Cancer (IARC)

The product does not contain any listed components.

Acute oral toxicity

ATE 2,538.69 mg/kg
49

Method calculated value according to GHS (e.g see UN GHS)

Acute oral toxicity (Components)

2-Hydroxy-2-methylpropiophenone

Species rat
LD50 1694 mg/kg

Acute dermal toxicity

Remarks not determined

Acute dermal toxicity (Components)

2-Hydroxy-2-methylpropiophenone

Species rat
LD50 6929 mg/kg

Acute inhalational toxicity

Remarks not determined

Skin corrosion/irritation

Remarks not determined

Serious eye damage/irritation

Remarks not determined

Sensitization

Remarks not determined

Sensitization (Components)

Trade name: Flashfix Light Cured Adhesive

Version: 1 / US

Date revised: 11.08.2020

Replaces Version: - / US

Print date: 24.06.21

2-Hydroxy-2-methylpropiophenone

Route of exposure dermal
Species guinea pig
evaluation non-sensitizing

Subacute, subchronic, chronic toxicity

Remarks not determined

Mutagenicity

Remarks not determined

Reproductive toxicity

Remarks not determined

Carcinogenicity

Remarks not determined

Specific Target Organ Toxicity (STOT)

Remarks not determined

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

No toxicological data are available.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

2-Hydroxy-2-methylpropiophenone

Species golden orfe (*Leuciscus idus*)
LC50 160 mg/l
Duration of exposure 48 h

Daphnia toxicity (Components)

2-Hydroxy-2-methylpropiophenone

Species *Daphnia magna*
EC50 > 119 mg/l
Duration of exposure 48 h

Algae toxicity (Components)

2-Hydroxy-2-methylpropiophenone

Species *Scenedesmus subspicatus*
EC50 1,95 mg/l
Duration of exposure 72 h

2-Hydroxy-2-methylpropiophenone

Species *Scenedesmus subspicatus*
EC10 0,629 mg/l
Duration of exposure 72 h

12.2. Persistence and degradability

General information

not determined

12.3. Bioaccumulative potential

General information

not determined

Trade name: Flashfix Light Cured Adhesive

Version: 1 / US

Date revised: 11.08.2020

Replaces Version: - / US

Print date: 24.06.21

Partition coefficient: n-octanol/water

Remarks not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

12.6. Other adverse effects

General information

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Dispose of waste according to applicable legislation.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

Ground transport DOT

Non-dangerous goods

14.5. Environmental hazards

-

Marine transport IMDG/GGVSee

The product does not constitute a hazardous substance in sea transport.

14.5. Environmental hazards

no

Air transport ICAO/IATA

The product does not constitute a hazardous substance in air transport.

14.5. Environmental hazards

-

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other information

All components are contained in the TSCA inventory or exempted.

All components are contained in the IECSC inventory.

All components are contained in the ECL inventory.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355)

The product does not contain any listed components.

Trade name: Flashfix Light Cured Adhesive

Version: 1 / US

Date revised: 11.08.2020

Replaces Version: - / US

Print date: 24.06.21

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

The product does not contain any listed components.

Clean Water Act (CWA) Section 307 Toxic Pollutants (40 CFR 401.15)

The product does not contain any listed components.

Clean Water Act (CWA) Section 311 Toxic Pollutants (40 CFR 116.4)

The product does not contain any listed components.

Clean Air Act (CAA) Section 112 Regulated Toxic Substances And Threshold Quantities For Accidental Release Prevention (40 CFR 68.130 Table 1+2)

The product does not contain any listed components.

Clean Air Act (CAA) Section 112 Regulated Flammable Substances And Threshold Quantities For Accidental Release Prevention (40 CFR 68.130 Table 3+4)

The product does not contain any listed components.

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)

Warning! This product may contain trace quantities of substance(s) known to the state of California to cause cancer and/or reproductive toxicity - not added as a part of the formulation but remaining as residuals from the manufacturing process of our raw material suppliers.

NFPA Rating Information



HMIS® Rating Information

Health	*	1
Flammability		4
Physical Hazard		
Personal Protection		

SECTION 16: Other information

Department issuing safety data sheet

Department product safety

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.