POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

100 WATER-BASED TERMITICIDE & INSECTICIDE

ACTIVE CONSTITUENT: 100 g/L BIFENTHRIN

GROUP 3 INSECTICIDE

For Installing Chemical Soil Barriers for the Management of Subterranean Termites and the control of a range of other urban pests as Specified in the Directions for Use Table.

IMPORTANT: RESTRICTED CHEMICAL PRODUCT
ONLY TO BE SUPPLIED TO, OR USED BY, AN AUTHORISED PERSON
IMPORTANT: READ THE ATTACHED BOOKLET BEFORE USE

ENSYSTEX AUSTRALASIA PTY LTD
ABN 53 102 221 965
Warehouse D, Building 6, The Switchyard
161 Manchester Road Auburn NSW 2144

www.Ensystex.com.au

CUSTOMER SERVICE 13 35 36
EMERGENCY RESPONSE (ALL HOURS) 13 35 36



Registered trademarks of Ensystex, Inc. used under licence by Ensystex Australasia Pty Ltd. APVMA Approval No: 60113/61349

ENSYSTEX

CONDITIONS OF USE BY AUTHORISED PERSONS

For termite treatments the pest control operator must be licensed under state legislation.

For pre-construction termite treatments, the pest control operator must advise the site supervisor, if any, and any workers who may come into contact with uncovered treated soil prior to laying the moisture membrane, to wear appropriate personal protective equipment and to observe re-entry requirements.

(For personal protective equipment, refer to "SAFETY DIRECTIONS", and for re-entry, refer to "PRECAUTIONS AND RE-ENTRY PERIOD", below.)

PRECAUTIONS AND RE-ENTRY PERIOD

DO NOT spray directly on humans, pets or animals.

Avoid contact with food, food utensils or preparation surfaces.

Re-entry Period

Pre-Construction: Re-entry - DO NOT allow entry into uncovered treated areas until the spray has dried. When prior entry is necessary, wear cotton overalls, over normal dothing, buttoned to the neck and wrist, elbowlength PVC, neoprene or nitrile gloves and chemical resistant footwear. Clothing must be laundered after each day's use. Post Construction, Vector Control and Urban Pest Management: Allow treated areas to completely dry (normally 3-4 hours) and ventilate buildings before re-occupying. Worker re-entry to treated areas should be restricted until the

hours) and ventilate buildings before re-occupying. Worker re-entry to treated areas should be restricted until the spray has dried. When prior entry is necessary, wear cotton overalls, over normal clothing, buttoned to the neck and wrist, elbow-length PVC, neoprene or nitrile gloves and chemical resistant footwear. Clothing must be laundered after each day's use.

STORAGE, SPILLAGE AND DISPOSAL

Store in closed original containers, in a cool, well ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight.

In case of spillage, confine and absorb spilled product with absorbent material such as sand, clay or cat litter. Dispose of waste as indicated below or according to the Australian Standard AS 2507 - Storage and Handling of Pesticides. Do NOT allow solide product to enter sewers cfains, creeks or any other waterways.

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be bury.

Do not bury waste or surplus product. Dispose of undiluted waste either by dilution and use according to the Directions for Use table or returning to the point of purchase in the original container for controlled disposal. Dispose of diluted surplus product by using according to the Directions for Use table. Do not re-use empty container.

SAFETY DIRECTIONS

Poisonous if swallowed. May irritate the eyes and skin. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin.

For termite control in buildings and structures: When opening the container, preparing spray, and using prepared spray wear cotton overalls buttoned to the neck and wrist, a washable hat and elbowlength PVC/nitrile gloves. After each day's use, wash sloves and contaminated dothine. For handheld apolication:

When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist, a washable hat and elbow-length PVC/nitrile gloves. When using prepared spray wear protective waterproof clothing, gloves and water resistant footwear. After each day use, wash gloves and contaminated clothing. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

SAFETY DATA SHEET

Additional information is listed on the Safety Data Sheet for MAXXTHOR 100 Water-based Termiticide and Insecticide which is available from Ensystex on request. Call Customer Service on 13 35 36 or visit our web site at www.Ensystex.com.au . NOTICE

Ensystex warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose express or implied, extends to the use of the product contrary to

label instructions or under off-label permits not endorsed by Ensystex, or under abnormal conditions.

Batch No:

Date of Manufacture:



L/A-AU-CHEMX2010 3.01 05.23