

The trusted foundation to your greens program




syngenta®

HERITAGE MAXX Turf Fungicide has been looking after your greens for many years with a consistency you can trust. You can rest assured your greens are covered and focus on other important issues knowing disease pressure is under control.

What HERITAGE MAXX offers you:

- Control and prevention of a broad spectrum of turf diseases including Pythium, Anthracnose, Brown Patch, Helminthosporium and Spring Dead Spot
- Consistent systemic protection of new growth for up to 28 days after application
- The option to tank mix with DICONIL WEATHER STIK or MEDALLION Turf Fungicide to get the combination of systemic and contact action for high risk periods
- MAXX technology that ensures excellent tank mix compatibility with other fungicides, foliar fertilisers and PRIMO MAXX
- A low odour, non-staining formulation



SpraySURE | Accuracy and Performance

To achieve great results, accurate application is important.

Target	Syngenta Nozzle	Optimal Water Rate	Optimal Pressure Range
Leaf and crown F	XC 04 or XC 025	300 to 500 L/ha	2 to 4 bar
Root and soil So	XC 08	~1000 L/ha	2 to 4 bar

HERITAGE MAXX is the only systemic strobilurin that can be taken up by the leaves, crowns and roots of turf plants. The combination of xylem mobility, translaminar movement and even distribution within plant tissue, ensures that new growth is protected for up to 28 days. HERITAGE MAXX is best used as part of a preventative plan.

Example: In the case where a disease like Brown Patch has shown early damage symptoms, BANNER MAXX could be applied solo at 10 L/ha or at 5 L/ha when tank mixed with DACONIL WEATHER STIK at 20 L/ha. In curative situations though, the residual will be shorter due to the high population numbers of the pathogen. To ensure longer term control and complete turf recovery follow up within 10 days with HERITAGE MAXX at 6 L/ha. This approach should stop disease progression and protect new growth for at least for the next 28 days.

Target Diseases	Rate	SpraySure
Anthracnose, Brown Patch, Grey Leaf Spot, Helminthosporium Disease, Pythium Leaf Blight, Red Thread, Winter Fusarium	6 L/ha	F
Pythium Root Rot, Seedling Damping Off, Spring Dead Spot	6 L/ha	So

Refer to the registered label for full details and instructions for use. **F** = Foliar applied **So** = Soil applied **Su** = Surfactant required

Active Ingredient

HERITAGE MAXX contains 95 g/L azoxystrobin, a member of the strobilurin fungicides

GROUP **11** FUNGICIDE

Formulation and Packaging

1 L and 5 L pack sizes

A micro emulsion concentrate (ME) with minimal odour as the product does not contain petroleum solvents.

HERITAGE MAXX mixes completely with water and can be tank mixed with BANNER MAXX, DACONIL WEATHER STIK, PRIMO MAXX and SUBDUE MAXX.



www.greencast.com.au

 **Heritage[®]Maxx**
Turf fungicide

syngenta[®]

For more information and to download the full registered label and MSDS, ask your Syngenta Agent or go to www.greencast.com.au

Syngenta Australia Pty Limited, Level 1, 2-4 Lyonpark Road, Macquarie Park NSW 2113. ABN 33 002 933 717.

® Registered trademark of Syngenta Group Company. ™ Trademark of a Syngenta Group Company.

All products written in uppercase are registered trademarks of a Syngenta Group Company. ©Syngenta 2015 SB 15/114/R