

# SHARGEEEK Retro 67W Charger

User manual



**SHARGEEEK**

## Product information

---

Product Name: SHARGEEEK Retro 67W Charger

Item model number: S067U

Interface type: USB-C x 3

Input: 100-240V-50/60Hz 1.5A Max

Output: USB-C1/C2/C3: 5V/9V/12V/15V=3A;

20V=3.35A; PPS 3.3-20V=3A

USB-C1+C2:45W+20W;

USB-C1+C3:45W+20W;

USB-C2+C3: 15W;




USB-C1+C2+C3: 45W+15W

Dimensions: 57 x 39 x 41mm

Product weight: 110g

## Use environment

---

01. Ambient temperature for use: 0°C-35°C in non-tropical areas below 2000M altitude.
02. Storage ambient temperature: -20°C-40°C.
03.  Indicates that the device is intended for use in non-tropical areas only.
04.  Indicates that the device is only suitable for use in areas below 2000M altitude.
05.  Indicates that the device is intended for indoor use only.
06. Avoid using electrical appliances or loads that exceed the output current of this product (the circuit will be protected, no output).

## Product performance failure table

---

1. Shell cracks due to structural or material factors
2. The plug is loose and cannot be inserted into the socket
3. Inability to charge electronic devices

## Warranty

---

Returns: Returns and exchanges for product quality reasons within 7 days from the day after receipt.

Replacement: within 15 days from the day after the receipt of the product, the product will be replaced and repaired due to product quality.

Maintenance: maintenance for product quality reasons within 500 days from the day after the receipt.

## Non-Warranty Regulations

---

01. Unauthorized repair, misuse, collision, neglect, abuse, fluid ingress, accident, alteration, improper use of accessories.
02. The validity period of the three packs has exceeded.
03. Damage caused by force majeure.
04. The performance failures listed in the "Product Performance Failure Table" are not met.
05. This product has performance failures listed in the "Product Performance Failure Table" due to human reasons.

## ■ ■ ■ ■ ■ Precautions

---

Please read all instructions and warnings before using this product. Improper use will damage the product or personal safety.

01. Do not store this product in high temperature, strong light and strong magnetic field environment, and do not place it in other harsh environments such as fire sources.

Allow to dry naturally before use. This form is prepared according to the provisions of SJ/T 11364.

02. Improper use of the product may easily damage the product itself or endanger personal and property safety.

03. Consumers will bear all the consequences themselves if they violate the product manual and use the product improperly, causing personal and property damage.

The company will not bear any legal responsibility.

04. Non-professionals are strictly prohibited from disassembling this product.

05. Avoid strong physical effects, including knocking, overdrawing, trampling, squeezing, etc.

PART NAME	TOXIC AND HAZARDEOUS SUBSTANCE AND ELEMENTS					
	Pb	Hg	Cd	Cr6+	PBB	PBDE
PCB	X	○	○	○	○	○
PLASTICS	○	○	○	○	○	○
METALST	X	○	○	○	○	○
COMPONENTS	○	○	○	○	○	○

## Declaration of Toxic and Hazardous Substances in Electronic Information Products

This form is prepared according to the provisions of SJ/T 11364.

O: Indicates that the content of this toxic and hazardous substance in all homogeneous materials of this part is below the limit requirement specified in GB/T 26572 standard.

X: Indicates that the content of this toxic and hazardous substance in at least one homogeneous material of this part exceeds the limit requirement specified in the GB/T 26572 standard.

The information in this form is the data provided to the supplier and the test results that meet the ROHS environmental protection requirements.