PFILL MITCHELL

# SAFETY DATA SHEET

Page 1 of 6 **PM-084** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 4/9/2018 1. PRODUCT & COMPANY IDENTIFICATION Product Name: PAUL MITCHELL - THE COLOR PERMANENT CREAM HAIR COLOR: 9CH+ VERY LIGHT CHOCOLATE BLONDE 1.2 Chemical Name: 1.3 Synonyms JPMS - The Color Permanent Cream Hair Color 9CH+ Very Light Chocolate Blonde Trade Names: 1.4 Paul Mitchell - The Color Permanent Cream Hair Color 9CH+ Very Light Chocolate Blonde Product Uses & Restrictions: Professional Use Only 1.5 1.6 Distributor's Name JPMS Manufacturing, LLC 237 Buttonwood Street, Reading, PA 19601 USA 1.7 Distributor's Address: 1.8 Emergency Phone CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 11977) Business Phone / Fax: +1 (610) 374-4845 / +1(610) 373-7101 2. HAZARDS IDENTIFICATION Hazard Identification This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOODS 2 1 according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). WARNING! MAY CAUSES AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION. HARMFUL IF INHALED. Classification: Skin Sens.1; Eye Irrit. 2A; Acute Tox, Inh. 4 22 Label Elements: Hazard Statements (H): H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H332 - Harmful if inhaled. Precautionary Statements (P): P261 - Avoid breathing dust/mist/vapor/spray. P264 - Wash thoroughly after handling. P271 - Use only in well-ventilated area. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves and eye/face protection. P302+P352 - IF ON SKIN: Wash with plenty of water. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P304+P340 – IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P312 - Call a POISON CENTER/doctor if you feel unwell. P321 - Specific treatment see this container label or section 4 of this SDS. P405 - Store locked up. P501 -Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF). 2.3 Other Warnings: Keep out of reach of children. NOTICE: This product is designed and intended for use by a licensed cosmetologist/professional hairdresser only, and carries no warranty, expressed or implied, if used by others. CAN CAUSE AN ALLERGIC REACTION. Preliminary patch testing is recommended. Tattoos, including black and temporary henna, may increase the risk of allergy. If a severe allergic reaction should occur, seek immediate medical attention. This product must not be used for dyeing the eyelashes or eyebrows - to do so may cause blindness. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m3) ACGIH NOHSC OSHA ppm ppm ppm FS-FS-RTECS No. EINECS No. TLV STEL TWA PEL STEL IDLH OTHER CHEMICAL NAME(S) CAS No. STEL PEAK NA 60-100 NA NA NA NA NF NF NF NA NA NA JPMS PROPRIETARY BLEND NA 25 NIOSH 1336-21-6 BQ9625000 215-647-6 ≤ 10.0 25 35 25 50 NF 25 NA AMMONIUM HYDROXIDE Skin Corr. 1B; H314 SS8050000 203-404-7 NA NA NA NF (0.1) NF (0.1) NA 25 106-50-3 p-PHENYLENEDIAMINE Acute Tox. 3 \*; Eye Irrit. 2; Skin Sens. 1; H331, H311, H301, H319, H317 90-15-3 NA 201-969-4 NA NA NA NF NF NF NA NA NA 1-NAPHTHOL Acute Tox. 4 \*; STOT SE 3; Skin Irrit. 2; Eye Dam. 1; H312, H302, H335, H315, H318 NA NA NF NF NA NA 2,4-DIAMINOPHENOXYETHANOL 66422-95-5 266-357-1 NF NA NA NA Acute Tox. 4; Skin Sens. 1B; Eye Irrit. 2; H302, H317, H319 KJ5775000 205-483-3 NA 3 6 NF 6 30 141-43-5 3 NF 3 ETHANOLAMINE Acute Tox. 4 \*; Skin Corr. 1B; H332, H312, H302, H314 141-43-5 KJ5775000 205-483-3 NA 3 NA 3 NF NF 3 NA 30 3 NIOSH MONOETHANOLAMINE Acute Toxicity-Oral 4; Acute Toxicity-Dermal 4; Skin Corrosion 1B; Acute Toxicity-Inhalation 4; H302, H312, H314, H332 NF NA NA NA ALLERGEN NA NA NA NA NA NA NF NF **EUCALYPTUS FRAGRANCE** 

PFILLMITCHELL

# SAFETY DATA SHEET

Page 2 of 6 **PM-084** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 4/9/2018 3. COMPOSITION & INGREDIENT INFORMATION – cont'd EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC ppm ppm ppm FS. FS. FS. STEL STEL RTECS No. EINECS No. TI V PEL IDLH OTHER CHEMICAL NAME(S) CAS No. TWA PEAK STEL NA NA NA NA NA NA NF NF NF NA NA NA JPMS DYE BLEND 615-50-9 NA 210-431-8 NA NA NA NF NF NF NA NA NA **TOLUENE-2,5-DIAMINE SULFATE** Acute Tox. 3; Acute Tox. 4; Skin Sens 1; Acute Tox. 4.; H302,H312,H317, H332 108-46-3 VG9625000 203-585-2 NA 45 90 45 NF NF 45 90 NA RESORCINOL Acute Tox. 4; Skin Irrit. 2, Eye Irrit. 2; H302, H315, H319 591-27-5 NA 209-711-2 NA NA NA NF NF NF NA NA NA m-AMINOPHENOL Acute Tox. 4; Acute Tox. 4; H302, H332 VH2009500 608-25-3 210-155-8 NA NA NA NF NF NF NA NA NA 2-METHYLRESORCINOL Acute Tox. 3; Skin Irrit. 2, Skin Sens. 1, Eye Dam. 1; STOT SE 3; H301, H315, H317, H318, H335 220-618-6 2835-95-2 NA 0-1 NA NA NF NF 4-AMINO-2-HYDROXYTOLUENE Skin Irrit. 2; Skin Sens. 1; eye Irrit. 2 STOT SE 3; H315, H317, H319, H335 4. FIRST AID MEASURES If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk First Aid: Ingestion: IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed Eyes: Splashes are not likely; however, if product gets in the eyes. Remove contact lenses, if present and easy to do, flush with copious amounts of lukewarm water for at least 15 minutes. Continue rinsing. If eye irritation persists: Get medical advice/attention. If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough Skin: washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. Remove victim to fresh air at once. Inhalation: 4.2 Effects of Exposure: Ingestion: If product is swallowed may cause nausea, vomiting and/or diarrhea. Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, stinging, Eyes: irritation and watering. Skin: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) or sensitization in some sensitive individuals. May cause mild, transient respiratory irritation. Avoid prolonged contact with concentrated vapors or mists. Inhalation: 4.3 Symptoms of Overexposure: Overexposure in eyes may cause redness, itching and watering. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. 4.4 Acute Health Effects: Moderate irritation to eyes. Symptoms of overexposure may include redness, itching, stinging, irritation and watering. Moderate irritation to skin near affected areas. 4.5 Chronic Health Effects: No harmful or chronic health effects are expected to occur from a single accidental ingestion. 4.6 Target Organs: Eyes, Skin. 4.7 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** 1 Aggravated by Exposure: target organs (eves. skin). **FLAMMABILITY** 0 1 PHYSICAL HAZARDS PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: This product is not flammable. However, if involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO, CO<sub>2</sub>, and NOx). Extinguishing Methods: 5.2 Water, Foam, CO<sub>2</sub>, Dry Chemical 5.3 Fight fires as for surrounding materials. Hazardous decomposition products may be released. Firefighting Procedures: Thermal degradation may produce oxides of carbon and/or nitrogen, hydrocarbons and/or derivatives. Firefighters should wear a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway.

9.12

9.13

Solubility:

Partition Coefficient (log Pow):

Partial

Page 3 of 6

SAFETY DATA SHEET PALLMITCHELL PM-084 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 4/9/2018 6. ACCIDENTAL RELEASE MEASURES 6 1 Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Avoid contact with eyes, skin, Work & Hygiene Practices: and clothing. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Wash unintentional residues with soap and warm water. 72 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120°F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use. Keep away from children at all times! Special Precautions: 7.3 Spilled material may present a slipping hazard. Clean up all spills promptly. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Exposure Limits: **ACGIH** NOHSC OSHA OTHER ppm (mg/m<sup>3</sup>) CHEMICAL NAME(S) TLV STEL ES-TWA ES-STEL **ES-PEAK** PEL STEL IDLH AMMONIUM HYDROXIDE 25 35 25 50 NF 25 NA NA 25 NIOSH p-PHENYLENEDIAMINE NF (0.1)NF (0.1)NA 25 NA NA **ETHANOLAMINE** 3 6 3 NF NF 3 6 30 MONOETHANOLAMINE NF NA 3 NIOSH 3 NA 3 NF 3 30 **EUCLYPTUS FRAGRANCE** NA NA NF NF NF NA NA NA **ALLERGEN** RESORCINOL NE 45 90 NF 8.2 Ventilation & Engineering General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). No special respiratory protection is required under typical circumstances of use or handling. In 8.3 Respiratory Protection: instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8.4 Eye Protection: Avoid eye contact. None required under normal conditions of use. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)) safety glasses with side shields should be used. 8.5 Hand Protection: Required under normal conditions of use to prevent staining and keep exposure level to a minimum. Use latex or PVC gloves. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)), wear rubber or impervious plastic gloves must be worn. 8.6 Body Protection: No apron required when handling small quantities. Lab coat or apron should be worn to protect skin and clothing. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. 9. PHYSICAL & CHEMICAL PROPERTIES White to off white. Opaque viscous cream 9.1 Appearance: 9.2 Odor: Ammoniacal eucalyptus odor 9.3 Odor Threshold: NA 9.4 10.0-10.5 9.5 Melting Point/Freezing Point: 58-62 °C (136.4-143.6 °F) 9.6 Initial Boiling Point/Boiling NA 9.7 Flashpoint: NA Upper/Lower Flammability 9.8 NA Vapor Pressure: 9.9 NA 9.10 Vapor Density: NA 9.11 Relative Density: 0.850-0.961

PAULMITCHELL

14.5

14.6

14.7

ADR/RID (EU):

SCT (MEXICO):

ADGR (AUS):

**NOT REGULATED** 

**NOT REGULATED** 

**NOT REGULATED** 

# **SAFETY DATA SHEET**

Page 4 of 6 SDS-083

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 4/9/2018 SDS Revision: 1.0 9. PHYSICAL & CHEMICAL PROPERTIES - cont'd Autoignition Temperature 9.14 NA 9.15 Decomposition Temperature: NA 130,000-190,000 cPs Other Information: 9.17 NA 10. STABILITY & REACTIVITY 10.1 Stability: Stable under normal conditions; unstable with heat or contamination. 10.2 Hazardous Decomposition Oxides of carbon (CO, CO<sub>2</sub>), nitrogen (NO<sub>x</sub>) and sulfur (SO<sub>2</sub>). Products: Hazardous Polymerization: 10.3 Will not occur. 10.4 Conditions to Avoid Open flames, sparks, high heat, incompatible substances and direct sunlight. Incompatible Substances: 10.5 Avoid extreme heat and ignition sources. Store away from oxidizers. 11. TOXICOLOGICAL INFORMATION 11.1 Routes of Entry Ingestion: YES 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product but is not presented in this document. 11.3 Acute Toxicity: Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. 11.4 Chronic Toxicity: This material may aggravate any pre-existing skin condition (e.g., dermatitis). 11.5 Suspected Carcinogen: This product contains p-Phenylenediamine and Resorcinol, which are not carcinogenic to humans, but are listed as Group 3 carcinogens by the IARC. This product contains p-Phenylenediamine, which is listed by ACGIH in group A4. This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to www.P65Warnings.ca.gov 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. Irritancy of Product: 11.7 The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. Biological Exposure Indices: 11.8 Physician Recommendations: 11.9 Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability There are no specific data available for this product. Effects on Plants & Animals: 12.2 There are no specific data available for this product. 12.3 Effects on Aquatic Life: There are no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Products covered by this MSDS, in their original form, when disposed as waste, are considered non hazardous waste according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations. Dispose of in accordance with federal, state and local regulations. Special Considerations: 13.2 California Waste Code: 331 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR 14 1 49 CFR (GND): **NOT REGULATED** 14.2 IATA (AIR): **NOT REGULATED** 14.3 IMDG (OCN): **NOT REGULATED** 14.4 TDGR (Canadian GND): **NOT REGULATED** 

PRULMITCHELL

# **SAFETY DATA SHEET**

Page 5 of 6 SDS-083

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 4/9/2018 SDS Revision: 1.0 15. REGULATORY INFORMATION SARA Reporting Ammonium Hydroxide (as ammonia) P-Phenylenediamine and Resorcinol are subject to the reporting requirements of 15.1 Requirements: SARA Title III, Sections 312/313. SARA Threshold Planning 15.2 This product is not subject to the reporting requirements of SARA Title III, Section 302. Quantity: TSCA Inventory Status: 15.3 All components of this product are listed in the TSCA Inventory or are exempt 15.4 CERCLA Reportable Quantity Ammonium Hydroxide (Ammonia): 454 kg (1,000 lbs); p-Phenylenediamine: 2,270 kg (5,000 lbs); Resorcinol 2,270 kg (5.000 lbs) 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, (Cosmetics) 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. 15.7 State Regulatory Information: Ammonium Hydroxide (as ammonia) can be found on the following state criteria lists: Illinois Hazardous Substances List (IL); Massachusetts Hazardous Substances List (MA); New Jersey Right-to-Know List (NJ); Pennsylvania Right-to-Know List (PA); Rhode Island Hazardous Substances List (RI). p-Phenylenediamine is found on the following state criteria list: FL, MA, MN, NJ, PA and WA Resorcinol is found on the following state criteria lists: FL, MA, MN, PA, WA and WI. Ethanolamine is found on the following state criteria lists: FL, MA, MN, PA and WA. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). 15.8 Other Requirements: This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to www.P65Warnings.ca.gov 16. OTHER INFORMATION Other Information: WARNING! MAY CAUSES AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION. HARMFUL IF 16.1 INHALED. For external use only. Use only as directed. Discontinue use immediately if irritation develops Keep away from children. Keep container tightly closed in a cool place. When using do not eat or drink. Avoid breathing dust/mist/vapor/spray. Wash thoroughly after handling. Use only in well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves and eye/face protection. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Call a POISON CENTER/doctor if you feel unwell. Specific treatment see this container label or section 4 of this SDS. Store locked up. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN. This product is designed and intended for use by a licensed cosmetologist/professional hairdresser only, and carries no warranty expressed or implied if used by others. CAN CAUSE AN ALLERGIC REACTION. Preliminary patch testing is recommended. Tattoos, including black and temporary henna, may increase the risk of allergy, If a severe allergic reaction should occur, immediately seek medical attention. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness. 16.2 Terms & Definitions: See last page of this Safety Data Sheet. This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other 16.3 Disclaimer government regulations must be reviewed for applicability to this product. To the best of ShipMate's & JPMS Manufacturing, LLC's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: JPMS Manufacturing, LLC 237 Buttonwood Street Reading, PA 19601 USA Tel: +1 (610) 374-4845 Fax: +1 (610) 373-7101 16.5 ShipMate, Inc. Prepared by: P.O. Box 787

Training & Consulting

Sisters, Oregon 97759-0787 USA

Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700

http://www.shipmate.com

# PAULMITCHELL

# **SAFETY DATA SHEET**

Page 6 of 6 SDS-083

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 4/9/2018

# **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

### **GENERAL INFORMATION:**

CAS No.	Chemical Abstract Service Number	
RTECS No.	Registry of Toxic Effects of Chemical Substances Number	
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number	

### **EXPOSURE LIMITS IN AIR:**

ACGIH American Conference on Governmental Industrial Hygienists		
IDLH Immediately Dangerous to Life and Health		
NOHSC National Occupational Health and Safety Commission (Australia)		
OSHA U.S. Occupational Safety and Health Administration		
PEL Permissible Exposure Limit		
STEL Short Term Exposure Limit		
TLV Threshold Limit Value		
TWA Time Weighted Average		

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

0	Minimal Hazard		
1 Slight Hazard			
2 Moderate Hazard			
3	3 Severe Hazard		
4 Extreme Hazard			



# PERSONAL PROTECTION RATINGS:

Α			
В			
С		型	
D		型	
Ε			
F		The state of the s	

G		T		
Н				
ı				
J				
K	<b>G</b>		M	
X	Consult y special h	our supe andling d	rvisor or irections.	SOPs for



## OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic		
Irrit	Irritant		
NA	Not Available		
NR	No Results		
ND	Not Determined		
NE	Not Established		
NF	Not Found		
SCBA	Self-Contained Breathing Apparatus		
Sens	Sensitization		
STOT RE	Specific Target Organ Toxicity – Repeat Exposure		
STOT SE	Specific Target Organ Toxicity – Single Exposure		

### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	TY LIMITS IN AIR:				
Autoignition Minimum temperature required to initiate combustion in air with no o fignition					
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				

# **HAZARD RATINGS:**

0	Minimal Hazard	FLAMMABILITY
1 Slight Hazard		\ \ \
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD Acidic ALK Alkaline COR Corrosive W Use No Water OX Oxidizer		1 2
		/ <b>\ \ \ \</b>
		HEALTH
		SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals			
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal			
ppm	Concentration expressed in parts of material per million parts			
TD <sub>Io</sub>	Lowest dose to cause a symptom			
TCLo	Lowest concentration to cause a symptom			
TD <sub>Io</sub> , LD <sub>Io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects			
TC, TCo, LCio, & LCo				
IARC	International Agency for Research on Cancer			
NTP	National Toxicology Program			
RTECS	Registry of Toxic Effects of Chemical Substances			
BCF	Bioconcentration Factor			
TL <sub>m</sub>	Median threshold limit			
log Kow or log Koc	Coefficient of Oil/Water Distribution			

# **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System		
DOT	U.S. Department of Transportation		
TC	Transport Canada		
EPA	U.S. Environmental Protection Agency		
DSL	Canadian Domestic Substance List		
NDSL	Canadian Non-Domestic Substance List		
PSL	Canadian Priority Substances List		
TSCA	U.S. Toxic Substance Control Act		
EU	European Union (European Union Directive 67/548/EEC)		
WGK	Wassergefährdungsklassen (German Water Hazard Class)		

# WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>®</b>			$\Theta$	(%)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

# CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$			$\Diamond$		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment