Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Shine Supply Hole Shot

Version number: GHS 3.0
Replaces version of: 2022-03-03 (GHS 2)

Revision: 2024-04-09

SECTION 1: Identification

1.1 Product identifier

Trade name **Shine Supply Hole Shot**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses
Cleaner/degreaser
Professional use
Industrial use

1.3 Details of the supplier of the safety data sheet

Shine Supply
1343 Callens Rd.
Ventura CA 93003

805-535-4332
info@shinesupply.com

1.4 Emergency telephone number

Emergency information service
USA 1.800.535.5053, INTL 1.352.323.3500
24 hour emergency number

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
A.9	specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger
- Pictograms

GHS05, GHS08

- Hazard statements

H318	Causes serious eye damage.
H373	May cause damage to organs through prolonged or repeated exposure.

- Precautionary statements

P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazardous ingredients for labelling — Tetrasodium EDTA, anhydrous, ethoxylated C11-15 secondary alcohols, sodium laureth sulfate

2.3 Other hazards

Hazards not otherwise classified

Harmful to aquatic life with long lasting effects (GHS category 3: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0.1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0.1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
Tetrasodium EDTA, anhydrous	CAS No 64-02-8	1 – < 5	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Eye Dam. 1 / H318 STOT RE 2 / H373	
sodium laureth sulfate	CAS No 68585-34-2 68891-38-3	1 – < 5	Acute Tox. 4 / H312 Skin Irrit. 2 / H315 Eye Irrit. 2B / H320	
Alcohols, C11-15- secondary, ethoxylated	CAS No 84133-50-6	1 – < 5	Skin Irrit. 2 / H315 Eye Dam. 1 / H318	
sodium 1-octanesulfonate - substance	CAS No 5324-84-5	1 – < 5	Skin Irrit. 2 / H315 Eye Irrit. 2A / H319	

Shine Supply Hole Shot

Version number: GHS 3.0
Replaces version of: 2022-03-03 (GHS 2)

Revision: 2024-04-09

Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
sodium metasilicate, anhydrous	CAS No 6834-92-0	0.1 – < 1	Acute Tox. 4 / H302 Acute Tox. 3 / H331 Skin Corr. 1 / H314 Eye Dam. 1 / H318 STOT SE 3 / H335	

Hazardous ingredients, Consideration of other advice

Exact percentage of ingredients is withheld as a trade secret.

Remarks

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO_2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow fire-fighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

- Handling of incompatible substances or mixtures

Do not mix with acids.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)
this information is not available

Relevant DNELs of components

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Tetrasodium EDTA, anhydrous	64-02-8	DNEL	1.5 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Tetrasodium EDTA, anhydrous	64-02-8	DNEL	3 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects
Tetrasodium EDTA, anhydrous	64-02-8	DNEL	1.5 mg/m³	human, inhalatory	worker (industry)	chronic - local effects
Tetrasodium EDTA, anhydrous	64-02-8	DNEL	3 mg/m³	human, inhalatory	worker (industry)	acute - local effects
sodium laureth sulfate	68585-34-2 68891-38-3	DNEL	175 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
sodium laureth sulfate	68585-34-2 68891-38-3	DNEL	2,750 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
sodium laureth sulfate	68585-34-2 68891-38-3	DNEL	132 µg/cm²	human, dermal	worker (industry)	chronic - local effects
sodium 1-octanesulfonate - substance	5324-84-5	DNEL	15 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
sodium 1-octanesulfonate - substance	5324-84-5	DNEL	215 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant DNELs of components

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
sodium metasilicate, anhydrous	6834-92-0	DNEL	6.2 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
sodium metasilicate, anhydrous	6834-92-0	DNEL	1.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Tetrasodium EDTA, anhydrous	64-02-8	PNEC	43 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
Tetrasodium EDTA, anhydrous	64-02-8	PNEC	1.2 mg/l	aquatic organisms	water	intermittent release
Tetrasodium EDTA, anhydrous	64-02-8	PNEC	2.8 mg/l	aquatic organisms	freshwater	short-term (single instance)
Tetrasodium EDTA, anhydrous	64-02-8	PNEC	0.28 mg/l	aquatic organisms	marine water	short-term (single instance)
Tetrasodium EDTA, anhydrous	64-02-8	PNEC	50 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Tetrasodium EDTA, anhydrous	64-02-8	PNEC	1.1 mg/kg	terrestrial organisms	soil	short-term (single instance)
sodium laureth sulfate	68585-34-2 68891-38-3	PNEC	0.24 mg/l	aquatic organisms	freshwater	short-term (single instance)
sodium laureth sulfate	68585-34-2 68891-38-3	PNEC	0.024 mg/l	aquatic organisms	marine water	short-term (single instance)
sodium laureth sulfate	68585-34-2 68891-38-3	PNEC	10 g/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
sodium laureth sulfate	68585-34-2 68891-38-3	PNEC	0.92 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
sodium laureth sulfate	68585-34-2 68891-38-3	PNEC	0.092 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
sodium laureth sulfate	68585-34-2 68891-38-3	PNEC	7.5 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection. According to EN166 .

Skin protection

- Hand protection

Wear suitable gloves. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Chemical protection gloves (nitrile) which are tested according to EN 374.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	green
Particle	not relevant (liquid)
Odor	fruity

Other safety parameters

pH (value)	12 – 12 (25 °C) (base)
Melting point/freezing point	<-25 °C
Initial boiling point and boiling range	100 °C
Flash point	not determined closed cup
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)

Vapor pressure	32 hPa at 25 °C
Density	1 $^{g}/_{ml}$
Vapor density	this information is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available

Auto-ignition temperature	338 °C (auto-ignition temperature (liquids and gases))
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

Temperature class (USA, acc. to NEC 500)	T2 (maximum permissible surface temperature on the equipment: 300 °C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.
Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
Tetrasodium EDTA, anhydrous	64-02-8	oral	>1,780 $^{mg}/_{kg}$
Tetrasodium EDTA, anhydrous	64-02-8	inhalation: dust/mist	>1.5 $^{mg}/_{l}$/4h
sodium laureth sulfate	68585-34-2 68891-38-3	dermal	≥2,000 $^{mg}/_{kg}$
sodium metasilicate, anhydrous	6834-92-0	oral	1,349 $^{mg}/_{kg}$
sodium metasilicate, anhydrous	6834-92-0	inhalation: vapor	>2.1 $^{mg}/_{l}$/4h
sodium metasilicate, anhydrous	6834-92-0	inhalation: dust/mist	>0.5 $^{mg}/_{l}$/4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Tetrasodium EDTA, anhydrous	64-02-8	LC50	>100 mg/l	fish	96 h
Tetrasodium EDTA, anhydrous	64-02-8	EC50	>114 mg/l	aquatic invertebrates	48 h
Tetrasodium EDTA, anhydrous	64-02-8	ErC50	>60 mg/l	algae	72 h
sodium laureth sulfate	68585-34-2 68891-38-3	LC50	7.1 mg/l	fish	96 h
sodium laureth sulfate	68585-34-2 68891-38-3	EC50	7.4 mg/l	aquatic invertebrates	48 h
sodium laureth sulfate	68585-34-2 68891-38-3	ErC50	28 mg/l	algae	72 h
Alcohols, C11-15- secondary, ethoxylated	84133-50-6	LC50	39 mg/l	fathead minnow	96 h
Alcohols, C11-15- secondary, ethoxylated	84133-50-6	LC50	45 mg/l	daphnia magna	48 h
sodium 1-octanesulfonate - substance	5324-84-5	LC50	>100 mg/l	fish	96 h
sodium 1-octanesulfonate - substance	5324-84-5	EC50	421 mg/l	aquatic invertebrates	48 h
sodium 1-octanesulfonate - substance	5324-84-5	ErC50	>100 mg/l	algae	72 h
sodium metasilicate, anhydrous	6834-92-0	LC50	310 mg/l	fish	96 h
sodium metasilicate, anhydrous	6834-92-0	EC50	1,700 mg/l	aquatic invertebrates	48 h

Aquatic toxicity (chronic) of components

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Tetrasodium EDTA, anhydrous	64-02-8	EC50	625 $^{mg}/_{l}$	aquatic invertebrates	24 h
sodium laureth sulfate	68585-34-2 68891-38-3	EC50	0.37 $^{mg}/_{l}$	aquatic invertebrates	21 d
sodium laureth sulfate	68585-34-2 68891-38-3	LC50	0.74 $^{mg}/_{l}$	aquatic invertebrates	21 d
sodium metasilicate, anhydrous	6834-92-0	EC50	>100 $^{mg}/_{l}$	microorganisms	3 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0.1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number — not subject to transport regulations

14.2 UN proper shipping name — not relevant

14.3 Transport hazard class(es) — none

14.4 Packing group — not assigned

14.5 Environmental hazards — non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
water	7732-18-5	solvent	
Tetrasodium EDTA, anhydrous	64-02-8	chelate / sequestrant	
sodium laureth sulfate	68585-34-2 68891-38-3	surfactant	
sodium 1-octanesulfonate - substance	5324-84-5	surfactant	
sodium metasilicate, anhydrous	6834-92-0	cleaning agent	
sodium [dodecanoyl(methyl)amino]acetate	137-16-6	surfactant	

Shine Supply Hole Shot

Name of substance	CAS No	Functionality	Authoritative Lists
cocamidopropylhydroxysultaine	68139-30-0	surfactant	
citric acid	77-92-9	pH adjusting agent	
sodium sulfate	7757-82-6	cleaning agent	
propan-2-ol	67-63-0	alcohols	OEHHA RELs
sodium hydroxide	1310-73-2	pH adjusting agent	OEHHA RELs
Trisodium nitrilotriacetate	5064-31-3	chelate / sequestrant	
Glycerine	56-81-5	humectant	
sodium chloride	7647-14-5	viscosity modifier	
polyethylene oxide lauryl ether	9002-92-0	surfactant	

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals

Name of substance	Name acc. to inventory	CAS No	Wt%	Remarks	Type of the toxicity
ethylene oxide	ethylene oxide	75-21-8	0.0000046		cancer
ethylene oxide	ethylene oxide	75-21-8	0.0000046		female
ethylene oxide	ethylene oxide	75-21-8	0.0000046		developmental, male
1,4-dioxane	1,4-dioxane	123-91-1	0.000012		cancer

VOC content

- Regulated Volatile Organic Compounds (VOC-EPA) 0.14 %
- Regulated Volatile Organic Compounds (VOC-Cal ARB) 0.14 %

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	0	material that will not burn under typical fire conditions
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	0	material that will not burn under typical fire conditions
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed
CA	DSL	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)
AU	AIIC	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed

Country	Inventory	Status
TW	TCSI	all ingredients are listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
1.2	Relevant identified uses: Cleaner/degreaser	Relevant identified uses: Cleaner/degreaser Professional use Industrial use	yes
1.3	Details of the supplier of the safety data sheet: Shine Supply 1302 Tower Square, Unit 1 Ventura, CA. 93003 805-535-4332 info@shinesupply.com	Details of the supplier of the safety data sheet: Shine Supply 1343 Callens Rd. Ventura CA 93003 805-535-4332 info@shinesupply.com	yes
1.4	Emergency information service: Nødtelefon: Telefon +47 22 59 13 00 Beskrivelse: Giftinformasjonen	Emergency information service: USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency number	yes
2.2	- Hazardous ingredients for labelling: EDTA, anhydrous, sodium laureth sulfate	- Hazardous ingredients for labelling: Tetrasodium EDTA, anhydrous, ethoxylated C11-15 secondary alcohols, sodium laureth sulfate	yes
2.3		Hazards not otherwise classified: change in the listing (table)	yes
2.3		Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0.1%.	yes

Shine Supply Hole Shot

Version number: GHS 3.0
Replaces version of: 2022-03-03 (GHS 2)

Revision: 2024-04-09

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0.1%.	yes
3.2		Description of the mixture: change in the listing (table)	yes
3.2	Hazardous ingredients, Consideration of other advice: Exact percentage of ingredients is withheld as a trade secret.For full text of abbreviations: see SECTION 16.	Hazardous ingredients, Consideration of other advice: Exact percentage of ingredients is withheld as a trade secret.	yes
3.2		Remarks: For full text of abbreviations: see SECTION 16.	yes
6.2	Environmental precautions: Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.	Environmental precautions: Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.	yes
8.1	Control parameters: This information is not available.	Control parameters: Occupational exposure limit values (Workplace Exposure Limits) this information is not available	yes
8.1		Relevant DNELs of components: change in the listing (table)	yes
8.1		Relevant PNECs of components: change in the listing (table)	yes
11.1	Acute toxicity: Shall not be classified as acutely toxic.GHS of the United Nations, annex 4: May be harmful if inhaled.	Acute toxicity: Shall not be classified as acutely toxic.	yes
11.1		Acute toxicity estimate (ATE) of components: change in the listing (table)	yes
12.1	Toxicity: Shall not be classified as hazardous to the aquatic environment.	Toxicity: Harmful to aquatic life with long lasting effects.	yes
12.1		Aquatic toxicity (acute) of components: change in the listing (table)	yes
12.1		Aquatic toxicity (chronic) of components: change in the listing (table)	yes
12.6	Endocrine disrupting properties: None of the ingredients are listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0.1%.	yes
14.3	Transport hazard class(es): not assigned	Transport hazard class(es): none	yes
15.1	Toxic Substance Control Act (TSCA): all ingredients are listed		yes

Shine Supply Hole Shot

Version number: GHS 3.0
Replaces version of: 2022-03-03 (GHS 2)

Revision: 2024-04-09

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes
15.1		Proposition 65 List of chemicals: change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes
16		Abbreviations and acronyms: change in the listing (table)	yes
16		List of relevant phrases (code and full text as stated in section 2 and 3): change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association

Abbr.	Descriptions of used abbreviations
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.
Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.

Shine Supply Hole Shot

Code	Text
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.