

SOPA6301TX





Category 60cm
Product Family Oven
Power supply Electric
Heat source ELECTRICITY
Cooking method Thermoseal
Galileo Technology Traditional pyro

Cleaning system Pyrolitic

EAN code 8017709314033



Aesthetics

AestheticClassicSerigraphy colourBlackColourStainless steelSerigraphy typeSymbols

Finishing Fingerproof Door With 2 horizontal strips

DesignFlatHandleLineaMaterialStainless steelHandle ColourSteel effectGlass TypeEclipseLogoEmbossed

Controls



Display nameCompactScreenNo. of controls2Display technologyLCDControl knobsLinea

Control setting Knobs

Programs / Functions

No. of cooking functions 10



Grill element - power

Heating suspended

when door is opened

- Power

Circular heating element 2000 W

1800 W

Yes

Traditional cooking functions Static Fan assisted Circulaire Eco Turbo Large grill Fan grill (large) Base Circulaire + bottom Pizza Other functions Defrost by time Proving Sabbath Cleaning functions **Pirolysis Options** Time-setting options Delay start and automatic Other options Keep warm end cooking Showroom demo option Yes Minute minder Yes Rapid pre-heating Yes Timer 1 Controls Lock / Child Yes Safety **Technical Features** 30 °C Minimum Temperature Door opening type Standard opening 280°C Maximum temperature Door Temperate door No. of shelves Removable door Yes Shelves type Metal racks Full glass inner door Yes N. of fans Removable inner door Yes 2 Total no. of door glasses 3 No. of lights Light type Halogen Safety Thermostat Yes User-replaceable light Chimney Fixed Yes **Light Power** 40 W Cooling system **Tangential** Light when door is Yes Cooling duct Single opened Usable cavity space 353x470x401 mm Lower heating element 1200 W dimensions (HxWxD)

SMEG SPA 8/05/2023

Temperature control

Cavity material

Electronic

Ever clean Enamel



Performance / Energy Label





Energy efficiency class Net volume of the cavity 68 l Energy consumption per 1.09 KWh cycle in conventional

mode

Energy consumption in 3.92 MJ

conventional mode

Energy consumption in 2.45 MJ

forced air convection

Energy consumption per 0.68 KWh

cycle in fan-forced

convection

Number of cavities Energy efficiency index 81 %

Accessories Included



Telescopic Guide rails, Enamelled tray (20mm) partial Extraction Enamelled deep tray

(50mm)

Insert gird 1


Rack with back and side 1

stop

Electrical Connection

Plug (I) Australia Voltage 220-240 V Current 13 A

Nominal power 3000 W Frequency (Hz) 50/60 Hz Power supply cable 115 cm length





Not included accessories

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



GTP2

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



PR3845X

Antifingerprint stainless steel. Cover for furniture in column installation of more ovens



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



Enamelled tray, 50mm deep



Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



ET20

Enamelled tray, 20mm deep



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



PALPZ



Pizza shovel with fold away handle width: 315mm length: 325mm



Alternative products



SOPA6301TN Black



Symbols glossary (TT)			
δ	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.		Air cooling system: to ensure a safe surface temperatures.
**	Defrost by time: with this function the time of thawing of foods are determined automatically.	COMPACT screen	
3	Triple glazed doors: Number of glazed doors.	Œ	Electric
A*	A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.		Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.
&	Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.		Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.
J	Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.	<u>@</u>	Circulaire with lower element: The addition of the lower element adds extra heat at the base for food which requires extra cooking.
®	Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.	ECO	ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.
·***			

Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.

Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.

Pizza function: The simultaneous operation of three elements ensures an optimum cooking facility when used with the Smeg pizza stone. Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.

All glass inner door: All glass inner door, a single The inner door glass: can be removed with a few flat surface which is simple to keep clean. quick movements for cleaning.

®





KEEP_WARM_72dpi



Side lights: Two opposing side lights increase visibility inside the oven.



Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior.



Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted



Rapid preheat: The rapid preheat function can be used to reach the selected temperature in just a few minutes.



Sabbath: This function allows you to cook food during the Sabbath, the Holiday of rest in the Jewish religion, respecting the precepts. The oven works



The oven cavity has 5 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



The capacity indicates the amount of usable space in the oven cavity in litres.