



AdCoat Garage Floor Paint — Part B

2-Part Epoxy Acrylic Waterbased Coating

Material Safety Data Sheet

PRODUCT NAME: Garage – Part B
 PRODUCT CODE: 75001-75999

HMIS CODES: H F R P
 1 0 0

-----SECTION I - MANUFACTURER IDENTIFICATION-----

MANUFACTURER’S NAME: AdCoat Industries LLC.
ADDRESS: 2641 NW 55th Court, Fort Lauderdale, FL 33309
EMERGENCY PHONE: 954-916-7315 **INFORMATION PHONE:** 954-916-7315
DATE PREPARED: 11-17-13 **NAME OF PREPARER:** Eugene O’Neill

---SECTION II - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION---

HAZARDOUS COMPONENTS	CAS NUMBER	OCCUPATIONAL EXPOSURE LIMITS					VAPOR PRESSURE mm Hg @ TEMP	WEIGHT PERCENT
		OSHA	PEL	ACGIH	TLF	OTHER		
None								

---SECTION III - OTHER INGREDIENTS / IDENTITY INFORMATION---

COMPONENTS	CAS NUMBER	MAXIMUM CONTENT	EXPOSURE LIMIT
Modified Epoxy Resin	Proprietary	60.0%	None assigned
Non-ionic Surface Active Agent	Proprietary	5.0%	None assigned
Water	7732-18-5	35.0%	None assigned

-----SECTION IV- PHYSICAL/CHEMICAL CHARACTERISTICS-----

BOILING POINT: N/A **SPECIFIC GRAVITY (H2O=1):** 1.09
VAPOR DENSITY: Heavier than Air **VOLATILE %:** 35
EVAPORATION RATE: Slower than n-Butyl Acetate
APPEARANCE & ODOR: White and odorless

-----**SECTION V - FIRE & EXPLOSION HAZARD DATA**-----

FLAMMABILITY CLASS: N/A

FLASH POINT: N/A

EXTINGUISHING MEDIA: Foam, carbon dioxide, dry chemical or fog

SPECIAL FIREFIGHTING PROCEDURES: Firefighters should wear goggles and self-contained breathing apparatus to avoid inhalation of smoke or vapors.

UNUSUAL FIRE & EXPLOSION HAZARDS: There are no known unusual or explosion hazards.

-----**SECTION VI - REACTIVITY DATA**-----

STABILITY: Stable

CONDITIONS TO AVOID: Heat and warm storage.

INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, acids, bases and epoxy hardeners under uncontrolled conditions.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Carbon monoxide, carbon dioxide, smoke. Other possible products unknown.

HAZARDOUS POLYMERIZATION: Will not occur

-----**SECTION VII - HEALTH HAZARD DATA**-----

PERMISSIBLE EXPOSURE LEVEL: None assigned.

INHALATION HEALTH RISKS & SYMPTOMS OF EXPOSURE: Excessive inhalation of vapor or mist may cause nasal irritation, central nervous system depression or lung injury.

EYE CONTACT HEALTH RISKS & SYMPTOMS OF EXPOSURE: May cause mild to moderate irritation and possible minor temporary corneal injury.

SKIN CONTACT HEALTH RISKS & SYMPTOMS OF EXPOSURE: May cause mild irritation. May be a skin sensitizer.

SKIN ABSORPTION HEALTH RISKS & SYMPTOMS OF EXPOSURE: Not likely to be absorbed in toxic amounts.

EMERGENCY & FIRST AID PROCEDURES:

- For eye contact: Flush with plenty of water and get medical attention.
- For skin contact: Promptly wipe clean with paper or cloth and wash with soap and water. Remove and wash any contaminated clothing before reuse.
- For inhalation: If ill effects occur, remove person to fresh air. Keep person warm and quiet and get medical attention promptly.
- For ingestion: Not like a problem. If large amounts are swallowed, promptly induce vomiting and get medical attention.

PRIMARY ROUTE(S) OF ENTRY: Inhalation, ingestion, skin and eye contact.

TOXICOLOGICAL INFORMATION: This product does not contain 0.1% or more of any substance which is listed as a carcinogen by NTP, IARC or OSHA.

-----SECTION VIII - PRECAUTIONS FOR SAFE HANDLING & USE-----
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

- For small spills: Ventilate area. Absorb spill with suitable absorbent material and place into a closed container.
- For large spills: Dike area and pump into closed containers. Prevent material from entering waterways. Wear protective equipment during clean up.

WASTE DISPOSAL METHOD: At this time, this material or its containers would not be considered hazardous wastes as defined under the federal RCRA regulations (40 CFR 261) if discarded. Care should be taken to ensure that the material or its containers are disposed of in an approved facility in accordance with current federal, state and local regulations. For further information, contact your state or local waste agency of the United States Environmental Protection Agency's RCRA hotline (800-424-9346 or 202-382-3000).

PRECAUTIONS TO BE TAKEN IN HANDLING & STORAGE: Keep material from freezing. Do not store above 120°F or below 34°F. Close container after each use. Keep out of reach of children. Use adequate ventilation when handling or applying this product.

OTHER PRECAUTIONS: None

-----**SECTION IX - CONTROL MEASURES**-----

RESPIRATORY PROTECTION: NIOSH/MSHA approved respirator should be worn if material is handled at elevated temperatures or under mist forming conditions.

VENTILATION: Local exhaust and general ventilation recommended.

PROTECTION GLOVES: Chemical-resistant plastic or rubber.

EYE PROTECTION: Chemical goggles.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: As required to prevent wetting skin or clothing.

PRECAUTIONS TO BE TAKEN IN HANDLING & STORAGE: This material may cause sensitization. Do not get in eyes, on skin or clothing. Do not allow contaminated clothing to contact skin. Avoid contact with vapors or fumes.

OTHER PRECAUTIONS: Wear protective equipment.

-----**SECTION X - SUPPLEMENTAL INFORMATION**-----

REGULATORY INFORMATION: None

SARA & WHMIS HAZARD CLASSIFICATIONS: This material has been categorized as having the following hazard(s) as defined by SARA Title III regulations (40 CFR 370): Acute

CANADIAN WHMIS CLASSIFICATION: D2B

SARA SECTION 313 LISTED INGREDIENTS: This material does not contain any substance which is subject to the reporting requirements of 40 CFR 372.

DOT PROPER SHIPPING NAME: Not regulated by DOT – HMR

-----**DISCLAIMER:**

The above information refers to the product as currently manufactured. A common practice is end-user incorporating additives to thin, reduce or provide different characteristics. When this is done, the chemical composition of the product and attendant hazards may be altered. Adcoat Industries LLC is not liable.

This information is provided in good faith and is correct to the best of Adcoat Industries LLC's knowledge as of the date hereof; however, Adcoat Industries LLC makes no representation as to its

AdCoat Industries

+1-954-916-7315

info@adcoatindustries.com • www.AdCoatIndustries.com

completeness or accuracy. Customers are encouraged to make their own determination as to the suitability of this product for their purpose prior to use. Adcoat Industries LLC disclaims responsibility to damages of any kind resulting from the use of this information.

THERE ARE NO WARRANTIES OR REPRESENTATIONS, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THIS INFORMATION OR TO THE PRODUCT IT DESCRIBES.

AdCoat Industries
+1-954-916-7315

info@adcoatindustries.com • www.AdCoatIndustries.com