

SAFETY DATA SHEET: Artificial Graphite Powder

Version: 1.3

Revision Date: 04/06/2020

Section 1: Identification

1.1) Product identifier:

Product Name : Artificial Graphite Powder
Synonyms : Carbon, mesoporous, Graphite nanoparticles
Product Number : PO0195
CAS Number : 7782-42-5

1.2) Company information:

Address: MSE Supplies, LLC
4400 E Broadway Blvd, Suite 600
Tucson, AZ 85711, USA
Telephone: +1 520-789-6673
Email: info@mse Supplies.com
Emergency Telephone : +1-703-527-3887

1.3) Relevant identified uses of the substance or mixture and uses advised against:

Identifies uses: Laboratory chemicals, Synthesis of substances

Section 2: Hazard(s) Identification

2.1) Classification of the substance or mixture GHS classification in accordance with 29 CFR 1910 (OSHA HCS):

Not a hazardous substance or mixture.

2.2) GHS Label elements, including precautionary statements:

Not a hazardous substance or mixture.

2.3) Hazards not otherwise classified (HNOC) or covered by GHS:

None

Section 3: Composition/Information on Ingredients

3.1) Substances:

Formula: C
Molecular Weight: 12.01 g/mol

SAFETY DATA SHEET: Artificial Graphite Powder

Version: 1.3

Revision Date: 04/06/2020

CAS Number: 1333-86-4

| Component | Classification | Concentration |
|-----------|----------------|---------------|
| graphite | | <=100% |

Section 4: First-Aid Measures

4.1) Description of first aid measures:

General advice

Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

In case of skin contact

Wash off with soap and plenty of water.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.

4.2) Most important symptoms and effects, both acute and delayed:

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3) Indication of any immediate medical attention and special treatment needed:

No data available

Section 5: Fire-Fighting Measures

5.1) Suitable extinguishing media:

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2) Special hazards arising from the substance or mixture:

SAFETY DATA SHEET: Artificial Graphite Powder

Version: 1.3

Revision Date: 04/06/2020

Carbon oxides

5.3) Advise for firefighters:

Wear self-contained breathing apparatus for firefighting if necessary.

5.4) Further information:

No data available

Section 6: Accidental Release Measures

6.1) Personal precautions, protective equipment, and emergency procedures:

Avoid dust formation. Avoid breathing vapors, mist or gas.

For personal protection see section 8.

6.2) Environmental precautions:

Do not let product enter drains.

6.3) Methods and materials for containment and cleaning up:

Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4) Reference to other sections:

For disposal see section 13.

Section 7: Handling and Storage

7.1) Precautions for safe handling:

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2) Conditions for safe storage, including any incompatibilities:

SAFETY DATA SHEET: Artificial Graphite Powder

Version: 1.3

Revision Date: 04/06/2020

Keep container tightly closed in a dry and well-ventilated place. Storage class (TRGS 510): 13: Non Combustible Solids

7.3) Specific end use(s):

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Section 8: Exposure Controls/Personal Protection

8.1) Control parameters:

Components with workplace control parameters

| Component | CAS-Number | Value | Control Parameters | Basis |
|-----------|------------|---|---------------------------------------|---|
| Graphite | 7782-42-5 | TWA | 2.5 mg/m ³ | USA. NIOSH Recommended Exposure Limits |
| | Remarks | Also see specific listing for Graphite (synthetic). | | |
| | | See Table Z-3 | | |
| | | TWA | 15 x10 ⁶ / ft ³ | USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts |
| | | Based on impinger samples counted by light-field techniques. mppcf X 35.3 = million particles per cubic meter = particles per c.c | | |
| | | TWA | 15 mg/m ³ | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| | | TWA | 5 mg/m ³ | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| | | PEL | 10 mg/m ³ | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| | | PEL | 5 mg/m ³ | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |

SAFETY DATA SHEET: Artificial Graphite Powder

Version: 1.3

Revision Date: 04/06/2020

| | | | | |
|--|--|--|-----------------------|---|
| | | <p>The concentration and percentage of the particulate used for this limit are determined from the fraction passing a size selector with the following characteristics: Aerodynamic Diameter in Micrometers (unit density sphere) Percent Passing Selector 0</p> <p>..... 100 1 97 2 91 3 74 4 50 5 30 6 17 7 9 8 5 10 1</p> | | |
| | | TWA | 2 mg/m ³ | USA. ACGIH Threshold Limit Values (TLV) |
| | | Pneumoconiosis | | |
| | | PEL | 2.5 mg/m ³ | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| | | TWA | 10 mg/m ³ | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 |
| | | TWA | 5 mg/m ³ | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 |
| | | TWA | 2.5 mg/m ³ | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 |

8.2) Exposure controls:

Appropriate engineering controls:

General industrial hygiene practice.

Personal protective equipment

Eye/face protection:

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

SAFETY DATA SHEET: Artificial Graphite Powder

Version: 1.3

Revision Date: 04/06/2020

Skin protection:

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body protection:

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection:

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure:

Do not let product enter drains.

Section 9: Physical and Chemical Properties

9.2) Information on basic physical and chemical properties:

| | |
|---|-----------------------------|
| a) Appearance (physical state, color, etc.) | Black powder |
| b) Upper/lower flammability or explosive limits | No data available |
| c) Odor | No data available |
| d) Odor threshold | No data available |
| e) Vapor pressure | No data available |
| f) Vapor density | No data available |
| g) pH | No data available |
| h) Density | 1.828 g/mL at 25 °C (77 °F) |

SAFETY DATA SHEET: Artificial Graphite Powder

Version: 1.3

Revision Date: 04/06/2020

| | |
|--|-------------------|
| i) Melting point/freezing point | 3,654 - 3,697 °C |
| j) Solubility(ies) | No data available |
| k) Initial boiling point and boiling range | 4,827 °C 8,721 °F |
| l) Flash point | No data available |
| m) Evaporation rate | No data available |
| n) Flammability (solid, gas) | No data available |
| o) Partition coefficient: n-octanol/water | No data available |
| q) Auto-ignition temperature | No data available |
| r) Decomposition temperature | No data available |
| s) Viscosity | No data available |
| t) Explosive properties | No data available |
| u) Oxidizing properties | No data available |

9.2) Other Safety information:

No data available

Section 10: Stability and Reactivity

10.1) Reactivity:

No data available

10.2) Chemical Stability:

Stable under recommended storage conditions.

10.3) Possibility of hazardous reactions:

No data available

10.4) Conditions to avoid:

No data available

10.5) Incompatible materials:

Strong oxidizing agents

SAFETY DATA SHEET: Artificial Graphite Powder

Version: 1.3

Revision Date: 04/06/2020

10.6) Hazardous decomposition products:

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of a fire: see section 5.

Section 11: Toxicological Information

11.1) Information on toxicological effects:

Acute toxicity:

LD50 Oral - Rat - female - > 2,000 mg/kg

(OECD Test Guideline 423)

LC50 Inhalation - Rat - male and female - 4 h - 2,000 mg/m³

(OECD Test Guideline 403)

Dermal: No data available

No data available

Skin corrosion/irritation:

Skin - Rabbit

Result: No skin irritation

(OECD Test Guideline 404)

Serious eye damage/ eye irritation:

Eyes - Rabbit

Result: No eye irritation

(OECD Test Guideline 405)

Respiratory or skin sensitization:

Mouse

Did not cause sensitization on laboratory animals.

(OECD Test Guideline 429)

Germ cell mutagenicity:

No data available

Ames test

S. typhimurium

Result: negative

SAFETY DATA SHEET: Artificial Graphite Powder

Version: 1.3

Revision Date: 04/06/2020

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity:

No data available

Specific target organ toxicity – single exposure:

No data available

Specific target organ toxicity – repeated exposure:

No data available

Aspiration hazard:

No data available

Additional information:

Repeated dose toxicity - Rat - male - Feed - No observed adverse effect level - 813 mg/kg RTECS: MD9659600

Section 12: Ecological Information

12.1) Toxicity:

Toxicity to fish

semi-static test LC50 - Danio rerio (zebra fish) - > 100 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)

Toxicity to algae

static test EC50 - Pseudokirchneriella subcapitata - > 100 mg/l - 72 h

SAFETY DATA SHEET: Artificial Graphite Powder

Version: 1.3

Revision Date: 04/06/2020

(OECD Test Guideline 201)

12.2) Persistence and degradability:

No data available

12.3) Bioaccumulative potential:

No data available

12.4) Mobility in soil:

No data available

12.5) Results of PBT and vPvB assessment:

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6) Other adverse effects:

No data available

Section 13: Disposal Considerations

13.1) Waste treatment methods:

Product:

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging:

Dispose of as unused product.

Section 14: Transport Information

DOT (US):

Not dangerous goods

IMDG:

Not dangerous goods

SAFETY DATA SHEET: Artificial Graphite Powder

Version: 1.3

Revision Date: 04/06/2020

IATA:

Not dangerous goods

Section 15: Regulatory Information

SARA 302 Components:

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components:

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards:

No SARA Hazards

Massachusetts Right To Know Components:

| | | |
|----------|-----------|---------------|
| Graphite | CAS-# | Revision Date |
| | 7782-42-5 | 1993-02-16 |

Pennsylvania Right To Know Components:

| | | |
|----------|-----------|---------------|
| Graphite | CAS-# | Revision Date |
| | 7782-42-5 | 1993-02-16 |

New Jersey Right To Know Components:

| | | |
|----------|-----------|---------------|
| Graphite | CAS-# | Revision Date |
| | 7782-42-5 | 1993-02-16 |

California Prop. 65 Components:

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Section 16: Other Information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate



SAFETY DATA SHEET: Artificial Graphite Powder

Version: 1.3

Revision Date: 04/06/2020

safety precautions. It does not represent any guarantee of the properties of the product. MSE Supplies LLC and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Version: 1.3

Revision Date: 04/06/2020