




300M Remote Dog Training Collar with 0-100lvs static and vibration modes

Please read this entire guide before beginning



Model Number:
IS-PET998DR-1
IS-PET998DRB-1



Model Number:
IS-PET998DR-2
IS-PET998DRB-2

Important Safety Information

WARNING

Not for aggressive dogs. Do not use this product if your dog is aggressive, or if your dog is prone to aggressive behavior. Aggressive dogs can cause severe injury and even death to their owner and others. If you are unsure whether this product is appropriate for your dog, please consult your veterinarian or certified trainer.

CAUTION

Risk of skin damage. Please read and follow the instructions in this manual. Proper fit of the collar is important. A collar worn for too long or made too tight on the pet's neck may cause skin damage. Ranging from redness to pressure ulcers; this condition is commonly known as bed sores. These collars can cause pressure necrosis if used incorrectly and is often misidentified as burns.

- Avoid leaving the collar on the dog for more than 12 hours per day.
- If possible, reposition the collar on the pet's neck every 1 to 2 hours.
- Check the fit of the collar to prevent excessive pressure; follow the instructions in this manual.
- Never connect a lead to the electronic collar; it will cause excessive pressure on the contacts.
- When using a separate collar for a lead, don't put pressure on the electronic collar.
- Wash the dog's neck area and the contacts of the collar weekly with a damp cloth.
- Examine the contact area daily for signs of a rash or a sore.
- If a rash or sore is found, discontinue use of the collar until the skin has healed.
- If the condition persists beyond 48 hours, see your veterinarian.

These steps will help keep your pet safe and comfortable. Millions of pets are comfortable while they wear stainless steel contacts. Some pets are sensitive to contact pressure. You may find after some time that your pet is very tolerant of the collar. If so, you may relax some of these precautions. It is important to continue daily checks of the contact area. If redness or sores are found, discontinue use until the skin has fully healed.

MAIN FEATURES

1. Easy-to-use, ergonomic transmitter.
2. Rainproof receiver for bad weather training.
3. Rechargeable collar and transmitter.
4. Rheostat dial that allows for gradual increases in stimulation intensity between 0-100 levels.
5. 4 training modes: static shock/ vibration/ beep/ light.
6. The Petrainer Element 998DR has a 300 meters range.
7. Two-dog model allows the trainer to control two dogs from one transmitter.
8. Power saving design with automatic standby and memory function.
9. No external antenna on the collar receiver.
10. Small receiver/collar is ideal for small and medium size dogs.



1. **Antenna:** Transmits the signal from the Transmitter to the Receiver Collar.
2. **Led light:** This light will be on when pressing the LED light button.
3. **LED Indicator:** This light will flash when the "Y" button is pressed. The light will be activate when charging as well.
4. **LCD Screen:**
 - Static mode:** With this mode selected, pressing the "Y" button will cause the receiver to emit shock.
 - Vibration mode:** With this mode selected, pressing the "Y" button will cause the receiver to vibrate.
 - Beep Mode:** With this mode selected, pressing the "Y" button will cause the receiver to emit a beep sound.
 - Light Mode:** With this mode selected, pressing the "Y" button will cause the LED light on the receiver to flash red once every second. Its primary purpose is to help locate your pet.

- Channel 1:** Indicates the selection of the first collar receiver.
- Channel 2:** Indicates the selection of the second collar receiver.

5. **Up/down buttons:** Selects intensity level for Vibration and Static Shock.
6. **Led light button:** When pressing the LED light button, the LED light on the transmitter will be on.
7. **Channel button:** Pressing this button will swap between the first and second collar receiver.
8. **Launch button:** Sends the signal from transmitter to receiver, resulting in stimulation, beep or light, depending on your mode selection.
9. **Mode button:** Press this button to switch between modes. There are 4 modes: Static, Vibration, Beep and light mode.
10. **Charging hole:** Insert charging connector into charging hole to charge the Transmitter.
11. **Contact Points:** Helps deliver safe static correction.
12. **Reset hole:** Turn the receiver on/off.
13. **DV-5V hole:** Insert charging connector into DV-5V hole to charge the receiver.

DESCRIPTION

- | | |
|---|---|
| 1. Antenna |  Low Battery Indicator |
| 2. Led light | 5. Up/down button |
| 3. LED Indicator | 6. Led light button |
| 4. LCD Screen | 7. Channel button |
|  1-100 level | 8. Launch button |
|  Static shock mode | 9. Mode button |
|  Vibration mode | 10. Charging hole |
|  Beep mode | 11. Contact Points |
|  Light mode | 12. Reset hole |
|  Channel 1 | 13. DV-5V hole |
|  Channel 2 | |



HOW TO USE

Note: Please charge before using the product!

1. Charge the remote transmitter:

- 1) Connect the charger connector to the charging jack.
- 2) Plug the charger into a standard outlet.
- 3) The red light on the transmitter will light up.
- 4) Charge the transmitter for at least 6 hours for the first charge or until the light indicates charging is complete.
- 5) After charging is complete, the red light will turn off automatically.

2. Charge the collar receiver:

- 1) Connect the charger connector to the DV-5V hole.
- 2) Plug the charger into a standard outlet.
- 3) The red light will appear on the receiver.
- 4) Charge the receiver for at least 6 hours for the first charge or until the light indicates charging is complete.
- 5) After charging is complete, the red light will turn off automatically.

3. Connect transmitter and receiver:

- 1) Turn on the transmitter by pressing any button on the transmitter.
- 2) Press "1/2" button to choose channel for pairing, choose channel 1 for the first receiver.
- 3) Lift the Rubber cover of the reset hole on the receiver. Press the Reset button inside of the receiver with a pen or paper clip, and the red LED light will turn on.
- 4) After a beep from the receiver, press the "Y" button on the transmitter within 10 seconds.
- 5) The collar receiver will beep if connected successfully.
- 6) To encode the second receiver, press the "1/2" button and select channel 2 for the second receiver and follow the same procedure.

Important Notice:

1. The transmitter will go into Standby Mode if there is no operation after 20 seconds and will turn off after 20 minutes.
The receiver will go into Standby Mode if unused for 4 minutes. Any movement from the dog will activate the receiver.
2. "1/2" button to choose channel for connection. Channel 1 can only operate the first receiver and Channel 2 can only operate the second receiver.

3. In working mode, if you want to reconnect the receiver to the transmitter, simply press the reset button with a pen or paper clip, there will be a beep sound to indicate that it is ready to encode.
4. The design of the receiver is to be rainproof. The rubber cover has to put in the right position to ensure rainproof.

4. Test static shock function:

- 1) Place the test light to the metal screws (ensure contact points are not attached when attempting to test the shock function).
- 2) Select Static Mode by pressing the "Mode" button.
- 3) Select static stimulation level by pressing UP/DOWN button and choose between 1-100 stimulation levels.
- 4) Press "Y" button, and the LED will flash on.

Important:

If the transmitter is in sleep mode (the LCD display is turned off) you must press the "Y" button once to wake up the unit, then press the "Y" button again to send. Please see diagram below on how to attach the test light:



Important Notice:

If wishing to test the static function on yourself, remember to place your finger or hand against both contact points. Otherwise, the connection won't be completed and no stimulation will be felt.

Notes for use

1. The lifetime of the batteries, vary according to how often you use the product. Therefore, you should often check the batteries, by testing the beep function, and watching the indicator sign on the LCD screen of the Transmitter.
2. The valid distance of the remote means, the straight-line distance between the Transmitter and the Collar Receiver without obstacles in between. If there are interference signals or other disruptions, the actual remote control distance may vary.
3. This product is for pet training. Only by training, the can understand the intention of its owner. Positive effects will occur after periods of training.
4. Training sessions should be kept positive and short, about 10-15 minutes long each session.
5. Presently, this product is most effective and safest tool for training a pet. Follow the correct operational instructions and you can effectively training the pet without any harm.

General Training Tips

The following tips on how to get the best out of your Dog Training Collar.

- (1) Make training sessions short and positive (between 10-15 minutes long for each session.) This will enable the dog to keep its attention focused on the trainer.
- (2) Train one dog at a time.
- (3) During the first initial training sessions, keep the dog in a familiar outdoor environment. Training in new locations may cause the dog to become distracted, causing you to reinforce commands with the Collar Receiver more than necessary.
- (4) Use a long leash fastened to a non-metallic collar to help the dog's learning. Ensure the additional collar and lash does not interfere with the Contact Points of the Collar Receiver. Do not use the remote training collar without a long leash until your dog is fully trained.
- (5) More success will occur by teaching the dog a command first before trying to reinforce the command with the Remote Transmitter.
- (6) For basic obedience training, vibration is more useful.
- (7) Issue one obedience command at a time, this will reduce confusion and allow the dog to remain focused. Do not use the training system for commands that the dog has not learned.

- (8) During training, look for all the positive changes in the dog's behavior and remember to reinforce them promptly with ample praise and reward.
- (9) Avoid over-correcting your dog. Use as little remote correction as possible during the training process.
- (10) When the dog has become apparently perplexed, shift the focus of the training by drawing the dog's attention to a command they have familiarity. Example: Tell the dog to sit and give abundant praise and encouragement on successful completion of the sit command.
- (11) Do not use the training system to correct or eliminate forms of aggression or biting behavior. When the dog is showing signs of aggressive behavior, immediately contact a professional dog trainer in your local area.
- (12) Please keep in mind, that you should keep training sessions short and end every session on a high note. Stop Training and play with the dog as soon the dog has accomplished a new level of proficiency.

If needing more training tips, please visit us at www.ipets-mall.com or www.facebook.com/ipetsmall for plenty of resources.

LIMITED 90 DAYS WARRANTY

Petrainer warrants this product to be free of defects in parts, materials and workmanship for a period of 90 days, from date of purchase.

Should any repairs or servicing under this warranty be required, contact Customer Service by phone or email for instructions on how to pack and ship the product to Petrainer.

Petrainer CUSTOMER SERVICE

Telephone: 1-866-877-7949

Email: service@ipets-mall.com

Hours: Weekdays 9:00 AM- 5:00 PM EST

This warranty gives you specific legal rights and you may also have other rights which vary from state to state.