

## **DMSO - The Real Miracle Solution**

Gabriela Segura, M.D. Sott.net Thu, 12 May 2011 08:12 CDT

In 1866, Russian scientist Alexander Saytzeff isolated a most curious and peculiar chemical compound. It was crystalline, odor-less, non-toxic and had a garlic-like taste when consumed. At the time, Saytzeff had no way to predict that his discovery was going to prove highly controversial throughout its entire medical history, that it was going to be tested in thousands of studies and provide miraculous relief for numerous patients.

I'm talking here about *dimethyl sulfoxide* (**DMSO**), an organic sulfur compound which was used only as an industrial solvent, that is, until its medical properties were discovered in 1963 by a research team headed by Stanley W. Jacob, MD.

**DMSO** is a by-product of kraft pulping (the 'sulfate process') which converts wood into wood pulp leaving almost pure cellulose fibers. As industrial as it may sound, the process simply entails a treatment of wood chips with a mixture of sodium hydroxide and sodium sulfide, known as white liquor, breaking the bonds which link lignin (from the Latin word *lignum*, meaning wood) to the cellulose.

**DMSO** is useful as a pain reliever and also in burns, acne, arthritis, mental retardation, strokes, amyloidosis, head injury, scleroderma, it soothes toothaches, eases headaches, hemorrhoids, muscle strains, it prevents paralysis from spinal-chord injuries and softens scar tissues. In fact, it is useful in well over 300 ailments and is safe to **use**. You might think that a compound that has so many alleged uses and benefits should be automatically suspect, so let's have a close look at its properties and the data available and we'll shed some light in this miraculous chemical.

### **Sulfur: The Stuff of Life**

**DMSO** is an intermediate product of the global Sulfur Cycle which distributes bioavailable sulfur for all animal and plant life (Parcell, 2002). Sulfur compounds are found in all body cells and are indispensable for life, they are needed for a number of chemical reactions involved in the detoxification of drugs and other harmful toxins, and they have potential clinical applications in the treatment of a number of conditions such as depression, fibromyalgia, arthritis, interstitial cystitis, athletic injuries, congestive heart failure, diabetes, cancer, and AIDS (Parcell, 2002). Among the sulfur compounds, **DMSO** is probably the one that has the widest range and greatest number of therapeutic applications ever shown for any other single chemical. It has around 40 pharmacological properties that may be beneficial in the prevention, relief or reversal of numerous diseases (Morton, 1993).

Someone complained to Dr. Jacob of a splitting headache and gave him permission to apply some **DMSO** after hearing of its capabilities. The headache was gone in minutes, came back in four hours, and left for good after **DMSO** was applied a second time. Used for one purpose, sometimes it did another; put on a cold sore, within a few hours it cleared up a woman's sinusitis. A woman who had had a stroke found after **DMSO** was painted on her painful jaw that she could now write with her paralyzed hand and could walk better. (Haley, 2000)

### **Therapeutic Properties**

**DMSO** is an effective pain killer, blocking nerve conduction fibers that produce pain. It reduces inflammation and swelling by reducing inflammatory chemicals. It improves blood supply to an area of injury by dilating blood vessels and increasing delivery of oxygen and by reducing blood platelet stickiness. It stimulates healing, which is a key to its usefulness in any condition. It is among the most potent free radical scavengers known to man, if not the most potent one. This is a crucial mechanism since some molecules in our bodies produce an unequal number of electrons and the instability of the number causes them to destroy other cells. **DMSO** hooks on to those molecules and they are then expelled from the body with the **DMSO**.

**DMSO** also penetrates the skin and the blood-brain barrier with ease, penetrating tissues, and entering the bloodstream. Furthermore, **DMSO** protects the cells from mechanical damage and less of it is needed to achieve results as time passes as opposed to most pharmaceuticals where increasing doses are required. It has a calming effect in the central nervous system and it reaches all areas of the body, when absorbed through the skin, including the brain. That is, **DMSO** applied to one area often leads to pain relief in some other location due to its systemic effect.

It acts as a carrier for other substances or drugs and it also potentiates their effect. In fact, certain drugs dissolved in **DMSO**, such as corticoids, antibiotics and insulin, may be used in a lower dose than usual without reducing their therapeutic efficacy and in addition, their undesirable side effects are greatly diminished. Also, drugs are able to pass through the blood-brain barrier which is usually impenetrable.

**DMSO** promotes the excretion of urine and functions as a muscle relaxant. It boosts the immune system, increasing the production of white cells and macrophages that destroy foreign material and pathogens in the body. It also has anti-bacterial, anti-viral and anti-fungal properties. **DMSO** also increases the permeability of cell membranes, allowing a flushing of toxins from the cell.

**DMSO** has radioprotective properties against lethal and mutagenic effects of X-

rays in cells, cellular systems and whole animals. It also has cryoprotective properties, meaning that it is capable of protecting against injury due to freezing. **DMSO** has also been shown to have cholinesterase properties (Sams, 1967), in other words, it inhibits an enzyme from breaking down acetylcholine, increasing both the level and duration of action of this important neurotransmitter. Acetylcholine is responsible for learning and memory and is also calming and relaxing. Acetylcholine is also a major factor in regulating the immune system, acting as a major brake on inflammation in the body.

As a source of sulfur, **DMSO** aids in heavy metal detoxification. Sulfur binds with toxic heavy metals (mercury, lead, aluminum, cadmium, arsenic, nickel) and eliminates them via urination, defecation and sweating.

### **FDA and Big Pharma Obstacles**

**DMSO** is sold in health food stores, mail-order outlets, on the Internet, and in most countries around the world. It is used by millions for its health benefits yet in the U.S., **DMSO** has FDA approval only as a preservative of stem cells, bone marrow cells, and organs for transplant, and for interstitial cystitis - a painful inflammatory condition of the bladder which is very difficult to treat with other therapies.

That **DMSO** has not found favor as a remedy for other medical conditions is partly due to the inability to test it in double-blind experiments. Blind studies, as the name suggests, requires that a study be done without knowing which patient is taking the placebo or the drug. In the case of the **DMSO**, a blind study is impossible since the peculiar garlic-like taste and smell (no matter the route of application) gives it away and no satisfactory placebo could be devised that would mimic this particular effect of **DMSO** (Steinberg, 1967).

The FDA and 'big pharma' would prefer we remain dependent on their drugs. If you search for **DMSO** on the U.S. National Library of Medicine (pubmed.gov), you'll get almost 30,000 indexed results, making it one of the most studied compounds of our time. Yet, we are led to believe that **DMSO** can't pass the required regulations for its approval in other medical conditions even though its effectiveness and low toxicity profile is unquestionable.

You see, **DMSO** is a common chemical that can be manufactured cheaply. No drug company can get an exclusive patent since it is also a natural compound, therefore there is no significant financial return. In fact, an executive of a major drug company is quoted as saying, "I don't care if **DMSO** is the major drug of our century and we all know it is, it isn't worth it to us" [CBS TV show 60 minutes with Mike Wallace, The Riddle of **DMSO**]. If **DMSO** were to be approved by the FDA, it would be competitive and drug companies would be unable to hold the patents. In the words of the director of the Bureau of Drugs of the FDA, J. Richard

Crout, M.D., "**DMSO** is a low toxicity and safe compound (...) **I** think that it is a fact of life that drug companies are not going to invest in something unless they think there is some financial return" [CBS TV show *60 minutes* with Mike Wallace, *The Riddle of DMSO*].

Despite restrictions on the **use** of **DMSO**, thousands of Americans purchase it on the 'black market' each year, its popularity due not to publicity, but rather 'word of mouth'. When you have something that relieves all kinds of ailments, including some life-threatening ones, people naturally recommend it to friends and family!

## **In Perspective**

In the 1960s, research with **DMSO** on humans was temporarily halted after certain animals treated with **DMSO** were found to have changes in the eye lens. Some of these changes resembled those seen in aging dogs (Gordon, 1967), but nevertheless, research was gradually restarted after no evidence was found of eye changes in humans. As Daniel Haley reports in his book *Politics in Healing: "Tests in rabbits, dogs, and pigs (but not humans) had shown some problems. When quantities of **DMSO** equal to about ten times the maximum human dose were given every day over a period of six months, slight changes in the lenses of the animals' eyes would result, enough to produce a slight nearsightedness. The lens changes were not enough to cause dogs difficulty when running - they didn't bump into things - and in some cases, the changes disappeared after the massive **DMSO** doses were stopped. In no test at that time or since has **DMSO** ever caused cataracts, either in animals or in humans"* (Haley, 2000).

In fact, **DMSO** is effective for macular degeneration and retinal disease, both diseases of the eye. This effectiveness was first discovered when patients with retinitis pigmentosa, a retinal disease, were taking **DMSO** for certain musculoskeletal disorders. They sensed that their vision had improved and some had remarkable results (Morton, 1993).

As far as eyes are concerned, the evidence on **DMSO** is quite to the contrary. When several patients treated with **DMSO** for muscular problems reported to Dr. Jacob that their vision had improved, he sent them to Dr. Robert O. Hill, ophthalmologist at the University of Oregon Medical School. Confirming the favorable changes, Dr. Hill began his own experiments with **DMSO** (after it was known that the lens changes did not happen in humans). His research showed drops of 50% **DMSO** to be effective in retinitis pigmentosa and macular degeneration, and presented a report on this at the New York Academy of Sciences symposium in 1971. (Haley, 2000)

In contrast, the number of medication-related deaths in the U.S. is estimated at over 200,000 a year, making medications the third or fourth leading cause of death (Pezzalla, 2005). Even common pain relievers called NSAIDs, examples of which include Advil, Motrin, Aleve and aspirin, account for an estimated 7,600 deaths and 76,000 hospitalizations in the U.S. every year (Tamblyn et al, 1997). Taking this into consideration, it is safe to declare that **DMSO** is among the safest substances in the world today. In fact, the classic test for toxicity -the LD-50 test - measures the lethal dose (LD) at which half of a group of test animals is killed. The LD-50 tests for aspirin and **DMSO** show that aspirin is seven times more toxic than **DMSO** (Haley, 2000).

## Quick Guide and Ailments

**DMSO** is generally applied to the skin in a gel, cream, or liquid. It can be taken by mouth or as an intravenous injection, in many cases along with other drugs. It has also been administered subcutaneously, intramuscularly, intraperitoneally, intrathecally, by inhalation, instilled into the eye, on the mucous membranes, and into the urinary bladder. Strengths and dosages vary widely.

If you are just dealing with pain or an injury, **use** a topical application. Don't drink it. Drinking it is for serious detoxing and other internal necessities. If you **use** a rose scented **DMSO** cream, chances are that nobody will be able to smell **DMSO's** garlic-like smell.

The usual oral dose of **DMSO** is one teaspoon per day of **DMSO** 70% (Morton, 1993). But since it can trigger detoxification reactions and **DMSO's** total excretion from the body can take several days, it is best to **do** it only once a week. Start with half a teaspoon of **DMSO** 50% and increase to a teaspoon of **DMSO** 70% only if any possible detoxification reaction is well tolerated.

When you **use** liquid **DMSO** in the skin, let it dry for over 20 to 30 minutes before wiping the rest out. The skin must be clean, dry, and unbroken for any topical **use** of **DMSO**. The face and the neck are more sensitive to **DMSO** and no higher concentrations than 50% should be applied there. Topical concentrations of **DMSO** should be kept below 70% in areas where there is a reduction of circulation. When 60 to 90% **DMSO** is applied to the skin, warmth, redness, itching, and sometimes local hives may occur. This usually disappears within a couple of hours and using natural aloe vera, gel or cream, will help counteract or prevent this effect. When 60 to 90% **DMSO** is applied to the palm on the hand, the skin may wrinkle and stay that way for several days.

"My brother put some **DMSO** gel (70% **dmsO**, 30% aloe vera) on his shoulders and lower part of neck because he had muscle pain/soreness in that area, and it caused skin redness/irritation for a few hours, although it did diminish the muscle soreness as well...my grandma has rheumatoid arthritis that made her legs swell

up and hurt continuously, and I had her apply the same **DMSO** gel, and after about 2-3 days of applying it once a day, the swelling was 90% gone, and I think within 4-5 days it was 100% gone, and she said the pain diminished as well." - Michael Shatskiy, Los Angeles, California, United States

Chronic pain patients often have to apply the substance for 6 weeks before a change occurs, but many report relief to a degree that had not been able to obtain from any other source. In general, the greater the chronicity of the disorder, the longer the treatment with **DMSO** must be employed in order to achieve palliation (Steinberg , 1967).

Common health problems for which people will apply topical **DMSO** at home include acute musculoskeletal injuries and inflammations. The earlier **DMSO** is used, the more dramatic the result. A 70% concentration of **DMSO** mixed with water in volumes ranging from 8 to 12 ml, applied on and around the injury in a wide area at least three times daily, will have a healing affect in 4 out of 5 people.

### **Arthritis, Sprains, Strains**

It provides rapid amelioration of pain and increased mobility and reduction of inflammation when used topically. You can see a positive response within 5 to 20 minutes and usually lasting for 4 to 6 hours. (Steinberg, 1967).

"Applying **DMSO** where it hurt to a six-year-old wasted from rheumatoid arthritis, in a half hour the child could move her shoulder and turn her head for the first time in two years. Persuaded to try walking, she managed a few steps and then burst into tears. "Why are you crying?" Dr Jacob asked her. "Because it doesn't hurt anymore", she replied. (Haley, 2000)

"My brother has arthritis of the spine. He is in pain and bedridden more than half the time. When he is treated with **DMSO**, he is able to lead a normal, active life... Just one application of this cheap, safe **DMSO** changed my brother from a grimacing patient into an active, pain-free man in exactly 30 minutes!" (Haley, 2000)

June Jones, once quarterback and later coach of the Atlanta Falcons pro-football team, had a bursitis calcification in his right shoulder. His career almost didn't happen as he could hardly lift his arm, let alone throw a football. But he was aware of **DMSO** and had used **DMSO** for sprains, like thousands of others. He received a shot of **DMSO** in the shoulder and after using **DMSO** for 30 days straight, the calcification disappeared. (Haley, 2000)

## Stroke

Given soon after a stroke, **DMSO** can dissolve the clot that causes the stroke, restoring circulation and avoiding paralysis. Once **DMSO** gets into the body either daubed on the skin, given in **I.V.**, or by mouth, it permeates the body and crosses the brain barrier, so even taken orally it can improve circulation. Ideally it should be **I.V.**

Even though **DMSO** 40% causes a prolongation of bleeding time, it is still indicated for **use** in treating embolic or hemorrhagic stroke. **DMSO** is superior to any other treatment for wounds to the brain where a great deal of bleeding is present (Morton, 1993).

One man who had a stroke at 7:30 AM refused to go to the hospital until after his wife had spoken with Dr. Stanley Jacob, which didn't happen until 6:30 PM. Starting at 7 PM the day of the stroke, she gave him one ounce of 50% **DMSO** in a little orange juice every 15 minutes for two hours and then every half hour for two hours. The next day, her husband was better and soon returned to normal. A substance that can stop a stroke as it's happening is something many might want in their home medicine chest. (Haley, 2000)

## Angina, Heart Attacks, Injuries of the Brain and Spinal Chord

**DMSO** may help neutralize harmful effects on the heart and brain in medical disorders involving the head and spinal chord injury, stroke, memory dysfunction, and ischemic heart disease (Jacob, de la Torre, 2009). A 40% **DMSO** solution should be administered within four hours to be effective, within ninety minutes is best.

After **I.V.** administration of **DMSO**, there is an elevation in the amount of spinal cord blood flow to the region of trauma. One of the first things that happens after spinal cord trauma is that a reduction of oxygen and blood flow sets in, inasmuch as the blood vessels constrict or shut down... Without some treatment, the tissue swells. Eventually, this leads to paralysis. In a cerebral stroke, the animal will either become comatose or lethargic or die. With **DMSO** infusion immediately after injury (or stroke) all this is prevented. - Dr. Jack de la Torre, professor of physiology and neurosurgery at the University of New Mexico

Dr. Stanley Jacob has even given **DMSO** intravenously to people who were already paralyzed - paraplegics - and some regained **use** of limbs. One man, quadriplegic, recovered enough to go through college and then to work in a bank. (Haley, 2000)

## **Infections**

When combined with antibiotics, **DMSO** will convert bacteria which are resistant to a given antibiotic to being sensitive to that same antibiotic and probably a 80 to 90 per cent solution of **DMSO** will be required in order to be clinically useful ( Pottz, Rampey, Benjamin,1967). **DMSO** has been used to transport antibiotics to hard-to-reach areas of the body with excellent results, such as the bone marrow and brain (Sanders, 1967).

**DMSO** can dissolve a virus protein coating, leaving the virus core unprotected with its nucleic acid exposed to the immune system. Applied topically, it alleviates the lesions that occur as a result of Herpes Zoster, shingles (Morton, 1993). Placed into the nostrils or topically in the face, **DMSO** can open blocked sinuses within a few minutes and it has been used with success in patients with polyps (Marvin, 1967).

**DMSO** can clear up gum disease and reduce tooth decay and their pain by painting it on the involved areas.

"I have some pharmaceutical grade **DMSO** and I pour about two teaspoons in a glass in the evening, put my 20 mg of doxycycline in it, add about 2 teaspoons of distilled water, and then swish it around in my mouth for about 2 or 3 minutes and then swallow it. So I guess it is about 50% solution. It's really working on my mouth. That inflamed area of my jaw has calmed down about 70% in just a couple of days. Or more, actually. I expect it to be completely soothed by tomorrow after tonight's dose of **DMSO**." - L., Toulouse, France

Several books have been published on the benefits of **DMSO**

### **Keloids, Scars, Burns, Bruises**

A concentration of 50 to 80% put on two or three times a day will flatten a raised scar after several months. It is of considerable value in superficial burns (Goldman, 1967) and when applied quickly to an injury, it can eliminate any bruising.

"I have been applying it to my face for two weeks... I had a bout of acne in March, and this healed the damage pretty well but what amazed me is that my hyperpigmentation (melasma) has also faded very noticeably. In fact, it's amazing!" - HG, United States

"I diluted a 50% solution and applied it topically to the inflamed lymph node. I applied it again this evening. I am totally amazed! There is a noticeable

decrease in the size of the node, in just two applications! And it no longer feels matted. This node has been swollen for over 20 years!!! - Melissa Medlock, Coldwater, Michigan, USA

## **Podiatry**

**DMSO** can be effective in the treatment of painful corns, calluses, ingrown toenails, bunions, hammertoes, heel spurs, and the inflammation of gouty big toes. Varicose veins and thrombophlebitis

Topical **DMSO** can whiten telangiectasias, small dilated blood vessels near the surface of the skin. It can also decrease the size of varicosities in the legs and the inflammation that goes with it, along with a relief of their cramping discomfort (Marvin, 1967. Blumenthal, Fuchs, 1967).

## **Eye problems**

One drop of a 25% **DMSO** solution (diluted in sterile physiologic or saline solution) once or twice per day is useful for eye problems, including cataracts or glaucoma.

"**DMSO** is amazing, I've also read various good results with using it in the eyes. Being the adventurous type myself, today I diluted **DMSO** down to 30% and put 2 drops in one of my eyes that has been having red spots around the iris. The red spots diminished drastically. The only side effect was a slight burning sensation, similar to those drops you get when one goes for a glaucoma test, without the side effect of dilated pupils." - DZ, United States

## **Headaches**

**DMSO** is highly effective in vascular headaches and in muscular tension which so often goes with headaches. It may be used on hairy areas such as the scalp and it also may be used near the eyes. A 90% solution is more effective (Ogden, 1967).

## **Mental Disorders**

**DMSO** has been useful in the treatment of patients with the following diagnoses: (1) overexcited states (acute schizophrenic reactions, manic phase of the manic-depressive psychoses, alcoholic psychoses, symptomatic psychoses); (2) some symptoms of the chronic psychoses (autism, stereotypia, negativism, abnormal behavior or delusional states) ; (3) severe neuroses (anxiety reactions, obsessives)(Ramírez, Luza, 1967).

McGrady called special attention to an extraordinary paper presented by Dr. Eduardo Ramirez and Dr. Segisfredo Luza of the Ayetano Heredia University in Lima, Peru. After extensive tests on animals and then on normal humans, Dr. Ramirez reported "injecting 50% or 80% **DMSO** intramuscularly into patients with acute and chronic schizophrenia" and that "of the 14 acute cases, every single one was discharged from the hospital within 45 days after the start of **DMSO** treatment... He said that 4 of the 11 chronic cases, one of whom has been ill for 14 years, were discharged eventually, and the other 7 improved a great deal and were given occupational therapy... He observed rapid decrease in agitation... recession of persecution feeling, a relatively sudden tendency to communicate and to stay clean.., the wane of obsessions, return to alertness, and a calmness where there had been restlessness and anxiety". (Haley, 2000)

### **Genitourinary disorders**

**DMSO** has been used in the treatment of a number of patients with various genitourinary disorders, including Peyronie's disease, interstitial cystitis, acute epididymitis. Some have obtained dramatic and gratifying relief of symptoms (Persky, Steeart, 1967).

### **Miscellaneous**

**DMSO** in conjunction with other treatments has shown to regress cancer in a very effective way (Ayre, 1967).

Intravenous administration of **DMSO** markedly reduces pathological intestinal permeability while preserving the gut's absorption capacities (Wang et al, 1996). Considering that gut permeability ('leaky gut') has a fundamental role in chronic degenerative diseases, this is of great clinical importance.

**DMSO** also has excellent results in the skin of people afflicted with scleroderma, results which have never been observed with any other method of therapy (Scherbel et al, 1967).

Mrs. Jean Puccio of Washington, DC testified at hearings of Senator Edward Kennedy's sub-committee on health in 1980 on her recovery from scleroderma. Diagnosed in 1971, she was told that no medication would help, and that she would probably soon face a wheelchair and early death. By the time she found Dr. Jacob (through word of mouth), she told the Senators, "I was having difficulty breathing, walking, and eating". The disease "thickens the tissue and makes your skin so tight you cannot move. It was difficult for me to drive, to turn the ignition

in my car or turn my body". Her dentist could not work on her for awhile because she could not open her mouth. "Now I can open my mouth like anybody", she said. After her sensitized skin burned from topical application of **DMSO**, Dr. Jacob suggested taking it orally. "Within six months", she testified, "my condition reversed almost immediately. I can **do** anything anybody else can **do** now" (Haley, 2000).

Hopefully, this brief overview of **DMSO**'s great capabilities has helped to illustrate **how** it is indeed, the cure of our times. I'm convinced of its therapeutic power, both by my own experience and that one of scores of people, not to mention the back-up of published scientific literature. Its uses and applications make it a very handy compound to have on your medical shelf. In pure form, the life of **DMSO** is indefinite, so it may be used for years.

### **Troubleshooting**

The garlic-like body odor and taste in the mouth that some experience is attributable to a specific **DMSO** metabolite: dimethyl sulfide (DMS), a component of natural onion and garlic flavors (McKim, Strub, 2008). This can last for one or two days and in a small number of people, especially men, the odor can be very pungent. Drinking enough water will help diffuse the smell. Other side effects - such as stomach upset, headaches, dizziness, and sedation - are very likely related to detoxification reactions prompted by the **DMSO**.

Only purified and properly diluted **DMSO** should be used. When you dilute a pure **DMSO** solution, always **do** it in distilled water. When it is applied, the skin site as well as the applying hand should be thoroughly cleaned before application. This is of utmost importance as **DMSO**'s properties allow contaminants to be absorbed through the skin and transported into the bloodstream.

**DMSO** is known to be one of the least toxic substances in biology (Parcell, 2002), so any serious side effects should come from potential contaminants or the intake of concomitant drugs that **DMSO** will carry into the body. Worth repeating again, **DMSO** and any substance dissolved in it, will penetrate the skin, the blood-brain barrier, and other parts of the body very fast.

Remember also that **DMSO** increases the effects of drugs like blood thinners, steroids, heart medicines, sedatives, etc. In addition to that, acetone or acid contamination of **DMSO** can lead to serious medical consequences. Be aware of this problem when buying unreliable **DMSO**. A pure **DMSO** solution will turn solid (like ice) in the refrigerator within 2 hours. If, when the frozen bottle is turned upside down, little rivulets of water flow through the ice, you probably possess the veterinary grade **DMSO**. This is a 90% concentration. Ten percent is distilled

water (Morton, 1993).

Women are discouraged from using **DMSO** during pregnancy or breastfeeding, even though **DMSO** is used to preserve frozen human embryos. **DMSO** can interfere with liver function tests and give a false reading. That problem is easily solved by waiting a week after **DMSO** usage before taking the test.

Long-term **use** has been documented as safe. Eye damage, reported in laboratory animals, has not been confirmed. Side effects such as skin rash and itching after topical application, breaking up of blood elements after intravenous infusion, can be avoided in large part by employing more dilute solutions. Despite these side effects, **DMSO** is used as a preservative for blood elements and stem cells (McKim, Strub, 2008).

When **DMSO** is diluted with water, heat is released. The bottle will be warm to the touch. This is a temporary, harmless reaction.

Since **DMSO** causes dryness and scaling of the outer layer of the skin, skin diseases characterized by scaling (psoriasis) could be aggravated by the **use** of **DMSO**. But **DMSO** applied topically for only a few days has been useful in psoriasis. Prolonged **use** of **DMSO** for the treatment of psoriasis is not advised however, as it can worsen the psoriatic condition (Engel, 1967), only **DMSO** taken orally is suggested.

"I'm happy to say that taking **DMSO** in conjunction with implementing the detoxification suggestions that were given is starting to take care of many of my remaining psoriasis problems. A couple areas are still being stubborn, but I've noticed a lot of general improvement. Using **DMSO** topically also helped improve a patch of eczema that my wife has been bothered by for quite a while." - Peter Norquest, Tucson, Arizona, United States

**DMSO<sub>2</sub>**, a derivative of **DMSO**, is better tolerated and doesn't have the odor and irritation side effects. Despite this positive aspect, it hasn't surpassed the effectiveness, fascination and popularity of **DMSO**. It is also known as methylsulfonmethane or MSM, an entire topic for another article by itself!

Sulfur is an element of the earth and it is essential to life, it is among the most prevalent elements in the human body. Allergic reactions to sulfur are not possible because sulfur has no protein component. When people are 'allergic to sulfur', what they really mean is that they are allergic or sensitive mainly to certain sulfur-containing drugs or proteins, most notably sulfa antibiotics (sulfonamides) or to sulfites (preservatives used in wines and some foods), or to foods with a high sulfur content (broccoli, cauliflower, garlic, onions, etc). Many individuals with allergies to sulfa drugs, sulfites, or high sulfur containing foods (like the

author) **do** not experience problems taking **DMSO**, because apart from sulfur, **DMSO** bears no relation to these substances.

As always, proceed with caution, **do** your homework, and consult a health care provider in case of doubts.

### **References:**

Ayre JE, LeGuerrier J. Some (regressive) effects of **DMSO** dexamethasone upon cervical cells in cervical dysplasia and carcinoma in situ. *Ann N Y Acad Sci.* 1967 Mar 15;141(1):414-22.

Blumenthal LS, Fuchs M. The clinical **use** of dimethyl sulfoxide on various headaches, musculoskeletal, and other general medical disorders. *Ann N Y Acad Sci.* 1967 Mar 15;141(1):572-85.

Engel MF. Indications and contraindications for the **use** of **DMSO** in clinical dermatology. *Ann N Y Acad Sci.* 1967 Mar 15;141(1):638-45.

Goldman J. A brief resume of clinical observations in the treatment of superficial burns, trigeminal neuralgia, acute bursitis, and acute musculo-skeletal trauma with dimethyl sulfoxide. *Ann N Y Acad Sci.* 1967 Mar 15;141(1):653-4.

Gordon DM. Dimethyl sulfoxide in ophthalmology, with especial reference to possible toxic effects. *Ann N Y Acad Sci.* 1967 Mar 15;141(1):392-401.

Haley Daniel. *Politics in Healing.* Potomac Valley Press, 2000.

Jacob SW, de la Torre JC. Pharmacology of dimethyl sulfoxide in cardiac and CNS damage. *Pharmacol Rep.* 2009 Mar-Apr;61(2):225-35.

Marvin P. Interval therapy with Dimethyl Sulfoxide. *Annals of the New York Academy of Sciences.* Volume 141, Biological Actions of Dimethyl Sulfoxide pages 551 - 554.

McKim A.S., Strub Robert. Dimethyl Sulfoxide USP, PhEur in Approved Pharmaceutical Products and Medical Devices. *Pharmaceutical Technology*, May 2008.

Ogden HD. Experiences with **DMSO** in treatment of headache. *Ann N Y Acad Sci.* 1967 Mar 15;141(1):646-8.

Parcell S. Sulfur in human nutrition and applications in medicine. *Altern Med Rev.* 2002 Feb;7(1):22-44.

Persky L, Steart BH. The **use** of dimethyl sulfoxide in the treatment of genitourinary disorders. *Ann N Y Acad Sci.* 1967 Mar 15;141(1):551-4.

Pezalla E. Preventing adverse drug reactions in the general population. *Manag Care Interface.* 2005 Oct;18(10):49-52.

Pottz GE, Rampey JH, Benjamin F. Ann- The effect of dimethyl sulfoxide (**DMSO**) on antibiotic sensitivity of a group of medically important microorganisms: preliminary report. *Ann N Y Acad Sci.* 1967 Mar 15;141(1):261-72.

Ramírez E, Luza S. Dimethyl sulfoxide in the treatment of mental patients. *Ann N Y Acad Sci.* 1967 Mar 15;141(1):655-67.

Sams WM Jr. The effects of dimethyl sulfoxide on nerve conduction. *Ann N Y Acad Sci.* 1967 Mar 15;141(1):242-7.

Sanders M. Discussion. *Annals of the New York Academy of Sciences.* Volume 141, Biological Actions of Dimethyl Sulfoxide pages 649 - 652, March 1967.

Scherbel AL, McCormack LJ, Layle JK. Further observations on the effect of dimethyl sulfoxide in patients with generalized scleroderma. (Progressive systemic sclerosis). *Ann N Y Acad Sci.* 1967 Mar 15;141(1):613-29.

Steinberg A. The employment of dimethyl sulfoxide as an antiinflammatory agent and steroid-transporter in diversified clinical diseases. *Ann N Y Acad Sci.* 1967 Mar 15;141(1):532-50.

Tamblyn R, Berkson L, Dauphinee WD, Gayton D, Grad R, Huang A, Isaac L, McLeod P, Snell L. Unnecessary prescribing of NSAIDs and the management of NSAID-related gastropathy in medical practice. *Ann Intern Med.* 1997 Sep 15;127(6):429-38.

Walker Morton. *DMSO Nature's Healer.* New York: Avery, 1993.

Wang XD, Wang Q, Andersson R, Ihse I. Alterations in intestinal function in acute pancreatitis in an experimental model. *Br J Surg.* 1996 Nov;83(11):1537-43.

#### **About the author:**

*Gabriela Segura M.D. is a heart surgeon with extensive experience and interest in alternative health research, psychology and the human condition. She is a regular contributor to Sott.net and maintains her health website [Health Matrix](#)*