Vertical Instant Lock

Vertical Instant Lock Revision Number 1 Revision Date 01-Jan-2024

1. Identification

1.1. Product Identifier

Product Name Vertical Instant Lock

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant.

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

SRW Products 32005 126th Street Princeton, Minnesota 55371 USA Phone: +1 (800) 752-9326

1.4. Emergency telephone number

Telephone: 1-800-752-9326

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Reproductive toxicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2

2.2. Label Elements

EMERGENCY OVERVIEW

DANGER

Hazard statements

Causes serious eye irritation May cause an allergic skin reaction May damage fertility or the unborn child May cause damage to organs through prolonged or repeated exposure

Revision Date 01-Jan-2024

Revision Number 1



Appearance Paste Physical State Liquid Odor Slight

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see first aid measures on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)

Not applicable

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

Causes mild skin irritation. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical Name	CAS No.	Weight-%
Carbonic acid, calcium salt (1:1)	471-34-1	10 - 45
Limestone	1317-65-3	5 - 40
Silane, ethenyltrimethoxy-	2768-02-7	0.5 - 8
N-[3-(Trimethyoxysilyl)propyl]-1,2-ethanediamine	1760-24-3	0.1 - 2
Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-	22673-19-4	0.1 - 2
1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]	3069-29-2	0.1 - 2
Quartz	14808-60-7	0.1 - 2

Revision Date 01-Jan-2024

Revision Number 1

*The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice Remove contaminated clothing and shoes. If medical advice is needed, have product

container or label at hand.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Hold eyelids apart and consult an physician.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Wash contaminated clothing before reuse. May cause sensitization by skin contact. In the case of skin irritation or allergic reactions see a physician.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get Inhalation

medical attention if symptoms occur.

If swallowed, rinse mouth with water (only if the person is conscious). If swallowed, do not Ingestion

induce vomiting: seek medical advice immediately and show this container or label.

First aider: Pay attention to self-protection!. Self-protection of the first aider

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

May cause sensitization by skin contact. Treat symptomatically. Small amounts of methanol Note to physicians

(CAS 67-56-1) are formed by hydrolysis and released upon curing.

4.4. Reference to Other Sections

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Reference to other sections

Section 11: TOXICOLOGY INFORMATION

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Extinguishing powder. Water spray or fog. Alcohol resistant foam.

Unsuitable extinguishing media

Strong water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Carbon monoxide. Carbon dioxide (CO2). Halogenated hydrocarbons. Nitrogen oxides (NOx). Product is or contains a sensitizer. May cause sensitization by skin contact.

Hazardous Combustion Products

Carbon monoxide. Carbon dioxide (CO2).

Explosion Data

Sensitivity to mechanical impact

None.

Revision Date 01-Jan-2024

Revision Number 1

Sensitivity to static discharge

None.

5.3. Advice for firefighters

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Do not allow run-off from fire-fighting to enter drains or water courses.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation, especially

in confined areas. Avoid contact with skin, eyes or clothing. Do not touch or walk through

spilled material.

6.2. Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not allow to enter

into soil/subsoil. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containmentContain and collect spillage with non-combustible absorbent material, (e.g. sand,

earth, diatomaceous earth, vermiculite) and place in container for disposal according

to local / national regulations (see Section 13).

Methods for cleaning up

Use personal protective equipment as required. Take up with sand or other non-

combustible absorbent material and place into containers for later disposal. Clean

contaminated surface thoroughly.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL

PROTECTION Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. After contact with skin, wash immediately with plenty of water and soap. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep/store only in original container. Keep away from food, drink and animal feeding stuffs.

Protect from moisture. Protect from sunlight. Store in a well-ventilated place. Keep at

temperatures between 41 and 95 °F.

Incompatible materials Water.

7.3. Specific end use(s)

Specific Use(s) Adhesives. Sealant.

Revision Date 01-Jan-2024

Revision Number 1

Other information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Guidelines

This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico -
Carbonic acid, calcium salt	-	TWA: 10 mg/m ³ total dust	-	
(1:1)		TWA: 5 mg/m³ respirable		
471-34-1		dust		TWA: 10 mg/m ³
Limestone	-	TWA: 10 mg/m³ total dust	TWA: 15 mg/m³ total dust	STEL: 20 mg/m ³
1317-65-3		TWA: 5 mg/m³ respirable	TWA: 5 mg/m³ respirable	
		dust	fraction	
Tin,	STEL: 0.2 mg/m ³ Sn	IDLH: 25 mg/m³ Sn	TWA: 0.1 mg/m³ Sn	TWA: 0.1 mg/m ³
dibutylbis(2,4-pentanedionat	TWA: 0.1 mg/m³ Sn	TWA: 0.1 mg/m³ except		STEL: 0.2 mg/m ³
o-O,O')-, (OC-6-11)-	S*	Cyhexatin Sn		
22673-19-4				
Quartz	TWA: 0.025 mg/m ³	IDLH: 50 mg/m³ respirable	TWA: 50 µg/m³ TWA: 50	TWA: 0.1 mg/m ³
14808-60-7	respirable particulate matter	dust	μg/m³ excludes	
		TWA: 0.05 mg/m ³	construction work,	
		respirable dust	agricultural operations, and	
			exposures that result from	
			the processing of sorptive	
			clays	
			: (250)/(%SiO2 + 5)	
			mppcf TWA respirable	
			fraction	
			: (10)/(%SiO2 + 2) mg/m ³	
TWA respirable fraction				

Chemical Name	Argentina	Brazil	Chile	Venezuela
Carbonic acid, calcium salt	-	-	-	TWA: 10 mg/m ³
(1:1) 471-34-1 Limestone				
1317-65-3 Tin,				
dibutylbis(2,4-	TWA: 10 mg/m ³	-	TWA: 7 mg/m ³	-
pentanedionat o-O,O')-,				
(OC-6-11)22673-19-4	TWA: 0.1 mg/m ³	-	TWA: 0.09 mg/m ³	Skin
Quartz	Skin		Skin	STEL: 0.2 mg/m ³
14808-60-7	STEL: 0.2 mg/m ³			TWA: 0.1 mg/m ³
	TWA: 0.05 mg/m ³	-	TWA: 0.08 mg/m ³	TWA: 0.025 mg/m ³

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Methyl alcohol	STEL: 250 ppm	IDLH: 6000 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 200 ppm	TWA: 200 ppm	TWA: 260 mg/m ³	TWA: 260 mg/m ³
	S*	TWA: 260 mg/m ³		STEL: 250 ppm
		STEL: 250 ppm		STEL: 310 mg/m ³
		STEL: 325 mg/m ³		

Chemical Name	Argentina	Brazil	Chile	Venezuela
Methyl alcohol	TWA: 200 ppm	TWA: 156 ppm	TWA: 175 ppm	Skin
67-56-1	Skin	TWA: 200 mg/m ³	TWA: 229 mg/m ³	STEL: 250 ppm
	STEL: 250 ppm	Skin	Skin	TWA: 200 ppm

Revision Date 01-Jan-2024

Revision Number 1

8.2. Exposure controls

OTHER INFORMATION Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined **Engineering controls**

areas. Use explosion-proof ventilating equipment.

Personal protective equipment [PPE]

Respiratory protection

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

> depend on the material, but also on further marks of quality and various manufacturers. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be

required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General hygiene considerations Use personal protective equipment as required. Handle in accordance with good industrial

hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Take off contaminated clothing and wash before reuse. Regular cleaning of equipment, work

Remarks • Method

area and clothing is recommended.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Solid Paste **Appearance** Color White Odor Slight

Odor Threshold No information available

Property Values

No information available Melting point / freezing point No data available

Boiling point / boiling range No data available >100 °C / > 212 °F **Flash Point**

Evaporation Rate

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability or explosive No information available

limits

Lower flammability or explosive

No information available

limits

No information available **Vapor Pressure** No information available **Vapor Density**

Relative Density 1.53 **Water Solubility** Insoluble

Solubility in Other Solvents

Partition coefficient No information available No information available **Autoignition Temperature** No information available **Decomposition Temperature Kinematic Viscosity** No information available

Dynamic Viscosity No information available

No information available **Explosive properties** Oxidizing properties No information available

Revision Date 01-Jan-2024

Revision Number 1

9.2. Other information

Softening Point
Molecular Weight
Solvent content
(%) Solid content
(%) Density

No information available
No information available
No information available
No information available

VOC (volatile organic compound) Low

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Product cures with moisture.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Protect from moisture. Product cures with moisture. Keep away from heat, sparks and flames.

10.5. Incompatible materials

Water.

10.6. Hazardous decomposition products

None known based on information supplied.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product information No data available

Inhalation Based on available data, the classification criteria are not met.

Eye contact Irritating to eyes.

Skin contact May cause sensitization by skin contact.

Ingestion Based on available data, the classification criteria are not met.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Carbonic acid, calcium salt (1:1)	LD50 > 2000 mg/kg (Rat) OECD	LD50 >2000 mg/kg (Rat) OECD	LC50 (4h) >3mg/ml (Rat)
471-34-1	420	402 -	
Limestone 1317-65-3	>5000 mg/kg (rat)	•	-
Silane, ethenyltrimethoxy- 2768-02-7	LD 50 = 7120 -7236 mg/kg (Rat) OECD 401	= 3360 μL/kg(Rabbit)	-
N-[3-(Trimethyoxysilyl)propyl]-1,2-et hanediamine 1760-24-3	= 2295 mg/kg (Rat)	>2000 mg/Kg (Rat)	LC50 4H (Aerosol)1.5 - 2.44 mg/L air
Tin, dibutylbis(2,4-pentanedionato-O,O') -, (OC-6-11)-	LD50 = 1864 mg/kg (Rat) OECD 401	LD50 > 2000 mg/kg (Rat) OECD 402	_

Revision Date 01-Jan-2024

Revision Number 1

22673-19-4			
Quartz 14808-60-7	>2000 mg/kg(Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms No information available.
Skin corrosion/irritation No information available.
Serious eye damage/eye irritation Irritating to eyes.

IrritationNo information available.CorrosivityNo information available.

Sensitization May cause sensitization by skin contact.

Germ Cell Mutagenicity No information available.

Reproductive Toxicity Product is or contains a chemical which is a known or suspected reproductive hazard.

Developmental ToxicityNo information available.TeratogenicityNo information available.STOT - single exposureNo information available.

STOT - repeated exposureMay cause damage to organs through prolonged or repeated exposure.

Chronic Toxicity No information available.

Target Organ EffectsEyes, Respiratory system, Skin, Bladder.

Aspiration hazard Not applicable.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

Chemical Name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	X
14808-60-7		·		

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Chemical Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Carbonic acid, calcium salt (1:1) 471-34-1	IC50 72H Algae >1000 mg/l	CL50 96H Fish >1000 mg/l	_	EC50 48H Daphnia >1000 mg/l
Limestone 1317-65-3	CE50 (72h) >200mg/L Algae (Desmondesmus subspicatus)	CL50 (96h)>10000mg/L Fish (Oncorhynchus mykiss)		CE50 (48h) >1000 mg/L Daphnia Magna
Silane, ethenyltrimethoxy- 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)		EC50(48hr) 168.7mg/l (Daphnia magna)
N-[3-(Trimethyoxysilyl)propyl]-1,2-ethanediamine 1760-24-3		LC50 (96H) =597 mg/L Fish (Danio rerio)Semi-static		EC50 (48h) =81mg/L Daphnia magna Static
Tin,	>2.0 mg/l	>2.0 mg/l		EC50 0.0036 mg/l 48Hr

Revision Date 01-Jan-2024

Revision Number 1

dibutylbis(2,4-pentanedionat		(Daphnia magna)
o-O,O')-, (OC-6-11)		
22673-19-4		

12.2. Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of Wastes It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification

and disposal methods in compliance with applicable regulations

Dispose of in accordance with federal, state and local regulations Contaminated packaging

Section 14: TRANSPORT INFORMATION

The shipping descriptions shown here are for bulk shipments only, and may not apply to Note:

shipments made in non-bulk packages (see regulatory definition)

The information shown here, may not always agree with the bill of lading shipping

description for the material

49 CFR 171.4(c) "Exceptions. Except when all or part of the transportation is by vessel, the requirements of this subchapter specific to marine pollutants do not apply to non-bulk

packagings transported by motor vehicle, rail car or aircraft."

DOT

UN/ID No

Proper Shipping Name Environmentally hazardous substance, solid, n.o.s.

Hazard Class Packing Group Ш

Special Provisions 146, 335, A112, B54, B120, IB8, IP3, N20, N91, T1, TP33, 8 Description

UN3077, Environmentally hazardous substance, solid, n.o.s. (Tin,

dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-), 9, III, Marine Pollutant

Emergency Response 171

Guide Number

IATA

UN Number UN3077

Proper Shipping Name Environmentally hazardous substance, solid, n.o.s.

(Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-)

Transport hazard class(es) 9 **Packing Group** Ш **ERG Code**

Special Provisions A158, A179, A97, A197

Revision Number 1 Revision Date 01-Jan-2024

Description Un3077, Environmentally hazardous substance, solid, n.o.s.

(Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-), 9, III

IMDG

UN Number UN3077

UN proper shipping name Environmentally hazardous substance, solid, n.o.s.

Transport hazard class(es) **Packing Group** Ш EmS-No. F-A, S-F

Special Provisions

274, 335, 966, 967, 969

UN3077, Environmentally hazardous substance, solid, n.o.s. (Tin, Description

dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-), 9, III, Marine Pollutant

Section 15: REGULATORY INFORMATION

Global Inventories

TSCA	Listed
DSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard Yes **Chronic Health Hazard** Yes Fire hazard No Sudden release of pressure No hazard Reactive Hazard Nο

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Revision Date 01-Jan-2024

Revision Number 1

Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither the above - named supplier, nor any of it subsidiaries, assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards.

End of Safety Data Sheet