Material Safety Data Sheet



1. PRODUCT AND COMPANY IDENTIFICATION

Product Name : FORABELI DIAMOND CLEAR GLUE

Synonyms : None

General Use : Adhesives

Product Description : Powerful instant glue on cyanoacrylate

Company Name : FORABELI BEAUTY LTD.

2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Wt%	CAS Registry No	Chemical Formula
Ethoxyethyl 2-cyanoacrylate	5%<	21982-43-4	CH2=C(CN)-COOCH2CH2OC H2CH3
РММА	Less than 1%	9011-14-7	
Ethyl cyanoacrylate	95%<	7085-85-0	

3. HAZARDS IDENTIFICATION

GHS Classification (Based on NITE) Physical Hazards

Explosives : Classification not possible

Flammable gases : Not applicable

Flammable aerosols : Not applicable

Oxidizing gases : Not applicable

Gases under pressure : Not applicable

Flammable liquids : Category 4

Flammable solids : Not applicable

Self-reactive substances and mixtures Pyrophoric liquids : Classification not possible

Pyrophoric solids : Not applicable

Self-heating substances and mixtures : Classification not possible

Substances and mixtures which, in contact with water, emit flammable gases : Not applicable

Oxidizing liquids : Not applicable

Oxidizing solids : Not applicable

Organic peroxides : Not applicable

Corrosive to metals : Not classified

Human Health Hazards

Acute toxicity (Oral) : Not classified

Acute toxicity (Dermal)) : Not classified

Acute toxicity (Inhalation: Gases)) : Not applicable

Acute toxicity (Inhalation: Vapours) : Classification not possible

Acute toxicity (Inhalation: Dusts)) : Not classified

Acute toxicity (Inhalation: Mists) : Classification not possible

Skin corrosion/irritation : Classification not possible

Serious eye damage/eye irritation : Classification not possible

Respiratory sensitization : Classification not possible

Skin sensitization : Classification not possible

Germ cell mutagenicity : Classification not possible

Carcinogenicity : Classification not possible

Reproductive toxicity : Classification not possible

Specific target organ toxicity - Single exposure : Classification not possible

Specific target organ toxicity - Repeated exposure: Classification not possible

Aspiration hazard : Classification not possible

4. FIRST AID MEASURES

4-1. INSESTION : Ingestion is not likely. See supplemental page for emergency procedures.

4-2. INHALATION : Evacuate from further exposure. If unconsciousness occurs, seek immediate medical

assistance and call a physician. If the breath has stopped, have artificial respiration. If breathing difficulty occurs, have oxygen inhalation.

- 4-3. Skin contact : Remove contaminated clothing. Wash contact areas with soap and much water.
- 4-4. Eye contact : Flush thoroughly with fresh water for at least 15 min. Get medical assistance immediately.

5. FIRE FIGHTING MEASURES

- 5-1. FLASH POINT : Above 95°C Method: Cleveland open cup.
- 5-2. EXTINGUISHING AGENTS : Carbon dioxide, form ,dry chemical
- 5-3. SPECIAL FIRE FIGHTING PROCEDURES : Not available
- *Hazardous products formed by fire or thermal decompostion. Irritating organic fragments.
- 5-4. Unusual fire or explosion hazards : Not available
- 5-5. Explosive Limits : (%by volume in air) Lower Not available / Upper Not available

6. ACCIDENTAL RELEASE MEASURES

6-1. Shut off all sources of ignition : No fires, smoking or flames in the area.

*Ventilate area after material pick up is completed.

6-2. For small spills : Absorb spill with inert material (dry cloth, dry sand), then place in chemical waste containers using non-sparking tools. Flush residual spill (area) with plenty of water.

6-3. For large spills : Dike for later disposal. Wash with plenty of water.

7. HANDLING AND STORAGE

7-1. Handling: Keep away from sources of ignition and heat. No smoking or flames in the working area.

Take precautionary measures against static discharges.

Avoid contact with skin and eyes.

Wear proper protective equipment.

Use only in well ventilated areas.

Use exhaust ventilation to keep air concentration below exposure limit.

Keep the container tightly closed when not in use.

Install emergency showers and eyewash facility in the working area.

7-2. Storage : Keep away from all possible sources of ignition.

Store in a cool, dry, well ventilated location.

Keep the container tightly closed.

Keep away from combustible materials, heat, steam pipe or sunlight.

Keep away from oxidizing materials.

7-3. Other Precautions : Wash hands, face and gargle after work.

Practice good personal hygiene after using this material, especially before eating, drinking, smoking or using the restroom.

Keep out of reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8-1 . Respiratory protection (Specify type) :

Chemical cartridge respirator with organic vapor. Local exhausts *Special Should be used to control vapors in the work area. Mechanical (General) *Other Should use a breathing mask.

- 8-2. Protective gloves : Polyethylene gloves. No rubber.
- 8-3. Eye protection : Safety glasses, face shield.
- 8-4. Skin protection : Other protective clothing or equipment impervious clothing, apron and boots.

Barrier creams, etc.

9. PHYSICAL AND CHEMICAL PROPERTIES

- 9-1. Appearance : Black liquid
- 9-2. Odor : Odorless, irritating
- 9-3. Boiling point : Above 190'c
- 9-4. Melting point : N/A
- 9-5. Specific gravity (H2O=1): 0.9~1.1

- 9-6. Vapor pressure (at25'c) : 1Pa
- 9-7. Vapor density (Air=1): 4.9
- 9-8. Evaporation rate (Butyl acetate=1) : N/A
- 9-9. Solubility in water : Insoluble(polymerized by water)

10. STABILITY AND REACTIVITY

- 10-1. Condition to avoid : High humidity, high temperature or direct sunlight.
- 10-2. Stability : Stable (cool and dry area.).
- 10-3. Materials to avoid : Polymerized by contact with water, alcohols, amines, alkalies.
- 10-4. Hazardous decomposition or by products : CO2, oxides and nitrogen and unknown hydrocarbons.

11. TOXICOLOGICAL INFORMATION

11-1. Toxicity : Skin contact may cause burns. Bond skin rapidly and strongly.

Skin and eye may be irritant.

- 11-2. Oral LD50 : 6760mg /kg in rat. (Acute) (Pro forma amount)allied substance
- 11-3. Routes of entry : Inhalation (Yes), Skin (Yes), Ingestion (Yes)
- 11-4. Carcinogen etc : See Section 3

12. ECOLOGICAL INFORMATION

None known

13. DISPOSAL INFORMATION

13-1. Waste disposal method : Don't pour drain. Follow domestic and local environmental regulations.

Precautions to be taken in handling and storing.

Avoid unnecessary exposure to air and moisture.

Don't store above 25°C and in direct sunlight, Keep container lids tightly closed.

13-2. Other Precautions : Avoid contact with skin and eyes.

Protect eyes, skin and clothing from contact with liquid products. Wear recommended equipment.

14. TRANSPORT INFORMATION

DOT (49 CFR 172) *Domestic ground transport

14-1. Proper shipping name : Unrestricted (Not more than 450 liters.)

Combustible liquids n.o.s.(Cyanoacrylate ester)

(More than 450 liters)

14-2. Hazard class or division : Unrestricted (Not more than 450 liters.)

Combustible liquids. (More than 450 liters)

14-3. Identification number : None (Not more than 450 liters.)

NA1993 (More than 450 liters)

14-4. Marine pollutant : None.

IATA

- 14-5. Proper shipping name : Unrestricted.
- 14-5. Class or division : Unrestricted
- 14-6. UN or ID number : None.

15. REGULATORY INFORMATION

15-1. CA Proportion 65 : No California proposition 65 chemicals are known to be present.

16. OTHER INFORMATION

- 16-1. Estimated NFPA Code : *NFPA is a registered trademark of the National Fire Protection Assn.
- 16-2. Health Hazard : 2
- 16-3. Fire Hazard : 2
- 16-4. Reactivity Hazard : 1
- 16-5. Specific Hazard : Does not apply
- 16-6. Estimated HMIS Code : *HMIS is a registered trademark of the National Paint and Coatings Assn.
- 16-7. Health Hazard : 2

16-8. Flammability Hazard : 2

NOTE

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of FORABELI BEAUTY LTD.. It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

FORABELI BEAUTY LTD. assumes no responsibility for use or reliance upon this information.